

Growth Is Our Way

To, Director (S) **MINISTRY OF ENVIRONMENT & FOREST** Regional Office, Western Region, Kendriya Parayavaran Bhavan, Link Road No.3, E-5, Ravi Shankar Nagar Bhopal - 462016 (Madhya Pradesh)

SUB: COMPLIANCE REPORT FOR THE PERIOD OF APRIL 2019 TO SEPTEMBER 2019 FOR EXPANSION OF CAPACITIES FOR FULLY DRAWN YARN, POLYESTER CHIPS & CAPTIVE POWER PLANT AT BLOCK NO. 129 & 175, PLOT NO. Z & E, VILLAGE: JOLVA, TALUKA: PALSANA, DIST: SURAT, GUJARAT.

1. F. No. J11011/98/2009-IA II (I), DATED: 13/04/2009

2. F. No. SEIAA/GUJ/EC/5(d) & 1(d)/1346/2018- DATED: 14/12/2018

Dear Sir,

With reference to the Environmental Clearance obtained from MoEF for our production unit of Fully Drawn Yarn, Polyester Chips we are hereby enclosing the Compliance Report for the period of April 2019 To September 2019 of Environmental Clearance issued to us.

Now onwards we are giving assurance to you that we will submit six monthly compliance reports.

We hope you would find the same in order and do the needful.

Thanking You,

Yours faithfully,

For,

M/s. Shree Durga Syntex Pvt. Ltd

Authorized signatory

Enclosure: a/a

Copy to:

(1) Member Secretary **Gujarat Pollution Control Board**

Paryavaran Bhavan, Sector - 10 - A Gandhinagar - 382010

(2) The Member Secretary State level Environment Impact Assessment Authority (SEIAA)

Gujarat Pollution Control Board Paryavaran Bhavan, Sector - 10 - A Gandhinagar - 382010

Regd. Office & Factory Address

Block No. 128, 129, 130 & 175, Plot No. Z & E, Palsana, Village- Jolwa, Dist.: Surat, Pin-394 305.

Ph.: 99740 93573 / 74, 02622 274477 / 274478, Website: www.shreedurgasyntex.com

CIN: U17119GJ2003PTC041979 GSTIN: 24AABCD8894P1ZV

F. No. J11011/98/2009-IA II (I), DATED: 13/04/2009

Period - APRIL 2019 TO SEPTEMBER 2019

Project Details - Expansion of capacities for Fully Drawn Yarn, Polyester Chips & Captive power plant

By M/s. Shree Durga Syntex Pvt Ltd at block no. 128, 129, 130 & 175, Plot no. E & Z, Village: Jolva,

Taluka: Palsana, Dist: Surat, Gujarat

Sr.No	CONDITIONS
2	The Ministry of Environment
	and Forests has examined your
	application. It is noted that M/s
	Shree Durga Syntex Pvt. Ltd
	have proposed for expansion of
	capacities for Fully Drawn
	Yarn, Polyester Chips &
	Captive power plant at block
	no. 129 & 175, plot no. Z & E,
	Village: Jolva, Taluka: Palsana,
	Dist: Surat, Gujarat. The
	production capacity of Fully
	Drawn yarn will increase from
	40 MTPD to 300 MTPD and
	captive power plant will
	increase from 3.25 MW to
	12.25 MW. It is proposed to
	manufacture 600 MTPD of
	polyester chips by continuous
	polyester chips by continuous polymerization. It is proposed
	to increase production capacity
	along with backward
	integration of polyester chips/
	liquid polyester to avoid
	melting process of polyester
	chips for producing FDY. No
	ecosensitive areas are located
	within 10 km radius of the
	plant. The proposed expansion
	will be carried within the
	existing unit having land area
	of 9000 m ² , of which green belt
	will be developed in 33% of the
	total land area. Cost of the
	project is Rs.150.00 Crores, of
	which Rs. 30.00 lakhs is
	earmarked for Environmental
	Protection Measures.

Production details is as follows;

Noted.

SN.	PRODUCT	NAME OF THE MONTH							
511.	11102001	April 2019 May 2019 J		June 2019 July 2019		August 2019	Sept 2019		
1	Polyester Chips (T/D)	494.94	554.21	515.27	557.71	458.21	554.76		
2	Gray Cloth (Meters/D)	105308.40	76962.09	87787.61	85793.75	88406.52	94151.24		
3	FDY (T/D)	194.73	200.26	197.82	203.06	200.03	200.14		
4	Textile Yarn Production(T/D)	0.83	1.23	4.04	5.43	3.79	3.69		

COMPLIANCE STATUS

Area statement of the project shown in below table:

PROJECT AREA	AREA (M ²)
Plant & M/c area	1650
Utility area	2500
Storage area	1149
Office area	231
Green belt area	2970
Road area	500
Total	9000

We ensure that proposed expansion is carried on land area of 9000 m2. And Approx. 33% of it is greenbelt.





F. No. J11011/98/2009-IA II (I), DATED: 13/04/2009

Period - APRIL 2019 TO SEPTEMBER 2019

Project Details - Expansion of capacities for Fully Drawn Yarn, Polyester Chips & Captive power plant

By M/s. Shree Durga Syntex Pvt Ltd at block no. 128, 129, 130 & 175, Plot no. E & Z, Village: Jolva,

Taluka: Palsana, Dist: Surat, Gujarat





3

The total water requirement after the expansion will be 799 m³/d, which will be sourced from ground water source. Permission for drawl 315m³/d of ground water was obtained on 12.10.2007. The waste water generation will be 202 m³/day. The domestic effluent (22m³/d) will be disposed of into septic tank followed by soak pit. Source of industrial wastewater (180 m³/d. will be from floor washing, cooling blow down, DM back wash and process condensate. The wastewater after passing through settling tank will be discharged in to the pipeline of PEPL, leading to **PEPL** CETP. Power requirement will be met through the Captive power plant. Fuel requirement will be natural gas (72,000 m³/day) or FO/LDO (100 m³/day) Stack height of 30 m is proposed for existing Gas Engine(3 Nos) and 50 m for proposed DG sets (3 Nos), 30 m for proposed Gas Engine (3Nos) and 65 m for proposed DG sets (3 nos). Stack height of 11 m is proposed for steam boiler.

Noted. & Complied.

Permission for withdrawing ground water is obtained from CGWA for 315 m³/Day. For additionally water requirement, application is made to CGWA which is under verification stage. Please find attachment as **ANNEXURE-V**. The Avg. fresh water consumption in last six months is **526.3 KL/Day**. Monthly Fresh Water consumption details are given as below;

SN	Month	Qty. F/W (KL/Month)	Qty. F/W (KL/Day)
1	April 2019	15687	522.9
2	May 2019	14443	481.4
3	June 2019	14989	499.6
4	July 2019	16596	553.2
5	August 2019	17023	567.4
6	September 2019	15999	533.3

The Avg. industrial waste water generation in last six months is **166 KL/Day**. Monthly waste water generation details are given as below;

SN	Month	Qty (KL/Month)	Qty (KL/Day)
1	April 2019	4999	166.6
2	May 2019	4598	153.2
3	June 2019	5283	176.1
4	July 2019	4755	158.5
5	August 2019	4881	162.7
6	September 2019	5401	180

To monitor the same, online flow meter is operational at the outlet of ETP discharge line to CETP. The Avg. domestic waste water generation is discharge through septic tank & soak pit. The generated industrial effluent is treated in ETP. The treated effluent is discharged to PEPL-CETP through pipeline.

COMPLIANCE OF ENVIRONMENTAL CLEARANCE MINISTRY'S LETTER NO.: F. No. J11011/98/2009-IA II (I), DATED: 13/04/2009

Period - APRIL 2019 TO SEPTEMBER 2019

	There will not be any solid waste generation from the	Fuel consur	nption details are as below;		
	process or ETP.	SN	Month	COAL (MT/Day)	
		1	April 2019	405.75	
		2	May 2019	289.37	
		3	June 2019	374.95	
		4	July 2019	435.59	
		5	August 2019	409.59	
		6	September 2019	371.06	
4	The Petrochemical based processing units are listed at serial no. 5(e) of schedule of EIA Notification, 2006 and categorized under "A" or "B" category depending upon the location of the plant outside or inside the notified industrial area. In the instant case, the unit is located outside the industrial area hence this is a category "A" project and appraised by the Expert Appraisal committee (I) at centre.	Noted.			
5	The proposal was considered by the Expert Appraisal Committee (Industry) in its 92 nd meeting held on 18 th - 20 th March, 2009. The EAC (I) recommended the proposal for grant of environmental clearance under para 7(ii) of EIA Notification, 2006 exempting the project from preparation of EIA report and public hearing.	Noted.			
6	Based on the information submitted by the project authorities, the Ministry of Environment and Forests hereby accords environmental clearance to above project under the provisions of ElA	Noted.			

F. No. J11011/98/2009-IA II (I), DATED: 13/04/2009

Period - APRIL 2019 TO SEPTEMBER 2019

conforming to the prescribed standards shall be discharged into the pipeline of PEPL leading to CETP. The domestic effluent (22m³/d) shall be disposed through septic tank/soak pit. SN Month Qty (KL/Month) (KL 1 April 2019 4999 1000 1000 1000 1000 1000 1000 1	Pty (Day) 66.6 63.2 76.1 58.5 62.7 80 utlet of treated
Specific and General Conditions: A SPECIFIC CONDITIONS: 1. The industrial effluent generation shall not exceed 180m³/d. The effluent after treatment in the ETP and conforming to the prescribed standards shall be discharged into the pipeline of PEPL leading to CETP. The domestic effluent (22m³/d) shall be disposed through septic tank/soak pit. SPECIFIC CONDITIONS: Complied. The Avg. industrial waste water generation in last six months is Monthly waste water generation details are given as below; SN Month Qty (KL/Month) (KL 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	Pty (Day) 66.6 63.2 76.1 58.5 62.7 80 utlet of treated
Conditions: A SPECIFIC CONDITIONS: 1. The industrial effluent generation shall not exceed 180m³/d. The effluent after treatment in the ETP and conforming to the prescribed standards shall be discharged into the pipeline of PEPL leading to CETP. The domestic effluent (22m³/d) shall be disposed through septic tank/soak pit. Complied. The Avg. industrial waste water generation in last six months is Monthly waste water generation details are given as below; SN Month Qty (KL/Month) (KL 2 May 2019 4999 10 May 2019 4598 10 May 2019 4755 10 May 2019 4755 10 May 2019 4755 10 May 2019 4755 10 May 2019 4881 10 May 2019 5401	Pty (Day) 66.6 63.2 76.1 58.5 62.7 80 utlet of treated
A SPECIFIC CONDITIONS: 1. The industrial effluent generation shall not exceed 180m³/d. The effluent after treatment in the ETP and conforming to the prescribed standards shall be discharged into the pipeline of PEPL leading to CETP. The domestic effluent (22m³/d) shall be disposed through septic tank/soak pit. Complied. The Avg. industrial waste water generation in last six months is Monthly waste water generation details are given as below; SN Month Qty (KL/Month) (KL) 1 April 2019 4999 100 2 May 2019 4598 100 3 June 2019 5283 100 4 July 2019 4755 100 5 August 2019 4881 100 6 September 2019 5401	2ty (Day) 66.6 53.2 76.1 58.5 62.7 80 utlet of treated
1. The industrial effluent generation shall not exceed 180m³/d. The effluent after treatment in the ETP and conforming to the prescribed standards shall be discharged into the pipeline of PEPL leading to CETP. The domestic effluent (22m³/d) shall be disposed through septic tank/soak pit. Complied. The Avg. industrial waste water generation in last six months is Monthly waste water generation details are given as below; SN Month Qty (KL/Month) (KL 4999 10 10 10 10 10 10 10 10 10 10 10 10 10	2ty (Day) 66.6 53.2 76.1 58.5 62.7 80 utlet of treated
180m³/d. The effluent after treatment in the ETP and conforming to the prescribed standards shall be discharged into the pipeline of PEPL leading to CETP. The domestic effluent (22m³/d) shall be disposed through septic tank/soak pit. Monthly waste water generation details are given as below; SN Month Qty (KL/Month) 1 April 2019 4999 2 May 2019 4598 1 June 2019 5283 1 June 2019 5283 1 June 2019 4755 1 S August 2019 4881 6 September 2019 5401	Pay (Day) 66.6 633.2 76.1 68.5 62.7 80 atlet of treated
treatment in the ETP and conforming to the prescribed standards shall be discharged into the pipeline of PEPL leading to CETP. The domestic effluent (22m³/d) shall be disposed through septic tank/soak pit. SN Month Qty (KL/Month) 1 April 2019 4999 10 2 May 2019 4598 11 3 June 2019 5283 11 4 July 2019 4755 11 5 August 2019 4881 10 6 September 2019 5401	(Day) 66.6 53.2 76.1 58.5 62.7 80 utlet of treated
conforming to the prescribed standards shall be discharged into the pipeline of PEPL leading to CETP. The domestic effluent (22m³/d) shall be disposed through septic tank/soak pit. SN Month Qty (KL/Month) (KL 1 April 2019 4999 10 2 May 2019 4598 11 3 June 2019 5283 11 4 July 2019 4755 11 5 August 2019 4881 10 6 September 2019 5401	(Day) 66.6 53.2 76.1 58.5 62.7 80 utlet of treated
into the pipeline of PEPL leading to CETP. The domestic effluent (22m³/d) shall be disposed through septic tank/soak pit. April 2019 4598 1	53.2 76.1 58.5 52.7 80 utlet of treated
leading to CETP. The domestic effluent (22m³/d) shall be disposed through septic tank/soak pit. 2 May 2019	76.1 58.5 62.7 80 utlet of treated
effluent (22m³/d) shall be disposed through septic tank/soak pit. 3	58.5 52.7 80 utlet of treated
disposed through tank/soak pit. 4 July 2019 4755 1 5 August 2019 4881 1 6 September 2019 5401	52.7 80 utlet of treated
tank/soak pit. 5 August 2019 4881 10 6 September 2019 5401	80 utlet of treated
	ıtlet of treated
To monitor the same, online flow meter is operational at the o	ained at ETP.
effluent discharge line to CETP. The logbook for the same is maint	
The generated industrial waste water is treated in ETP. The treated in ETP.	
discharged to PEPL-CETP through pipeline. The waste water treate	
inlet norms. Analysis report of the same is attached as ANNEXUR The testing laboratory appointed is M/s. En-vision Environmental	
NABL accreditation certificate vide no. TC-5304, issue dated: 2	·
valid till-22/02/2021.	5/02/2019 tille
The domestic waste water generated is discharged through septic ta	nk/soak pit.
2. There shall not be any process Complied.	
emissions due to the proposed We ensure that there will not be any process emission due to	
activity. For dispersion of activity. For dispersion of gaseous emission from the Steam Boile	r, DG sets etc.
gaseous emissions from the following APCM, Stack are provided;	
steam boiler and DG sets, adequate height as per CPCB Stack No. Stack Attached To Stack Ht APCN	1
standards shall be provided. 1 to 3 Natural Gas Based CPP engines 30 Mt -	
Acoustic enclosures / treatment - Nos (Each)	
shall be given to the DG sets to (Total-3.25 MW)*	
mitigate noise pollution. 4 Steam Boiler 11 Mt -	
Measures for control of NOx Natural Gas Bases (1 TPH)	
emissions shall be undertaken. 5 Coal Based Thermic Fluid 50 Mt ESP	
Heater (14000 U)	
Coal Based Thermic Fluid 20Mt -	
Heater (200 U X 2)* Coal Based Thermic Fluid	
Heater (10000U X 2)*	
8 CPP 9 MW 80 Mt ESP	
O O O O O O O O O O O O O O O O O O O	

F. No. J11011/98/2009-IA II (I), DATED: 13/04/2009

Period - APRIL 2019 TO SEPTEMBER 2019

Project Details - Expansion of capacities for Fully Drawn Yarn, Polyester Chips & Captive power plant

By M/s. Shree Durga Syntex Pvt Ltd at block no. 128, 129, 130 & 175, Plot no. E & Z, Village: Jolva,

Taluka: Palsana, Dist: Surat, Gujarat

*One Standby

** DG Set Not Available





3. The proponent shall upload the status of compliance of the stipulated environmental clearance conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the Regional office of MOEF, the respective Zonal office of CPCB and the State Pollution Control Board. The criteria pollutant levels namely; SPM, RSPM, SO₂, NOx (ambient as well stack levels as emissions) or critical sectoral parameters, indicated for the project shall be monitored and displayed at a convenient location near the main gate of the company in the public

Complied.

We have uploaded the status of compliance of Environmental Clearance including results of monitored data on our website. It also simultaneously submitted to Regional office of MoEF i.e. RO Bhopal.



The pollutant levels namely; SPM, RSPM, SO2, NOx (ambient levels as well as stack emission) or critical sectoral parameters, are monitored periodically and displayed at display board near main gate in public domain.

Noted.

domain.

4. The project authorities shall strictly comply with the rules and guidelines under Manufacture, Storage and Import of Hazardous Chemicals Rules, 1989 as amended in October, 1994 and January,

F. No. J11011/98/2009-IA II (I), DATED: 13/04/2009

Period - APRIL 2019 TO SEPTEMBER 2019

	0. All Transportation of	
	ardous Chemicals shall be	
	er the MVA, 1989.	
The	company shall undertake	
follo	owing Waste Minimization	
mea	sures	
i.	• Metering and control of	Complied.
	quantities of active	A. Metering is being done to monitor and control of active raw materials to
	ingredients to minimize	minimize the waste. i.e. Flow meters are provided at MEG handling system
	waste.	minimize the waste. i.e. I low meters are provided at 14120 handling system
		B. Automatic filling / transfer system is being provided to minimize the spillage
	• Reuse of byproducts	
	from the process as raw	i.e. Chain conveyor system provided at PTA handling area and then stored in Silo
	materials or as raw	and transferred to schenck system to paste tank for plant.
	material substitutes in	
	other processes.	C. Reuse of byproducts / used oil / drums is being sent to authorized recyclers
	• Use of automated	
	filling to minimize	
	spillage.	
	• Use of "Close Feed"	
	system into batch	
	reactors.	
	• Venting equipment	
	through vapour	
	recovery system.	
	• Use of high pressure	
	hoses for equipment	
	clearing to reduce	
	C	
ii.	wastewater generation.	Complied
11.	Fugitive emissions in the work zone environment,	Complied. Work zone monitoring is being corried out periodically through third party NABI
	· · · · · · · · · · · · · · · · · · ·	Work zone monitoring is being carried out periodically through third party NABL
	product, raw materials	Approved.
	storage area etc. shall be	Ambient Air Monitoring Reports are Attached As ANNEXURE-VII.
	regularly monitored. The	
	emissions shall conform to	
	the limits imposed by	
	GPCB.	
iii.	S	Complied.
	materials, spillages shall	We are ensuring that during transfer of materials, spillages are avoided. If not
	be avoided and garland	avoided drains are constructed to collect the spillage and transfer back to the
	drains be constructed to	process.
	avoid mixing of accidental	
	spillages with domestic	
	waste and storm drains.	

F. No. J11011/98/2009-IA II (I), DATED: 13/04/2009 Period - APRIL 2019 TO SEPTEMBER 2019

<u>Project Details - Expansion of capacities for Fully Drawn Yarn, Polyester Chips & Captive power plant</u>
<u>By M/s. Shree Durga Syntex Pvt Ltd at block no. 128, 129, 130 & 175, Plot no. E & Z, Village: Jolva,</u>

Taluka: Palsana, Dist: Surat, Gujarat

iv	The adequate financial provisions shall be made in the budget of the project for implementation of the above suggested environmental safeguards. Fund so earmarked shall not be diverted for any	Complied. We have spent and made provision for adequate funds, both recurring and non-recurring to implement the conditions stipulated by the MoEF&CC as well as the State Government along with the implementation schedule for all conditions stipulated in the EC Order. Adequate funds are allotted as below;
	other purposes.	EMP Activity Capex Recurring Spent Spent 2018-19 2018-19
		1. ETP Sludge Disposal 85 lacs 25 lacs 2. CETP Charges 3. Env Audit 4. Env Monitoring Charges 5. ETP Raw Material 6. APCM Upgradation
		Capex Projected for Year 2019-20 For EMP Activites – Approx. 50 lacs
		Recurring Projected for Year 2019-20 For EMP Activites – Approx. 25 lacs We also assure that these funds will not be diverted for any other activities.
V	. Occupational health surveillance of the workers shall be done on a regular basis and records maintained as per the Factories Act.	Complied. Health check-up of all workers is being done periodically and records are maintained as per Factories Act.
vi		Complied. The company maintains fire fighting preparedness procedures and have adequate fire fighting equipments like following; 1. Fire Hydrant 2. Fire Extinguishers 3. Sprinkler system in coal yard 4. OHC in plant premises PPE's to employee
vii	. Training shall be imparted to all employees on safety and health aspects of chemicals handling. Preemployment and routine	Complied. Training imparted to all level employees & Complied. Routine periodical medical examinations for all employees are carried out on regular basis.

F. No. J11011/98/2009-IA II (I), DATED: 13/04/2009

Period - APRIL 2019 TO SEPTEMBER 2019

	periodical medical examinations for all employees shall be					
	undertaken on regular					
	basis. Training to all					
	employees on handling of					
	chemicals shall be					
	imparted.					
viii.	Usage of PPEs by all	Comp		. 1	1	
	employees/ workers shall be ensured.			s have to be provided and ap of BIS approved products. Wor		
	be elisured.		egularly		k place elli	orcement of wearing is
		done	egularry	•		
			S.No	PPEs	UOM	QTY.
			1	Self Contained Breathing	Nos.	10
				Apparatus- 10kg		
			2	Full Face masks	Nos.	25
			3	Trolley mounted oxygen cylinders	Nos.	5
			4	Full body chemical protection suits	Nos.	10
			5	Chemical splash proof goggles	Nos.	50
			6	Aluminized fire fighting suits	Nos.	10
			7	25mm hose clips with screw clips	Nos.	10
			8	Gum boots full length	Nos.	25
			9	Leather hand gloves	Pair	50
			10	Electrical hand gloves	Pair	5
			11	Non permeable hand gloves	Nos.	25
			12	Safety helmets	Nos.	50
			13	Safety shoes sizes	Pair	60
			14	Pick axles	Nos.	2
			15	Shovels	Nos.	5
			16	Rain coats full size	Nos.	10
	D : : 1		17	Stretchers	Nos.	2
ix.	Permission to draw ground water shall be undertaken	Comp		withdraw ground water is under	aken from	CGWA for existing 700
	from the CGWB / State	KL/da		withdraw ground water is under	aken nom	COWA for Calsung 777
	Ground Water Authority)			sion letter from CGWA is attache	ed as ANNI	EXURE-V.
	as may be applicable to	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	Permiss			arcite VV
	this case.					
x.	The company shall	Comp	lied.			
	undertake rainwater	To co	nserve g	ground water as well as reduced		
	harvesting measures to	rechar	ging is	carried out to recharge ground	water befo	re its get evaporated. 3

F. No. J11011/98/2009-IA II (I), DATED: 13/04/2009

Period - APRIL 2019 TO SEPTEMBER 2019

	recharge the ground water as well as reduced consumption of water.	Nos. of percolating recharge pits are provided for rain water recharging.
В	GENERAL CONDITIONS:	
1.	The project authorities shall strictly adhere to the stipulations made by the State Pollution Control Board.	We are strictly agree, complying & will continue to comply with all stipulation made by GPCB as per CC&A No.86533 Dated: 16/06/2017, Valid Till-3/7/2022.
2.	No further expansion or modifications in the plant shall be carried out without prior approval of the Ministry of Environment and Forests. In case of deviations or alterations in the project proposal from those submitted to this Ministry for clearance, a fresh reference shall be made to the Ministry to assess the adequacy of conditions imposed and to add additional environmental protection measures required, if any.	We ensure that no further expansion or modification related to EC in the plant shall be carried out only after prior approval of Ministry.
3.	At no time, the emissions shall exceed the prescribed limits. In the event of failure of any pollution control system adopted by the unit, the unit shall be immediately put out of operation and shall not be restarted until the desired efficiency has been achieved.	Noted & Complied. We assure that, at no time the emission level will go beyond the stipulated standards and or prescribed limits. In such cases / occurrence we will intimate to board & authority time to time. In event of failure of APCM, the unit shall not restart until the control measures are rectified to achieve the efficiency.

F. No. J11011/98/2009-IA II (I), DATED: 13/04/2009

Period - APRIL 2019 TO SEPTEMBER 2019

	The gaseous emissions $(NO_x,$	Complied.
4.	SO_2 and SPM) and Particulate	The gaseous emissions (NOx, SO2 & SPM) and Particulate matter along with
	matter along with RSPM levels	RSPM levels & stack monitoring for SO2, NOx & SPM from various units are
	from various process units shall	monitored at regular interval for ensuring the compliance.
	conform to the standards	monitored at regular interval for ensuring the compitance.
	prescribed by the concerned	Air Monitoring Report is attached as ANNEXURE-VII & Stack Monitoring
	authorities from time to time.	Report is attached as ANNEXURE-VI.
	At no time, the emission levels	Report is attached as AINIVEAURE-VI.
	shall go beyond the stipulated	
	standards. In the event of	
	failure of pollution control	
	system(s) adopted by the unit,	
	the respective unit shall not be	
	and SPM shall be carried.	
		Noted & Complied.
5.		· · · · · · · · · · · · · · · · · · ·
		,
		is in upwind & one in downwind.
	ensured that at least one	
	stations is installed in the up	
	as well as where maximum	
	ground level concentrations are	
	anticipated.	
6.	Dedicated scrubbers and stacks	Not Applicable.
		There is no process gas vents / stacks in the units.
	Central Pollution Control	
	Board guidelines shall be	
	provided to control the	
	emissions from various vents.	
	The scrubbed water shall be	
	sent to ETP for further	
	treatment.	
7.	The overall noise levels in and	Complied.
	around the plant area shall be	The overall noise levels in and around the plant area is kept well within the
	kept well within the standards	standards by providing noise control measures including acoustic hoods,
	by providing noise control	silencers, enclosures etc. on all sources of noise generation. Ambient noise levels
	measures including acoustic	are being monitored periodically. It is mandatory for workers to use PPE's such
	hoods, silencers, enclosures etc.	as ear plugs / ear muffs in high noise area.
	on all sources of noise	The ambient noise levels is under the standards prescribed under EPA, 1986
	restarted until the control measures are rectified to achieve the desired efficiency. Stack monitoring for SO2, NOx and SPM shall be carried. The locations of ambient air quality monitoring stations shall be decided in consultation with the State Pollution Control Board (SPCB) and it shall be ensured that at least one stations is installed in the up wind and downwind direction as well as where maximum ground level concentrations are anticipated. Dedicated scrubbers and stacks of appropriate height as per the Central Pollution Control Board guidelines shall be provided to control the emissions from various vents. The scrubbed water shall be sent to ETP for further treatment. The overall noise levels in and around the plant area shall be kept well within the standards by providing noise control measures including acoustic hoods, silencers, enclosures etc.	The location of AAQ are discussed & reviewed during the visits of GPCB and with the Environmental Auditors appointed by GPCB time to time & set up in the direction where max. GLC are anticipated. We will ensure that at least one station is in upwind & one in downwind. Not Applicable. There is no process gas vents / stacks in the units. Complied. The overall noise levels in and around the plant area is kept well within the standards by providing noise control measures including acoustic hoods, silencers, enclosures etc. on all sources of noise generation. Ambient noise levels are being monitored periodically. It is mandatory for workers to use PPE's such as ear plugs / ear muffs in high noise area.

F. No. J11011/98/2009-IA II (I), DATED: 13/04/2009

Period - APRIL 2019 TO SEPTEMBER 2019

	generation. The ambient noise levels shall conform to the standards prescribed under Environment (Protection) Act, 1986 Rules, 1989 viz. 75 dBA (day time) and 70 dBA (night time).	Rules, 1989 viz. 75 dBA (Day Time) and 70 dBA (Night Time). Equipment generating high noise are equipped with acoustic enclosures; regular maintenance, lubrication and vibration pads are assured for such sources. The result are stated as under; 1) The emission reports describing the above parameters conforming that at no time emission level gone beyond the stipulated standards. The testing lab appointed is M/s. En-Vision Environmental Services, Surat as NABL Approved vide TC-5304, issue date-23/02/2019 and valid till-22/2/2021. Noise Monitoring Reports are Attached as ANNEXURE-X.
8.	The project proponent shall also comply with all the environmental protection measures and safeguards proposed in the project report submitted to the Ministry. All the recommendations made in respect of environmental management and risk mitigation measures relating to the project shall be implemented.	Complied.
9.	The company will undertake all	Complied and ongoing.
	relevant measures for improving the Socioeconomic	CSR activity given in ANNEXURE- XI
	conditions of the surrounding	
	area. CSR activities will be undertaken by involving local	The amount is utilized for various communities, welfare and eco development projects within and surrounding areas of project site.
10.	villages and administration The company shall undertake	Complied and ongoing.
	eco developmental measures including community welfare measures in the project area for the overall improvement of the environment.	CSR activity given in ANNEXURE- XI The amount is utilized for various communities, welfare and eco development projects within and surrounding areas of project site.
11.	A separate Environmental Management Cell equipped with full fledged laboratory facilities shall be set up to carry out the Environmental Management and Monitoring functions.	Complied. A separate Environment Management Cell is equipped along with internal lab. For All Environmental Monitoring we have appointed M/s. En-Vision Environmental Services, Surat as NABL Approved Lab vide TC-5304, issue date – 23/2/2019 and Valid Till-22/2/2021.

F. No. J11011/98/2009-IA II (I), DATED: 13/04/2009

Period - APRIL 2019 TO SEPTEMBER 2019

12.	The project authorities shall	Complied.					
	earmark adequate funds to implement the conditions stipulated by the Ministry of Environment and Forests as	EMP Activity	Capex Spent 2018-19	Recurring Spent 2018-19			
	well as the State Government along with the implementation schedule for all the conditions stipulated herein. The funds so provided shall not be diverted for any other purpose.	7. ETP Sludge Disposal 8. CETP Charges 9. Env Audit 10. Env Monitoring Charges 11. ETP Raw Material 12. APCM Upgradation	85 lacs	25 lacs			
13.	The implementation of the project vis-a-vis environmental action plans shall be monitored by the concerned Regional Office of the Ministry/SPCB / CPCB. A six monthly compliance status report shall be submitted to monitoring agencies and shall be posted on the website of the Company.	Complied.					
14.	A copy of the clearance letter shall be sent by the proponent to concerned Panchayat, Zila Parisad /Municipal Corporation, Urban local Body and the local NGO, if any, from who suggestions/ representations, if any, were received while processing the proposal.	We have obtain EC in year 2008 and its amendment obtain at 14 th December 2018 which is attached as ANNEXURE-XV & XVI and inform the public that the project has been accorded environmental clearance and advertised in two local newspapers that are widely circulated in the region with vernacular language Guajarati and another in English. Paper advertisement is attached as ANNEXURE-XII .					
15.	The project proponent shall also submit six monthly reports on the status of compliance of the stipulated E C conditions including results of monitored data (both in hard copies as well as by email) to the respective Regional Office of MoEF, the respective Zonal Office of CPCB and the State Pollution Control Board.	Complied.					
16.	The project proponent shall inform the public that the	Complied. We have obtain EC in year 2008	8 and its amendm	nent obtain at 14 th Decemb	er		

COMPLIANCE OF ENVIRONMENTAL CLEARANCE MINISTRY'S LETTER NO.: F. No. J11011/98/2009-IA II (I), DATED: 13/04/2009

Period - APRIL 2019 TO SEPTEMBER 2019

	project has been accorded environmental clearance by the Ministry and copies of the clearance letter are available with the SPCB /Committee and may also be seen at Website of the Ministry at http://envfor.nic.in. This shall be advertised within seven days from the date of issue of the clearance letter, at least in two local newspapers that are widely circulated in the region of which one shall be in the vernacular language of the locality concerned and a copy of the same shall be forwarded to the concerned Regional Office of the Ministry.	2018, and inform the public that the project has been accorded environmental clearance and advertised in two local newspapers that are widely circulated in the region with vernacular language Guajarati and another in English as per below details: 1. Gujarati news paper: 25/12/2018 2. English news paper: 24/12/2018
17.	The project authorities shall inform the Regional Office as well as the Ministry, the date of financial closure and final approval of the project by the concerned authorities and the date of start of the project.	Complied.
18.	The Ministry may revoke or suspend the clearance, if implementation of any of the above conditions is not satisfactory.	Noted.
19.	The Ministry reserves the right to stipulate additional conditions, if found necessary. The company in a time bound manner will implement these conditions.	Noted.
20.	Any appeal against this environmental clearance shall lie with the National Appellate Authority, if preferred, within a period of 30 days as prescribed under section 11 of the National Environment Appellate Authority Act, 1997.	Noted.
21.	The above conditions will be	Notea.

COMPLIANCE OF ENVIRONMENTAL CLEARANCE MINISTRY'S LETTER NO.: F. No. J11011/98/2009-IA II (I), DATED: 13/04/2009

Period - APRIL 2019 TO SEPTEMBER 2019

enforced, inter-alia under	er the
provisions of the V	Water
(Prevention & Control	l of
Pollution) Act, 1974,	Air
(Prevention &. Contro	ol of
Water Pollution) Act, 198	1, the
Environment (Protection)	Act,
1986 Hazardous W	Vastes
(Management and Hand	dling)
Rules, 2003/ 2008 and	d the
Public Liability Insurance	e Act,
1991 along with	their
amendments and rules.	

Proje		1.12.2018 for this proposed expansion & NOC is obtained Vide No. project is under construction stage for proposed expansion.
S. NO.	CONDITIONS	COMPLIANCE STATUS
A. CO	ONDITIONS	
A. 1 S	SPECIFIC CONDITION	
1.	Unit shall adopt proper methods for segregation of waste water streams based on characteristics at source and its sound management keeping in view direction under section 18 (1) (b) of the Water (Prevention and Control of Pollution) act,1974 issued by CPCB regarding compliance of CETP.	Noted & Will be Complied. The Avg. domestic waste water generation is discharge through septic tank & soak pit. The generated industrial effluent is treated in ETP. For proposed expansion, complete treated water will be reused in cooling tower & condensate recovery in boiler, maintaining proposed expansion to ZERO Discharge; however existing waste water which is treated in ETP will be sent to CETP (PEPL), Palsana.
2.	Unit shall not exceed waste water discharge quantity into CETP of M/s: PEPL as mentioned in the existing CC&A.	Noted. & Will be Complied. For proposed expansion, complete treated water will be reused in cooling tower & condensate recovery in boiler, maintaining proposed expansion to ZERO Discharge; however existing waste water which is treated in ETP will be sent to CETP (PEPL), Palsana.
3.	Unit shall comply the emission standards mentioned in the Notification by MoEF&CC vide no. 5.0. 3305 (E) dated 07/12/2015 and amended time to time.	Complied. Stack monitoring result are attached as ANNEXURE-VI.
4.	Unit shall use only imported coal as a fuel for proposed captive power plant and lignite shall be used only in unavoidable circumstance as per undertaking submitted. In such situation, lignite consumption shall not exceed 4900 MT/Month considering 700 MT/Day X 7 days).	Noted. We ensure that we will use Lignite if Imported coal is not available and also ensured that lignite consumption shall not exceed 4900 MT/Month considering 700 MT/Day X 7 days).
5.	Process Waste (Oligomer) (10 MT/Month) shall be sold out to the authorized actual users only,	Will Be Complied.
	WATER:	
6.	Total water requirement for the project shall not exceed 4307 KLD. Unit shall reuse 2555 KLD of waste water from RO Permeate and Boiler condensate	Water consumption is given in ANNEXURE-IV. Permission for withdrawing ground water is applied from CGWA. CGWA Permission as ANNEXURE-V.

	for Cooling tower and Boiler respectively. Hence, fresh water requirement shall not exceed 1139 KLD and it shall be met through 3-Nos. of existing Bore well. Prior permission from the concerned authority shall be obtained for withdrawal of water.	
7.	No ground water shall be tapped for the project requirements without prior permission from the competent authority.	Will be Complied. Permission for withdrawing ground water is obtained from CGWA for 315 m³/Day. For additionally water requirement, application is made to CGWA which is under verification stage. Permission as ANNEXURE-V.
8.	Total industrial wastewater generation after proposed expansion shall not exceed 549 KLD. (180.KL/day existing + 369 KL/day Proposed).	Will be Complied. The Avg. domestic waste water generation is discharge through septic tank & soak pit. For proposed expansion, complete treated water is reused in cooling tower & condensate recovery in boiler, maintaining proposed expansion to ZERO Discharge; however existing waste water which is treated in ETP will be sent to CETP (PEPL), Palsana. Waste water consumption given in ANNEXURE-IV.
9.	Unit shall continue to discharge 180 KLD of treated waste water to CETP-PEPL as per the existing CC&A. Ensure that there is no additional discharge to CETP.	Noted & Will be Complied. We ensure that For proposed expansion, complete treated water will be reused in cooling tower & condensate recovery in boiler, maintaining proposed expansion to ZERO Discharge; however existing waste water which is treated in ETP will be sent to CETP (PEPL), Palsana.
10.	Additional waste water to be generated from the proposed expansion shall not exceed 369 KLD and it shall be treated in proposed ETP followed by RO system (Cap.400 KLD) & MEE system (Cap. 150 KLD).	Noted & Will be Complied. We ensure that For proposed expansion, complete treated water will be reused in cooling tower & condensate recovery in boiler, maintaining proposed expansion to ZERO Discharge,
11.	RO permeate (240 KLD) and MEE condensate (127 KLD) shall be reused for cooling tower makeup.	Noted & Will be Complied. We ensure that For proposed expansion, complete treated water will be reused in cooling tower & condensate recovery in boiler, maintaining proposed expansion to ZERO Discharge,
12.	Wastewater generated from washing activity for existing facility (40 KLD) shall be sent to CETP after treatment in existing ETP. Waste water generated from proposed washing activity (79 KLD) will be treated in proposed ETP, MF/UF & 2-stage RO followed by 4-slage MEE	Noted & Will be Complied. The waste water generations of last six month from April 2019 to September 2019 from the unit are attached as ANNEXURE-IV.

	1 4 4 . 1 4	
	and treated water will be reuse in	
1.2	cooling lower make up water.	
13.	Wastewater generated from	Will be Complied.
	existing utilities (Boiler - 26	
	KLD & Cooling -114 KLD) shall	
	be treated in existing ETP and	
	treated water send to CETP.	
	Wastewater generated from	
	proposed utilities (Boiler - 178	
	KLD & Cooling - 112 KLD) will	
	be treated in MF/UF & 2-stage	
	RO followed by 4-stage MEE	
	and treated water will be reuse in	
	cooling tower makeup water	
14.	The domestic wastewater	Will be Complied.
	generation shall not exceed 26	The Avg. domestic waste water generation will be discharge
	KLD and it shall be disposed in	through septic tank & soak pit.
	lo the soak pit/septic tank	
15.	Proper logbooks of ETP, water	Will be Complied.
	consumption, power	1
	consumption, reuse etc. shall be	
	maintained and shall be	
	furnished to the GPCB from time	
	to time	
16.	The unit shall provide metering	Will be Complied.
10.	facility at the inlet & outlet of the	will be complica.
	ETP, RO, MEE system & reuse	
	system and maintaining records	
	for the same	
17.	Proper logbooks of ETP, RO,	Will be Complied.
1 / .	MEE system, chemical	win be Compiled.
	consumption, quantities and	
	1	
	1 -	
	power consumption etc. shall be	
	maintained and shall be furnished to the GPCB from time	
1.0	to time.	NT / 1
18.	The unit shall join and	Noted.
	participate financially and	
	technically for any common	
	environmental facility /	
	infrastructure as and when the	
	same is taken up either by the	
	GIDC or GPCB or any such	
	authority created for this purpose	
	by the Govt. / GIDC.	
A. 3		
19.	Unit shall not exceed fuel con	sumption for Complied for Existing & For Proposed

Project Details - Expansion of capacities for Fully Drawn Yarn, Polyester Chips & Captive power plant By M/s. Shree Durga Syntex Pvt Ltd at block no. 128, 129, 130 & 175, Plot no. E & Z, Village: Jolva, Taluka: Palsana, Dist: Surat, Gujarat

elow	n Boiler and stand-by ly:		oct as II	CHUON					complied. ven in AN		
Exis	ting										
Sr. no.	Source of emission With Capacity		Stack Heigh (meter		Type Fuel		Quant of Fue MT/D	ı İ	Type of emission	ıs	Air Pollu Control Measure (APCM)
1	Steam boiler		11 M	leters		WH	RB		SPM SO ₂ NOx		Adequa Stack he
2	Thermic Fluid Heater (Natural Gas Based) (2.0 Lakhs Kcal/Hr.)		-	m					SPM SO ₂ NOx		Adequa Stack he
3	Thermic Fluid Heater (Natural Gas Based) (2.0 Lakhs Kcal/Hr.) (Stand by)		(Common) Natural Gas		1		224 sq.0 da	em/	SPM SO ₂ NOx		Adequa Stack he
4	Thermic Fluid Heater (Natural Gas Based/LD (10 Million Kcal/Hr.)	O)					SPM SO ₂ NOx		Adequa Stack he		
5	Thermic Fluid Heater (LDO/NG Based) (10 Million Kcal/Hr.) (Stan by)	ıd		mon)	LD	Ю	1(m3/	00 'day	SPM SO ₂ NOx		Adequa Stack he
6	Thermic Fluid Heater (Coal based) (14 Million Kcal/Hr.)		50.	0 m	Со	al	8 MT/		SPM SO ₂ NOx		Electros Precipit
7	Steam boiler (1 TPH)		11	m	Nati	ıral		500	SPM SO ₂ NOx		Adequa Stack he
8	* Natural Gas Based Cl Engines(3.25 MW)	PP	30	m	Ga	as	sq./da		SPM SO ₂ NOx		Adequa Stack he
9	Steam Boiler (40 TPH) Biomass (Agro waste/Baggase) & Coal (15% as auxiliary fuel) based Power Plant (9 MW) #		80.	0 m	Bagga 15%		25 ton/ & 3 MT/	'day & 5	SPM SO ₂ NOx		Econom Air Pr heater Electros Precipit
	osed				•			1 20			D 11 11
Sr. no.	Source of emission With Capacity		ck ight eter)	Type (Fuel	of	of F	ntity uel /Day	emi i.e.	e of ssions Air utants	Co Me	· Pollution ntrol easures PCM)
2	Steam Boiler (70 TPH) for Coal based Power Plant (21 MW) # Steam Boiler (23 TPH) for Coal based	80).0 m		orted Lignite	ton:	s/day or 00 s/day		SPM SO ₂ NOx	Eco	onomizer, Pre-heater Electrostat Precipitato

Power Plant (21

MW)#

	3 Thermic Fluid							
	Heater							
	(Coal based)					SPM	Electrostatic	
	(18 Million	50.0 m				SO_2	Precipitator	
	Kcal/Hr.)					NOx	1 1 conprises	
	4 Steam boiler (2 TPH)							
20.	Unit shall provide adequate				be Complic		<u> </u>	
	gas generation sources as m	entioned ab	We ensure that there will not be any process					
2.1	771				our production	activity.		
21.	There shall be no process		Note		thana ****i11 m.	at ha any maaass		
	existing as well as from the proposed project					tnere will no our production	ot be any process	
				Cillis	sion due to t	our production	activity.	
22.	Sulfur and ash content of t			Will	be Complic	ed.		
	shall be analyzed and its	s record sh	nall be					
	maintained.							
23.	A long term study of radio	•	•	Note	d & Will B	e Complied.		
	metals contents on coal/light be carried out through a re-							
	results thereof analyzed reg							
	along with monitoring re							
	1 0		tinuous					
	monitoring for radio activity		metals					
	in coal/lignite and fly ash	(including	bottom					
	ash) shall be put in place.							
24.	A flue gas stack of 80 r			Will	be Complie	ed.		
	provided with online mon							
	proposed Steam boiler. M	•						
	from stacks shall also periodic basis. However, un							
	specific condition no. 13							
	height of the Boiler slack.	doove leg	ourumg					
25.	High efficiency Electro S	tatic Precip	oitators	Will	be Complic	ed.		
	(ESP) with efficiency not	less than	99.9%		•			
	shall be installed for con							
	emission from the proposed							
	shall be operated efficient	•						
	particulate matter emission							
		the GPCB norms. The control system shall be designed and integrated in plan! DCS in such						
	a way that if emission from							
	1	scribed in						
	Environment (Protection)							
	amended from time to time							
	boiler capacity shall reduc							
	emission from the stack							
	specified standards or boile	er shall shu	t down					
	totally.							

-		
26.	Third party monitoring of the functioning o,	Will be Complied.
	the ESP along with its efficiency shall be	
	carried out once in a year through a reputed	
	institute / organization.	
27.	Lime stone injection technology shall be	Will be Complied.
	adopted lo control SO2 and it shall be ensured	
	that SO2 levels in the ambient air do not	
	exceed the prescribed standards.	
28.	The company shall prepare schedule and carry	Will be Complied.
	out regular preventive maintenance of	
	mechanical and electrical parts of ESPS and	
	assign responsibility of preventive	
	maintenance to the senior officer of the	
	company.	
29.	Measures shall be taken to reduce the process	Complied.
	vapors emissions as far as possible.	We ensure that there will not be any process
		emission due to our production activity.
30.	The fugitive emission in the work zone	Will be Complied.
	environment shall be monitored. The emission	Work zone monitoring is being carried out
	shall conform to the standards prescribed by	periodically through third party NABL
	the concerned authorities from time to time	Approved. Ambient Air Monitoring Reports are
	(e.g. Directors of industrial Safety & Health)	Attached As ANNEXURE-VII. Same will be
	Following indicative guidelines shall also be	conducted for proposed expansion.
	followed to reduce the fugitive emission.	proposed expansion.
31.	Internal roads shall be either concreted or	Complied.
	asphalted or paved properly lo reduce the	,
	fugitive emission during vehicular movement.	
32.	Air borne dust shall be controlled with water	Will be Complied.
	sprinklers at suitable locations in the plant.	1
33.	A green belt shall be developed all around the	Will be Complied.
	plant boundary and also along the roads to	We ensure that proposed expansion is carried on
	mitigate fugitive & transport dust emission.	land area of 9000 m2. And Approx. 33% of it is
		greenbelt
34.	Regular monitoring of Volatile Organic	Complied.
	Compounds (VOCS) shall be carried out in	·
	Compounds (vocs) shall be carried out in	
	the work zone area and ambient air	
35.	1 , ,	Will be Complied.
35.	the work zone area and ambient air	Will be Complied.
	the work zone area and ambient air For control of fugitive emission, VOCS,	Will be Complied. Will be Complied.
35. 36.	the work zone area and ambient air For control of fugitive emission, VOCS, following steps shall be followed:	•
36.	the work zone area and ambient air For control of fugitive emission, VOCS, following steps shall be followed: Closed handling and charging system shall be	•
	the work zone area and ambient air For control of fugitive emission, VOCS, following steps shall be followed: Closed handling and charging system shall be provided for chemicals.	Will be Complied.
36.	the work zone area and ambient air For control of fugitive emission, VOCS, following steps shall be followed: Closed handling and charging system shall be provided for chemicals. Pumps shall be provided with mechanical	Will be Complied.
36.	the work zone area and ambient air For control of fugitive emission, VOCS, following steps shall be followed: Closed handling and charging system shall be provided for chemicals. Pumps shall be provided with mechanical seals to prevent leakages.	Will be Complied. Will be Complied.
36. 37.	the work zone area and ambient air For control of fugitive emission, VOCS, following steps shall be followed: Closed handling and charging system shall be provided for chemicals. Pumps shall be provided with mechanical seals to prevent leakages. Airborne dust at all transfers operations/	Will be Complied. Will be Complied.
36. 37.	the work zone area and ambient air For control of fugitive emission, VOCS, following steps shall be followed: Closed handling and charging system shall be provided for chemicals. Pumps shall be provided with mechanical seals to prevent leakages. Airborne dust at all transfers operations/points shall be controlled either by spraying	Will be Complied. Will be Complied. Will be Complied.
36. 37.	the work zone area and ambient air For control of fugitive emission, VOCS, following steps shall be followed: Closed handling and charging system shall be provided for chemicals. Pumps shall be provided with mechanical seals to prevent leakages. Airborne dust at all transfers operations/points shall be controlled either by spraying water or providing enclosures	Will be Complied. Will be Complied.

	and its records shall be maintained. Ambient air quality levels shall not exceed the standards stipulated by the GPCB. If at any stage these levels are found to exceed the prescribed limits, necessary additional control measures shall be taken immediately. The location of the stations and frequency of monitoring shall be decided in consultation	stack monitoring for SO2, NOx & SPM from various units are monitored at regular interval for ensuring the compliance. Same will be continued in future also for proposed expansion. Air Monitoring Report are attached as ANNEXURE- VII & Stack Monitoring Report are attached as ANNEXURE-VI.
A 15	with the GPCB.	1
A. 4 S	GOLID / HAZAROOUS WASTE	Complied
40.	The company shall strictly comply with the rules and regulations with regards to handling and disposal of Hazardous waste in accordance with the Hazardous and Other Wastes (Management and Transboundary Movement) Rules 2016, as may be amended from time to time. Authorization of the GPCB shall be obtained for collection / treatment / storage / disposal of hazardous wastes.	Complied. We ensured that generated hazardous waste is & will be disposed off as per HWM rules, 2016.
41.	Hazardous wastes shall be dried, packed and stored in separate designable hazardous waste storage facility with pucca bottom and leachate collection facility, before its disposal.	Will be Complied.
42.	Hazardous / Solid waste management shall be as below:	Will be Complied.

		Type/Name		Category and	Qua	intity (MT/Ar	nnum)	
	Sr. no.	of Hazardous waste	Source of generation	Schedule as per HW Rules.	Existing	Proposed	Total	Disposal Method
	1	Used Oil	Maintenance	5.1	1.0 Kl/Year	2.0 Kl/Year	3.0 Kl/Year	Sent To GPCB Approved Recycler For Suitable Treatment
	2	Discarded Containers/ Barrels/Liner s/ Carboys/ Bags/ Plastic waste	Raw Material / Production	33.1	10 Tons /Year	15 Tons/Year	25 Tons/Year	Sent Back to Suppli To GPCB approved Recycler
	3	Chemical Sludge from ETP	ЕТР	35.3	25.0 Tons/Ye ar	50.0 Tons/Year	75.0 Tons/Year	Sent To TSDF Site for Suitable Treatment.
	4	Process Waste (Oligomer)	Process	24.1	Nil	300.0 Tons/Year	300.0 Tons/Year	Sent To TSDF Site for Suitable Treatment / Sale to Co-Processing Unit
	5	Fly Ash from Boiler	Boiler		Nil	24000 Tons/Year	24000 Tons/Year	Sent To authorized Brick Manufacturer
43.	perm autho the H (Man Trans	orized end-use issions from the orities under the lazardous and lagement sboundary is 2016	ne concerned ne Rule 9 of	Noted				
44.	The perm	unit shall obta ission from F site and CHW	the nearby			e Complied attached as A		ed Expansion, E-IX.
45.	Truck transp waste the p Vehice	cs/Tankers portation of e shall be in accorovisions under the cle Act, 1988 there under.	used for hazardous cordance with er the Motor	Complied	& Will be	e Complied	for Propose	ed Expansion
46.	The o	design of the T be such that age during trans	there is no	Complied	& Will be	e Complied	for Propos	ed Expansion
47.	for Haza	ossible efforts: Co-Processing rdous waste sal into TSDF/	g of the prior to	Complied	& Will bo	e Complied	for Propos	ed Expansion
48.		agement of fly		Complied	& Will be	e Complied	for Propos	ed Expansion

	T	
	shall be as per the Fly ash	
	Notification 200g & its	
	amendment time to lime and it	
	shall be ensured that there is	
	100% utilization of fly ash to be	
	generated from the unit.	
A. 5 S	SAFETY	
	The occupier/manager shall	Complied & Will be Complied for Proposed Expansion
49.	strictly comply the provisions	
17.	under the Factories Act 1948 and	
	the Gujarat Factories Rules 1963.	
	Project specific process Safety	Complied & Will be Complied for Proposed Expansion
	Management System shall be	
50.	developed as per the prevailing	
	norms and it shall be	
	implemented in letter and spirit.	
	Unit shall adopt automization	Complied & Will be Complied for Proposed Expansion
51.	system along with high safety	
31.	measures for polymerization	
	process.	
	The project authorities shall	Complied & Will be Complied for Proposed Expansion
	strictly comply with the	
	provisions made in Manufacture.	
	Storage and import of Hazardous	
	Chemicals Rules (MSIHC) 1989,	
	as amended time to time and the	
	Public Liability insurance Act	
	for handling of hazardous	
52.	chemicals etc. Necessary	
	approvals from the Chief	
	Controller of Explosives and	
	concerned Govt. Authorities	
	shall be obtained before	
	commissioning of the project.	
	Requisite On-site and Off-site	
	Disaster Management Plans have	
	to be prepared and implemented.	
5.2	First Aid Box shall be made	Complied & Will be Complied for Proposed Expansion
53.	readily available in adequate	
	quantity at all the times.	G H LA WINL G H LA D
	Main entry and exit shall be	Complied & Will be Complied for Proposed Expansion
54.	separate and clearly marked in	
	the facility.	C Playen C Play
	Sufficient peripheral open	Complied & Will be Complied for Proposed Expansion
5.5	passage shall be kept in the	
55.	margin area for free movement	
	of lire tender/ emergency vehicle	
5.0	around the premises.	C Playen C Play
56.	Storage of flammable chemicals	Complied & Will be Complied for Proposed Expansion

	shall be sufficiently away from	
	the production area	
	Sufficient number of fire	Complied & Will be Complied for Proposed Expansion
57.	extinguishers shall be provided	
	near the plant and storage area.	
	All necessary precautionary	Complied & Will be Complied for Proposed Expansion
	measures shall be taken to avoid	
58.	any kind of accident during	
	storage and handling of toxic /	
	hazardous chemicals.	
	All the toxic/hazardous	NA. No any toxic material is handled.
	chemicals shall be stored in	
	optimum quantity and all	
59.	necessary permissions in this	
	regard shall be obtained before	
	commencing the expansion	
	acclivities.	
	The project management shall	Complied & Will be Complied for Proposed Expansion
	ensure to comply with all the	1
	environment protection	
60.	measures, risk mitigation	
	measures and safeguards	
	mentioned in the Risk	
	Assessment report.	
	Flame proof electrical fittings	Complied & Will be Complied for Proposed Expansion
C1	shall be provided in flame proof	
61.	zones or wherever applicable in	
	Plant premises	
	Storage of hazardous chemicals	Complied & Will be Complied for Proposed Expansion
	shall be minimized and it shall	
(2)	be in multiple small capacity	
62.	tanks / containers instead of one	
	single large capacity tank /	
	containers.	
		Complied & Will be Complied for Proposed Expansion
	fitted with appropriate controls	i r r r
62	to avoid any leakages.	
63.	Bund/dyke walls shall be	
	provided for storage tanks for	
	Hazardous Chemicals.	
	Handling and charging of the	Complied & Will be Complied for Proposed Expansion
	chemicals shall be done in closed	,
64.	manner by pumping or by	
	vacuum transfer so that minimal	
	human exposure occurs	
	Tie up shall be done with nearby	Complied & Will be Complied for Proposed Expansion
	health care unit / doctor for	The state of the s
65.	seeking immediate medical	
	attention in the case of	

	emergency.				
	Personal Protective Equipments (PPEs) shall be provided to workers and its usage shall be ensured and supervised	Suitable All the F	d & Will be Complied for Pr PPEs have to be provided and ap PPEs procured are of BIS approved forcement of wearing is done regul	pplication red prod	n enforced.
		S.No	PPEs	UOM	QTY
		1	Self Contained Breathing Apparatus- 10kg	Nos.	10
		2	Full Face masks	Nos.	25
		3	Trolley mounted oxygen cylinders	Nos.	5
		4	Full body chemical protection suits	Nos.	10
66.		5	Chemical splash proof goggles	Nos.	50
		6	Aluminized fire fighting suits	Nos.	10
		7	25mm hose clips with screw clips	Nos.	10
		8	Gum boots full length	Nos.	25
		9	Leather hand gloves	Pair	50
		10	Electrical hand gloves	Pair	5
		11	Non permeable hand gloves	Nos.	25
		12	Safety helmets	Nos.	50
		13	Safety shoes sizes	Pair	60
		14	Pick axles	Nos.	2
		15	Shovels	Nos.	5
		16	Rain coats full size	Nos.	10
		17	Stretchers	Nos.	2
67.	First Aid Box and required Antidotes for the chemicals used in the unit shall be made readily available in adequate quantity.	Complied & Will be Complied for Proposed Expansion			
68.	Training shall be imparted to all the workers on safety and health aspects of chemicals handling	Complied & Will be Complied for Proposed Expansion Training imparted to all level employees & Complied. Routine periodical medical examinations for all employees are carried out on regular basis.			
69.	Occupational health surveillance of the workers shall be done and its records shall be maintained. Pre-employment and periodical medical examination for all the workers shall be undertaken as per the Factories Act & Rules.	Health check-up of all workers is being done periodically and records are maintained as per Factories Act.			

	Transportation of hazardous	Complied & Will be Complied for Proposed Expansion
70.	chemicals shall be done as per	
70.	the provisions of the Motor	
	Vehicle Act & Rules.	
	The company shall implement all	
71.	preventive and mitigation	
, 11	measures suggested in the Risk	
	Assessment Report.	
	Necessary permissions from	
70	various statutory authorities like	
72.	PESO, Factory inspectorate and	
	others shall be obtained prior lo commissioning of the project.	
1 6 1	NOISE	
A. U. I	The overall noise level in and	Complied & Will be Complied for Proposed Expansion
	around the plant area shall be	The overall noise levels in and around the plant area is kept
	kept well within the standards by	well within the standards by providing noise control measures
	providing noise control measures	including acoustic hoods, silencers, enclosures etc. on all
	including engineering controls	sources of noise generation. Ambient noise levels are being
	like acoustic insulation hoods,	monitored periodically. It is mandatory for workers to use
	silencers, enclosures etc. on all	PPE's such as ear plugs / ear muffs in high noise area.
73.	sources of noise generation. The	The ambient noise levels is under the standards prescribed
	ambient noise level shall confirm	under EPA, 1986 Rules, 1989 viz. 75 dBA (Day Time) and 70
	to the standards prescribed under	dBA (Night Time).
	The Environment (Protection)	Equipment generating high noise are equipped with acoustic
	Act, 1986 & Rules.	enclosures; regular maintenance, lubrication and vibration
		pads are assured for such sources. The results are attached as
		Noise Monitoring Reports in ANNEXURE- X.
A. 7. 0	LEANER PRODUCTION AND	WASTE MINIMISATION
	The unit shall undertake the	Complied & Will be Complied for Proposed Expansion
	Cleaner Production Assessment	p in p in it is p in it p in it is p in it p
	study through a reputed institute	
74.	/ organization and shall form a	
/4.	CP team in the company. The	
	recommendations thereof along	
	with the compliance shall be	
	furnished to the GPCB.	
	The company shall undertake	Complied & Will be Complied for Proposed Expansion
75.	various waste minimization	
	measures such as	
76	Metering and control of	
76.	quantities of active ingredients lo	
	minimize waste. Reuse of by-products from the	Automatic filling / transfer system is being provided to
	process as raw materials or as	minimize the spillage i.e. Chain conveyor system provided at
77.	raw materials substitutes	PTA handling area and then stored in Silo and transferred to
	Tan materials substitutes	schenck system to paste tank for plant.
78.	Use of automated and close	Reuse of byproducts / used oil / drums is being sent to
70.	OSE OF AUTOMATER AND CIOSE	ixcuse of byproducts / used on / drums is being sent to

	filling to minimize spillages.	authorized recyclers
70	Use of close feed system into	Complied & Will be Complied for Proposed Expansion
79.	batch reactors.	1 1
00	Venting equipment through	
80.	vapor recovery system.	
	use of high pressure hoses for	
81.	cleaning to reduce wastewater	
	generation	
92	Recycling of washes to	
82.	subsequent batches.	
83.	Recycling of steam condensate	
	Sweeping / mopping of floor	
84.	instead of floor washing lo avoid	
	effluent generation	
0.5	Regular preventive maintenance	
85.	for avoiding leakage, spillage etc'	
A. 8 (GREENBELT AND OTHER PLA	NTATION
	The unit shall develop green belt	We ensure that proposed expansion is carried on land area of
	within premises as per the CPCB	9000 m2. And Approx. 33% of it is greenbelt.
	guidelines However, if the	
	adequate land is not available	
	within the premises, the unit	
86.	shall take up adequate plantation	
00.	on road sides and suitable open	
	areas in GIDC estate or any other	
	open areas in consultation with	
	the GIDC / GPCB and submit an	
	action plan of plantation for next	
	three years to the GPCB.	
	Drip irrigation / low-volume,	Complied & Will be Complied for Proposed Expansion
	low-angle sprinkler system shall	
87.	be used for the green belt	
	development within the	
	premises.	
P OT	THER CONDITIONS	
D. O I	In case of use of spray dryer, the	Complied & Will be Complied for Proposed Expansion
	unit shall provide the adequate &	The gaseous emissions (NOx, SO2 & SPM) and Particulate
	efficient APCMs with spray	matter along with RSPM levels & stack monitoring for SO2,
	dryer so that there should not be	NOx & SPM from various units are monitored at regular
	any adverse impact on human	interval for ensuring the compliance.
	health & environment.	Stack monitoring is being carried out periodically through
88.	Unit shall carry out third party	third party NABL Approved.
	monitoring of the proposed	Stack Monitoring Report are attached as ANNEXURE-VI.
	Spray dryer & it's APCM	Ø 1
	through the credible institutes	
	and study report for impacts on	
	Environment and Human Health	
	shall be submitted to GPCB	

	1 11 1	
	every year along with hall yearly	
	Compliance report	Complied & Will be Complied for Proposed Expansion.
	The project proponent shall	Compiled & Will be Compiled for Proposed Expansion.
	allocate the separate fund for Corporate Environment	For community welfore magging and CCD activity adequate
	1 1	For community welfare measures and CSR activity adequate funds allotted. The amount is utilized for various communities,
	Responsibility (CER) in accordance to the MoEFCC's	· · · · · · · · · · · · · · · · · · ·
	Office Memorandum No.	welfare and eco development projects within and surrounding
	F.No.22-652017-IA.lll dated	areas of project site.
	01/05/2018 to carry out the	
	activities under CER in affected	
89.	area around the project. The	
05.	entire activities proposed under	
	CER shall be monitored and the	
	monitoring report shall be	
	submitted to the regional office	
	of MoEFCC as a part of hall-	
	yearly compliance report and to	
	district collector The monitoring	
	report shall be posted on the	
	website of the project proponent.	
	All the recommendations,	Noted.
	mitigation measures,	
	environmental protection	
	measures and Safeguards	
	proposed in the EIA report of the	
	project prepared by M/s.	
90.	Envision Enviro Technologies Pvt. Ltd., Surat was submitted by	
90.	project proponent vide letter no.	
	NIL dated 03/07/2018 and	
	commitments made during	
	presentation before SEAC and	
	proposed in the EIA report shall	
	be strictly adhered to in letter	
	and spirit.	
	Rain water harvesting of surface	Complied.
	as well as rooftop runoff shall be	To conserve ground water as well as reduced consumption of
	undertaken and the same water	water, rain water recharging is carried out to recharge ground
	shall be used for the various	water before its get evaporated. 3 Nos. of percolating recharge
91.	activities of the project to	pits are provided for rain water recharging.
- 1.	conserve fresh water as well as	
	lo recharge ground water. Before	
	recharging the surface run off,	
	pretreatment must be done to remove suspended matte	
	The unit shall join and	Noted.
92.	participate financially and	110tcu.
)2.	technically for any common	
	technically for any common	

environmental facility / infrastructure as and when the	
infrastructure as and when the	
innastructure as and when the	
same is taken up either by the	
industrial Association or GIDC	
or GPCB or any such authority	
created for this purpose by the	
Govt. / GIDC.	
Application of solar energy shall Will be Complied for Proposed Expansion	
be incorporated for illumination	
of common areas, lighting for	
93. gardens and street lighting, in	
addition the provision for solar	
water heating system shall also	
be provided.	
The area earmarked as green We ensure that area earmarked as green area	shall be used
area shall be used only for only for plantation and shall not be altered	
94. plantation and shall not be purpose	ioi any other
altered for any other purpose	
All the commitments / Noted.	
undertakings given to the SEAC	
95. during the appraisal process for	
the purpose of environmental	
protection and management shall	
be strictly adhered to.	
The project proponent shall also Complied.	
comply with any additional	
condition that may be imposed	
96. by the SEAC or the SEIAA or	
any other competent authority	
for the purpose for the	
environmental protection and	
management.	
In the event of failure of any We assure that, at no time the emission level w	
pollution control system adopted the stipulated standards and or prescribed limits.	
by the unit, the unit shall be / occurrence we will intimate to board & auth	
97. safely closed down and shall not time. In event of failure of APCM, the unit sh	
	achieve the
be restarted until the desired until the control measures are rectified to	
be restarted until the desired until the control measures are rectified to efficiency of the control efficiency.	
efficiency of the control efficiency. equipment has been achieved.	
efficiency of the control efficiency. equipment has been achieved. The project authorities must We are strictly agree, complying & will continue.	
efficiency of the control equipment has been achieved. The project authorities must strictly adhere to the stipulations with all stipulation made by GPCB as per CCo	&A No.86533
efficiency of the control equipment has been achieved. The project authorities must strictly adhere to the stipulations with all stipulation made by GPCB as per CCc made by the Guiarat Pollution. Dated: 16/06/2017, Valid Till 3/7/2022, And will	&A No.86533
efficiency of the control equipment has been achieved. The project authorities must strictly adhere to the stipulations with all stipulation made by GPCB as per CCo	&A No.86533
efficiency of the control equipment has been achieved. The project authorities must strictly adhere to the stipulations made by the Gujarat Pollution Dated: 16/06/2017, Valid Till-3/7/2022. And will	&A No.86533
efficiency of the control equipment has been achieved. The project authorities must strictly adhere to the stipulations made by the Gujarat Pollution Control Board (GPCB).State efficiency. We are strictly agree, complying & will conting with all stipulation made by GPCB as per CCa Dated: 16/06/2017, Valid Till-3/7/2022. And will for Proposed Expansion.	&A No.86533
efficiency of the control equipment has been achieved. The project authorities must strictly adhere to the stipulations made by the Gujarat Pollution Control Board (GPCB).State Government and any statutory efficiency. We are strictly agree, complying & will conting with all stipulation made by GPCB as per CControl Board (GPCB).State for Proposed Expansion.	&A No.86533 I be Complied
efficiency of the control equipment has been achieved. The project authorities must strictly adhere to the stipulations made by the Gujarat Pollution Control Board (GPCB).State Government and any statutory authority. We are strictly agree, complying & will conting with all stipulation made by GPCB as per CControl Board (GPCB).State for Proposed Expansion. Complied & Will be Complied for Proposed Expansion. Complied & Will be Complied for Proposed Expansion.	&A No.86533 I be Complied
efficiency of the control equipment has been achieved. The project authorities must strictly adhere to the stipulations made by the Gujarat Pollution Control Board (GPCB).State Government and any statutory authority. We are strictly agree, complying & will conting with all stipulation made by GPCB as per CCo Dated: 16/06/2017, Valid Till-3/7/2022. And will for Proposed Expansion. Complied & Will be Complied for Proposed Expansion.	&A No.86533 I be Complied xpansion s, spillages are

	spillages with domestic	
100.	wastewater or storm water. Pucca flooring / impervious layer shall be provided in the work areas, chemical storage areas and chemical handling areas to minimize soil contamination.	Complied & Will be Complied for Proposed Expansion
101.	Leakages from the pipes, pumps, shall be minimal and if occurs, shall be arrested promptly	Complied & Will be Complied for Proposed Expansion
102.	No further expansion or modifications in the plant likely to cause environmental impacts shall be carried out without obtaining prior Environment Clearance from the concerned authority.	We ensure that no further expansion or modification related to EC in the plant shall be carried out only after prior approval of Ministry.
103.	The above conditions will be enforced. Inter-alia under the provisions of the Water (Prevention & Control of Pollution) Act, 1974, Air (Prevention & Control of Pollution) Act, '1981, the Environment (Protection) Act, 1986, Hazardous Wastes (Management, Handling and Transboundary Movement) Rules, 2008 and the Public Liability insurance Ad, 1991 along with their amendments and rules.	Noted.
104.	The project proponent shall comply all the conditions mentioned in "The Companies (Corporate Social Responsibility Policy) Rules, 2014 and its amendments from time to time in a letter and spirit.	Complied.
105.	The project management shall ensure that unit complies with all the environment protection measures, risk mitigation measures and safeguards recommended in the EMP report and Risk Assessment study report as well as proposed by project proponent.	Complied.

	The project authorities shall	Complied & Will be Complied for Proposed Expansion
	earmark adequate funds to	For community welfare measures and CSR activity adequate
	implement the conditions	funds allotted. The amount is utilized for various communities,
	stipulated by SEIAA as well as	welfare and eco development projects within and surrounding
100	GPCB along with the	areas of project site.
106.	implementation schedule for all	
	the conditions stipulated herein.	
	The funds so provided shall not	
	be diverted for any other	
	purpose.	
	The applicant shall inform the	Noted.
	public that the project has been	We have obtain EC in year 2008 and its amendment obtain at
	accorded environmental	14 th December 2018, and inform the public that the project has
	clearance by the SEIAA and that	been accorded environmental clearance and advertised in two
	the copies of the clearance letter	local newspapers that are widely circulated in the region with
	are available with the GPCB and	
		vernacular language Guajarati and another in English
	may also be seen at the Website	Paper advertisements are attached as ANNEXURE- XII.
	of SEIAA/ SEAC/ GPCB. This	1. Guajarati news paper: 25/12/2018
107	shall be advertised within seven	2. English news paper : 25/12/2018
107.	days from the date of the	
	clearance letter, in at least two	
	local newspapers that are widely	
	circulated in the region, one of	
	which shall be in the Gujarati	
	language and the other in	
	English. A copy each of the	
	same shall be forwarded to the	
	concerned Regional Office of the	
	Ministry.	
	The project proponent shall also	Complied.
	comply with any additional	
	condition that may be imposed	
108.	by the SEAC or the SEIAA or	
100.	any other competent authority	
	for the purpose of the	
	environmental protection and	
	management.	
	It shall be mandatory for the	Complied.
	project management to submit	
	half-yearly compliance report in	
	respect of the stipulated prior	
109.	environmental clearance terms	
	and conditions in hard and soft	
	copies to the regulatory authority	
	consumed, on 1st June and 1st	
	December of each calendar year.	
	Concealing factual data or	Noted.
110.	submission of false/fabricated	
	data and failure to comply with	

	any of the conditions mentioned above may result in withdrawal of this clearance and attract action under the provisions of Environment (Protection) Act, 1986.	
111.	The project authorities shall also adhere to the stipulations made by the Gujarat Pollution Control Board	We are strictly agree, complying & will continue to comply with all stipulation made by GPCB as per CC&A No.86533 Dated: 16/06/2017, Valid Till-3/7/2022.
112.	The SEIAA may revoke or suspend the clearance. if implementation of any of the above conditions is not found satisfactory.	Noted.
113.	The company in a time bound manner shall implement these conditions. The SEIAA reserves the right to stipulate additional conditions, if the same is found necessary.	Noted.
114.	The protect authorities shall inform the GPCB, Regional Office of MoEF and SEIAA about the date of financial closure and final approval of the project by the condemned authorities and the date of start of the project.	Complied & Will be Complied for Proposed Expansion
115.	This environmental clearance is valid for seven years from the date of issue	Noted.
116.	Any appeal against this environmental clearance shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.	Noted.
117.	Submission of any false or misleading information or data which is material to screening or scoping or appraisal or decision on the application makes this environment clearance cancelled.	Noted.

Project Details - Expansion of capacities for Fully Drawn Yarn, Polyester Chips & Captive power plant

By M/s. Shree Durga Syntex Pvt Ltd at block no. 128, 129, 130 & 175, Plot no. E & Z, Village: Jolva,

Taluka: Palsana, Dist: Surat, Gujarat

LIST OF ANNEXURE

ANNEXURES	PARTICULARS
ANNEXURE I	COPY OF LAST VALID CONSENT
ANNEXURE II	PRODUCTION DETAILS FOR LAST SIX MONTHS
ANNEXURE III	ETP, RAW AND TREATED WATER ANALYSIS REPORT AND ETP SLUDGE ANALYSIS REPORT
ANNEXURE IV	FRESH WATER CONSUMPTION AND EFFLUENT GENERATION FOR LAST SIX MONTHS
ANNEXURE V	WATER PERMISSION FROM CGWA FOR GROUND WATER
ANNEXURE VI	STACK MONITORING REPORTS
ANNEXURE VII	ANALYSIS REPORT OF WORKPLACE AIR MONITORING
ANNEXURE VIII	SOLID WASTE GENERATION IN LAST SIX MONTHS
ANNEXURE IX	MEMBERSHIP CERTIFICATE WITH TSDF
ANNEXURE X	NOISE MONITORING REPORT
ANNEXURE XI	CSR ACTIVITY
ANNEXURE XII	PAPER ADVERTISEMENT
ANNEXURE XIII	FUEL CONSUMPTION
ANNEXURE XIV	NOC COPY OF PROPOSED EXPANSION
ANNEXURE XV	EC COPY 2009
ANNEXURE XVI	EC COPY 2018

Project Details - Expansion of capacities for Fully Drawn Yarn, Polyester Chips & Captive power plant

By M/s. Shree Durga Syntex Pvt Ltd at block no. 128, 129, 130 & 175, Plot no. E & Z, Village: Jolva,

Taluka: Palsana, Dist: Surat, Gujarat

ANNEXURE-I



GUJARAT POLLUTION CONTROL BOARD

PARYAVARAN BHAVAN

Sector-10-A, Gandhinagar 382 010

Phone: (079) 23222425

(079) 23232152

Fax : (079) 23232156 Website : www.gpcb.gov.in

In exercise of the power conferred under section-25 of the Water (Prevention and Control of Pollution) Act-1974, under section-21 of the Air (Prevention and Control of Pollution)-1981 and Authorization under rule 3(c) & 5(5) of the Hazardous Waste (Management and Handling & Trans boundary Movement) Rules'2008 framed under the Environmental (Protection) Act-1986. This Board is empowered to Grant CC&A.

And whereas Board has received consolidated consent application letter no. 120345 dated 10/04/2017 for the Renewal of Consolidated Consent and Authorization (CC & A) of this Board under the provisions / rules of the aforesaid Acts. Consents & Authorization are hereby granted as under:

CONSENTS AND AUTHORISATION:

(Under the provisions /rules of the aforesaid environmental acts)

rol

M/s. Shree Durga Syntex Pvt. Ltd.

Plot No:- Z & E, Block No:- 128,129,130, & 175,

Vill:- Jolva:- 394305, Tal:- Palsana, Dist:- Surat.

Consent Order No. <u>AWH-86533</u> Date of issue: 16/06/2017.

 The consents shall be <u>valid upto 03/07/2022</u> for the use of outlet for the discharge of treated effluent and emission due to operation of industrial plant for manufacturing of the following items/ products:

Sr. No.	Product O	Quantity
1	Fully Drawn Yarn	300 MT/Day
2	Grey Cloth	2,50,000 Meters/Day
3	Polyester Chips	600 MT/Day
4	CPP (gas based)	3.25 MW
5	CPP 9	9 M W

Subject to specific condition:

- Industry shall manage Solid Wastes generated from industrial activities as per Solid Waste Management Rules-2016 (solid waste as defined in Rule-3(46)).
- As per Provisions of Rule 18 of Solid Waste Management Rules-2016 you are directed to make an arrangement in Utilities to replace at least five percent (5%) of your solid fuel requirement by 'refused derived fuel'.
- Industry shall obtain NOC from CGWA as per order of Hon. National Green Tribunal for the withdrawal of ground water.
- 4. At any time, consumption of coal as an Auxiliary fuel shall exceed 15 % of total fuel consumed.

Clean Gujarat Green Gujarat

ISO-9001-2008 & ISO-14001 - 2004 Certified Organisation

Period - APRIL 2019 TO SEPTEMBER 2019

Project Details - Expansion of capacities for Fully Drawn Yarn, Polyester Chips & Captive power plant

By M/s. Shree Durga Syntex Pvt Ltd at block no. 128, 129, 130 & 175, Plot no. E & Z, Village: Jolva,

Taluka: Palsana, Dist: Surat, Gujarat

Industry shall maintain complete record of consumption of agro waste/baggase & Coal and make it available at the time of inspection.

3. CONDITIONS UNDER THE WATER ACT:

- 3.1, Source of Water:- Borewell,
- 3.2. The quantity of the fresh water consumption for industrial purpose shall not exceed 774 KL/Day.
- 3.3. The quantity of the fresh water consumption for domestic purpose shall not exceed 25 KL/Day.
- 3.4. The quantity of the industrial effluent to be generated from the manufacturing process and other ancillary industrial operations shall not exceed 180 KL/Day. (Total Booked Chamber in CETP: 06 Chamber)
- 3.5. The quantity of domestic waste water shall not exceed 22 KL/Day.

3.6. Domestic effluent shall be disposed off through septic tank/soak pit system.

3.7. The applicant shall operate effluent treatment system efficiently so that effluent from the industrial unit shall conform to the CETP inlet norms mentioned below however the final discharge of treated effluent from CETP shall adhere to the prescribed standards for CETP of M/s. Palsana Enviro Protection Ltd(PEPL).

PARAMETERS	CETP INLET NORMS
PH	6.5 TO 8.5
Temperature	40° C
Colour (pt.co.scale) in units	100 units
Suspended Solids	300 mg/l
Oil and Grease	10 mg/l
Chlorides	500 mg/l
Phenelic Compounds	Tung'i
Sulphides	2 mg/l
Ammonical Nitrogen	√0>50 mg/l
Total Chromium	2 mg/l
Hexavelent Chromium	0.1 mg/l
BOD (5 days at 20°C)	3 400 mg/l
COD	1000 mg/l
Total Dissolved Solids	2100 mg/t

- 3.8. The final treated effluent confirming to the above standards shall be fully conveyed into CETP of M/s. Palsana Enviro Protection Ltd(PEPL), through underground drainage system of PEPL & in no case effluent shall be discharged into Environment by any means.
- 3.9. In case of failure of CETP, applicant shall have to treat the trade effluent of their unit fully so as to achieve the quality of the treated effluent from their industrial premises as per the GPCB norms mentioned below:-

PARAMETERS	GPCB NORMS
PH	6.5 TO 8.5
Temperature	40° €
Suspended Solids	100 mg/1
Oil and Grease	10 mg/1
Total Dissolved Solids	2100 mg/l
Phenolic Compounds	t mg/l
Sulphides	2 .0 mg/l
Ammonical Nitrogen	50 mg/l
To:al Chremium	2 mg/t

bo

Period - APRIL 2019 TO SEPTEMBER 2019

Project Details - Expansion of capacities for Fully Drawn Yarn, Polyester Chips & Captive power plant
By M/s. Shree Durga Syntex Pvt Ltd at block no. 128, 129, 130 & 175, Plot no. E & Z, Village: Jolva,
Taluka: Palsana, Dist: Surat, Gujarat

0.1 mg/l
30 mg/l
100 mg/l
600 mg/l
1000 mg/l

The applicant shall either stop or curtail its production activities if the effluent is not adequately treated by the CETP of PEPL to conform to the standards specified by G.P.C.B.

- 3.10. The applicant shall be responsible for conveyance of entire treated effluent to the CETP of M/s. PEPL, & due care shall be taken to avoid any leakage or spillage of effluent during conveyance of treated effluent through drain.
- 3.11. Unit shall provide flow meters at inlet & outlet of ETP & maintain its record.
- 3.12. The applicant shall inform renewal/termination of CETP membership well in advance to GPCB.
- 3.13. The applicant shall be required to make storage facilities to store the primary treated effluent for at least 48 hours by providing acid proof brick lined impervious tanks/HDFE tanks.
- 3.14. The applicant shall make fixed arrangement for loading the effluent after primary treatment to the CETP. The unit shall not keep any by-pass line or system or loose or flexible pipe line for discharging effluent into the under ground drainage system of PEPL.
- 3.15. Leachate from the hazardous solid waste, if any shall also be connected into a collection tank through leachate collection facilities and shall be conveyed alongwith industrial effluent to the CETP of PEPL.
- 3.16. Magnetic flow meters shall be installed at the inlet & outlet of effluent collection tanks/ETP to measure the quantity of effluent discharging in to underground drainage system of PEPL.
- 3.17. The ENTIRE quantity of industrial effluent shall have to be conveyed by PEPL. In no circumstances the effluent either treated or untreated shall be discharged any where else.
- 3.18. Disposal system for storm water shall be provided separately. In no circumstances storm water shall be mixed with the industrial effluent.
- 3.19. PEPL member unit have to modify / improve performance of existing Effluent treatment facilities for efficiency & adequacy in order to comply with prescribed in let standards.
- 3.20. The applicant shall keep accurate records of quantity of production of each product, quantity of water consumption, quantity of effluent generated and consumption of electricity on day to day basis and required to submit the complied record of one month to GPCB & PEPL on or before fifth day of the succeeding month.
- 3.21. In case of shut-down of plant for more than three days for any reason, the PEPL unit member shall intimate to PEPL authority & GPCB well in advance for the better operation & management of CETP.
- 3.22. The authorized representative of PEPL may have right of entry at any time for the purpose of inspection and monitoring the effluent collection facilities/ETP (if required) of the applicant.
- 3.23. If the PEPLL authority terminates the membership of the applicant for CETP, the PEPL member unit shall have to close down the manufacturing activities/industrial operation of the process plant immediately until the PEPL membership is resumed.
- 3.24. The applicant shall put up at the entrance a board displaying PEPLL membership number & date of joining of PEPL, the name of unit, particulars of the products/ process and the name of proprietor/partners /directors of the unit and the electricity consumer number as on the record of GSECL.

Project Details - Expansion of capacities for Fully Drawn Yarn, Polyester Chips & Captive power plant

By M/s. Shree Durga Syntex Pvt Ltd at block no. 128, 129, 130 & 175, Plot no. E & Z, Village: Jolva,

Taluka: Palsana, Dist: Surat, Gujarat

4. CONDITIONS UNDER THE AIR ACT:

4.1. The following shall be used as a fuel in Steam Boiler, CPP Engines, & Thermic Fluid Heater and D.G.Set respectively.

Sr. No.	Utility	Fuel	Quantity
1	CPP Engines - 3 Nos. Natural Gas Steam Boiler (1 TPH)		51500 SCM/Day
2	Gas Based Thermo pack or Coal Based Thermic Fluid Heater	Natural Gas Or Coal	22440 SCM/Day Or 80 MT/Day
3	Thermic Fluid Heater (10,000 U×2) Stand by	LDO/FO	100 m³/Day
4	Steam Boiler	Coal or Lignite	450 MT/Day or 500 MT/Day
5	CPP (9 MW)*	Biomass (Agro waste/Baggase) & Coal (15 % as Auxiliary fuel)	250 MT/Day & 35 MT/Day

Note:- *

- At any time, consumption of coal as an Auxiliary fuel shall exceed 15 % of total fuel consumed.
- II. Industry shall maintain complete record of consumption of agro waste/baggase & Coal and make it available at the time of inspection.
- 4.2. The applicant shall install & operate comprehensive adequate air pollution control system in order to achieve prescribed norms.
- 4.3. The flue gas emission through stack attached to Steam Boiler, CPP Engines, & Thermic Fluid Heater shall conform to the following standards:

Stack No.	Stack attached to	Stack height in Meter	Air Pollution Control system	Parameter	Permissible Limit
to 3	Natural Gas Based CPP Engines - 3 Nos.	1000		PM SO ₂ NO ₈	150 mg/NM ³ 100ppm 50ppm
4	Natural Gas Based Steam Boiler (1 TPH)	11		PM SO ₂ NO _x	150 mg/NM ³ 100ppm 50ppm
5	Coal Based Thermic Fluid Heater (14000 U)	50	Electrostatic Precipitator	PM SO ₂ NO ₈	150 mg/NM ³ 100 ppm 50 ppm
40,5	Natural Gas Based Thermic Fluid Heater (200 U×2 nos) One Stand by	20		PM SO ₂ NO ₃	150 mg/NM ³ 100ppm 50ppm

Period - APRIL 2019 TO SEPTEMBER 2019

Project Details - Expansion of capacities for Fully Drawn Yarn, Polyester Chips & Captive power plant

By M/s. Shree Durga Syntex Pvt Ltd at block no. 128, 129, 130 & 175, Plot no. E & Z, Village: Jolva,

Taluka: Palsana, Dist: Surat, Gujarat

7	Natural Gas & LDO/FO Based Thermic Fluid	35		PM SO ₂ NO _x	150 mg/NM ³ 100ppm 50ppm
	Heater (10000 U) × 2 One Stand by				
8	Captive Power Plant (9 MW)	80	Electro Static Precipitator	PM SO ₂ NO ₄	150 mg/NM ³ 100 ppm 50 ppm

- 4.4. There shall be no process emission from the manufacturing process as well as any other ancillary process.
- 4.5. Industry shall take adequate measure to control dusting due to storage, transportation & handling of Coal/Lignite & fly ash.
- 4.6. Industry shall comply with Coal handling guideline of the Board.
- 4.7. Industry shall comply with fly ash notification 1999 as amended from time to time.
- 4.8. The concentration of the following parameters in the ambient air within the premises of the industry and a distance of 10meters from the source) other than the stack/vent) shall not exceed the following levels.

PARAMETERS	PERMISSIBLE LIMIT
PM 10	100 Microgram/M3
PM 2,5	60 Microgram/M3
SO ₂	80 Microgram/M3
NOx	80 Microgram/M3

- 4.9. The applicant shall provide portholes, ladder, platform etc at chimney(s) for monitoring the air emissions and the same shall be open for inspection to/and for use of Board's staff. The chimney(s) vents attached to various sources of emission shall be designed by numbers such as S-1, S-2, etc. and these shall be painted/displayed to facilitate identification.
- 4.10. The industry shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standards in respect of noise to less than 75dB(A) during day time and 70 dB (A) during night time. Daytime is reckoned in between 6a.m. and 10 p.m. and nighttime is reckoned between 10 p.m. and 6 a.m.
- AUTHORIZATION as per HAZARDOUS AND OTHER WASTE (MANAGEMENT AND TRANSBOUNDARY) RULES, 2016 Form-Z [See rule 6 (2)]

Form for grant of authorization for occupier or operator handling Hazardous waste

- 6.1 Authorization order No:- AWII-86533 date of Issue: 16/06/2017.
- 6.2 M/s. Shree Durga Syntex Pvt. Ltd. is hereby granted an authorization to operate facility for following hazardous wastes on the premises situated at Plot No:- Z & E, Block No:- 128,129,130, & 175, Vill:- Jolya:- 394305, Tal:- Palsana, Dist:- Surat.

Sr. No.	Waste	Quantity MT/Year	Schedule-I/ Category	Facility
1	ETP Waste	25	35,3	Collection, Storage, Transportation and disposal at GPCB authorized TSDF Site.
207	Used Oil	2	5.1	Collection, storage, transportation and disposal by selling to Registered re-refiners.

De

COMPLIANCE OF ENVIRONMENTAL CLEARANCE MINISTRY'S LETTER NO.: F. No. SEIAA/GUJ/EC/5(d) & 1(d)/1346/2018- DATED: 14/12/2018

Period - APRIL 2019 TO SEPTEMBER 2019

Project Details - Expansion of capacities for Fully Drawn Yarn, Polyester Chips & Captive power plant

By M/s. Shree Durga Syntex Pvt Ltd at block no. 128, 129, 130 & 175, Plot no. E & Z, Village: Jolva,

Taluka: Palsana, Dist: Surat, Gujarat

3	Discarded	5	33.1	Collection, storage
	Containers/		1	transportation and
	Barrels/Liners			disposal to authorized
1]		1	decontaminator

- 6.3 The authorization shall be valid up to 03/07/2022.
- 6.4 The authorization is subject to the conditions stated below and such other conditions as may be specified in the rules from time to time under the Environment (Protection) Act-1986.
- 6.5 The authorization is granted to operate a facility for collection, storage within factory premises transportation and ultimate disposal of Hazardous wastes as per condition no.6.2 to the industry having valid CCA of this Board.

7. TERMS AND CONDITIONS OF AUTHORISATION

- The applicant shall comply with the provisions of the Environment (Protection) Act-1986 and the rules made there under.
- The authorization or its renewal shall be produced for inspection at the request of an officer authorized by the Gujarat Pollution Control Board.
- The persons authorized shall not rent, lend, sell, and transfer or otherwise transport the hazardous wastes without obtaining prior permission of the Gujarat Pollution Control Board.
- Any unauthorized change in personnel, equipment or working conditions as mentioned in the authorization order by the persons authorized shall constitute a beach of this authorization.
- 5. The person authorized shall implement Emergency Response Procedure (ERP) for which this authorization is being granted considering all site specific possible scenarios such as spillages, leakages, fire etc. and their possible impacts and also carry out mock drill in this regard at regular interval of time;
- 6. The person authorized shall comply with the provisions outlined in the Central Pollution Control Board guidelines on "Implementing Liabilities for Environmental Damages due to Handling and Disposal of Hazardous Wastes and Penalty"
- It is the duty of the authorized person to take prior permission of the Gujarat Pollution Control Board to close down the facility.
- An application for the renewal of an authorization shall be made as laid down in rules 6(2) under Hazardous Waste and Other Waste Rules, 2016.
- The imported hazardous and other wastes shall be fully insured for transit as well as for any accidental occurrence and its clean-up operation.
- The record of consumption and fate of the imported hazardous and other wastes shall be maintained.
- 11. The hazardous and other wastes which gets generated during recycling or reuse or recovery or pre-processing or utilization of imported hazardous or other wastes shall be treated and disposed of as per specific conditions of authorization.
- 12. The importer or exporter shall bear the cost of import or export and mitigation of damages if any.
- 13. Any other conditions for compliance as per the Guidelines issued by the Ministry of Environment, Forest and Climate Change or Central Pollution Control Board from time to time.
- 14. The waste generator shall be totally responsible for (i.e. collection, storage, transportation and ultimate disposal) the wastes generated.
- 15. Records of waste generation, its management and annual return shall be submitted to Gujarat Pollution Control Board in Form-4 by 30th day of June of every year for the preceding period April to March.
- In case of any accident, details of the same shall be submitted on Form-11 to Gujarat Pollution Control Board.
- 17. As per "Public Liability Insurance Act-91" company shall get Insurance Policy, if applicable.
- 18. Empty drums and containers of toxic and hazard material shall be treated as per guideline published for "Management & Handling of discarded containers". Records of the same shall be maintained and forwarded to Gujarat Pollution Control Board regularly.

Project Details - Expansion of capacities for Fully Drawn Yarn, Polyester Chips & Captive power plant

By M/s. Shree Durga Syntex Pvt Ltd at block no. 128, 129, 130 & 175, Plot no. E & Z, Village: Jolva,

Taluka: Palsana, Dist: Surat, Gujarat

- 19. In case of transport of hazardous wastes to a facility for (i.e. treatment, storage and disposal) existing in a State other than the State where hazardous wastes are generated, the occupier shall obtain 'No Objection Certificate' from the State Pollution Control Board or Committee of the concerned State of Union Territory Administration where the facility exists.
- 20. Unit shall take all concrete measures to show tangible results in waste generation, reduction, avoidance, reuse and recycle. Actions taken in this regard shall be submitted within three months and also along with Form-4.
- Industry shall have to display the relevant information with regards to hazardous waste as indicated in the Hon, Supreme Court's Order in W.P. No.657 of 1995 dated 14th October, 2003.
- 22. Industry shall have to display on-line data outside the main factory gate with regard to quantity and nature of hazardous chemicals being handled in the plant, including wastewater and air emissions and solid hazardous wastes generated within the factory premises.

8. GENERAL CONDITIONS: -

- 8.1. Any change in personnel, equipment or working conditions as mentioned in the consents form/order should immediately be intimated to this Board.
- 8.2. Applicant shall also comply with the general conditions given in annexure 1.
- 8.3. Whenever due to accident or other unforeseen act or ever, such emissions occur or is apprehended to occur in excess of standards laid down such information shall be forthwith reported to Board, concerned Police Station, Office of Directorate of Health Service, Department of Explosives, Inspectorate of Factories and local body.
- 8.4. In case of failure of pollution control equipments, the production process connected to it shall be stopped. Remedial actions/measures shall be implemented immediately to bring entire situation normal.
- 8.5. The Environmental Management Unit/Cell shall be setup to ensure implementation on and monitoring of environmental safeguards and other conditions stipulated by statutory authorities. The Environmental Management Cell/Unit shall directly report to the Chief Executive of the organization and shall work as a focal point for internalizing environmental issues. These cells/units also coordinate the exercise of environmental audit and preparation of environmental statements.
- 8.6. The Environmental audit shall be carried out yearly and the environmental statements pertaining to the previous year shall be submitting to this State Board latest by 30th September every year.
- 8.7. The Board reserves the right to review and/or revoke the consent and/or make variations in the conditions, which the Board deems, fit in accordance with Section 27 of the Act.
- 8.8. In case of change of ownership/management the name and address of the new owners/ partners/directors/proprietor should immediately be intimated to the Board.
- 8.9. Industry shall have to display the relevant information with regard to hazardous waste as indicated in the Hon. Supreme order in w.p. no. 657 of 1995 dated 14th October 2003.

9. SPECIFIC CONDITIONS:

- 9.1. The authorized actual user of hazardous and other wastes shall maintain records of hazardous and other wastes purchased in a passbook issued by the State Pollution Control Board along with the authorization.
- 9.2. Handling over of the hazardous and other wastes to the authorized actual user shall be only after making the entry in the passbook of the actual user.
- 9.3. In case of renewal of authorization, a self-certified compliance report in respect of effluent, emission standards and the conditions specified in the authorization for hazardous and other wastes shall be submitted to SPCB.
- 9.4. The occupier of the facility shall comply Standard operating procedure/guidelines published by MOEF&CC or CPCB or GPCB from time to time.
- 9.5. Unit shall comply provisions of E-Waste Management Rules-2016

Project Details - Expansion of capacities for Fully Drawn Yarn, Polyester Chips & Captive power plant

By M/s. Shree Durga Syntex Pvt Ltd at block no. 128, 129, 130 & 175, Plot no. E & Z, Village: Jolva,

Taluka: Palsana, Dist: Surat, Gujarat

9.6. The disposal of Hazardous Waste shall be carried out as per the waste Management hierarchy.

- 9.7. The occupiers of facilities shall not store the hazardous and other wastes for a period not exceeding ninety days. Prior permission of the Board shall be obtained for extension of the storage period.
- 9.8. The occupier shall maintain the records of generation, sale, storage, transport, recycling, co processing and disposal of hazardous waste and make available during the inspection.
- 9.9 The transportation of the hazardous waste shall be carried out in GPS mounted dedicated vehicles.

For and on behalf of Gujarat Pollution Control Board

> (Smt U.K. Upadhyay) Environmental Engineer

NO: GPCB/CCA-SRT-955(4)/ID-21289/ Issued to: M/s, Shree Durga Syntex Pvt. Ltd. Plot No:- Z & E, Block No:- 128,129,130, & 175, Vill:- Joiva:- 394305,

Tal:-Palsana, Dist:- Surat.

Date:-

Project Details - Expansion of capacities for Fully Drawn Yarn, Polyester Chips & Captive power plant

By M/s. Shree Durga Syntex Pvt Ltd at block no. 128, 129, 130 & 175, Plot no. E & Z, Village: Jolva,

Taluka: Palsana, Dist: Surat, Gujarat

ANNEXURE-II

PRODUCTION DETAILS FOR LAST SIX MONTHS

SN.	PRODUCT	NAME OF THE MONTH						
		April 2019	May 2019	June 2019	July 2019	August 2019	Sept 2019	
1	Polyester Chips (T/D)	494.94	554.21	515.27	557.71	458.21	554.76	
2	Gray Cloth (Meters/D)	105308.40	76962.09	87787.61	85793.75	88406.52	94151.24	
3	FDY (T/D)	194.73	200.26	197.82	203.06	200.03	200.14	
4	Textile Yarn Production(T/D)	0.83	1.23	4.04	5.43	3.79	3.69	


Project Details - Expansion of capacities for Fully Drawn Yarn, Polyester Chips & Captive power plant

By M/s. Shree Durga Syntex Pvt Ltd at block no. 128, 129, 130 & 175, Plot no. E & Z, Village: Jolva,

Taluka: Palsana, Dist: Surat, Gujarat

ANNEXURE-III

ETP- Raw and treated water analysis report and ETP sludge analysis report



Project Details - Expansion of capacities for Fully Drawn Yarn, Polyester Chips & Captive power plant By M/s. Shree Durga Syntex Pvt Ltd at block no. 128, 129, 130 & 175, Plot no. E & Z, Village: Jolva, Taluka: Palsana, Dist: Surat, Gujarat



201 & 301, Union Trade Center (UTC) Nr. Apple Hospital, Udhana Darwaja, Surat - 395 002, Gujarat, India.

T : 0261-2344773, 2344774 M: 90160 44480 e: info@en-vision.co.in

WASTE WATER ANALYSIS REPORT

[A] NAME & ADDRESS OF CUSTOMER: M/S.SHREE DURGA SYNTEX PVT.LTD PLOT NO. Z & E. BLOCK NO.128, 129,130 & 175,

VILL: JOLVA, TAL: PALSANA. SURAT-394305.

Issue Date	22/04/2019
Report No.	190422_1718029_04_048

[B] DESCRIPTION OF SAMPLING :

08. Sample Inward No: 190415 1718029 04 060	16.Work Order Date :
07. Packing/Label/Seal: PACKING/LABEL	15.Work Order Number :
06. Total no. of Sample: 01	14. Protocol Purpose: EC
05. Sample Quantity: 2.0 LTR	13. Customer's Ref.No:
04. Name of Sampling Team: A	12. Date of Aralysis Completion: 20.04.2019
03. Type of Sampling: GRAB	11. Date of Aralysis Start: 16.04.2019
02. Location of Sampling Point: ETP PRIMARY	10. Date of Sample Received: 15.04.2019
01. Description of Sample: RAW EFFLUENT	09. Date of Sampling: 15.04.2019

[C] RESULT OF SAMPLE :

CODE	PARAMETERS	UNIT	LIMIT	RESULT	TEST METHOD
P ₁	pH	pH Unit	la4	7.34	IS:3025, (Part-2) (R.A2012)
P ₂	Temperature	°C	100	32.0	IS 3025 (Part-09) (R.A2016)
Pa	Colour	Pt. Co.Scale		90.0	IS 3025 Part-4 (R.A2006)- Pt/Co method
P ₄	Suspended Solids	mg/l	-77	96.0	IS:3025 (Part-17) (R.A2012) (Gravimetric method)
P ₅	Total Dissolved Solids	mg/l	394	1868	IS:3025 (Part-16) (R.A2012) (Gravimetric method)
O ₁	Chemical Oxygen Demand	mg/l		2452	APHA 22 nd Edition-2012, 5200 (Close reflux -Titrimetric method)
O ₂	Biochemical Oxygen Demand for 3 days at 27°C	mg/i	-	993	IS 3025 Part-44 (R.A2009)
O ₂	Oil & Grease	mg/i	394	6.80	IS 3025 Part-39 (R.A2003)-A (Gravimetric Hethod)
O ₄	Ammonical Nitrogen (as N)	mg/i		ND	IS:3025 (Part-34) (R.A2009)- C- Cistillation/ Tilrimetric method)
0,	Phenolic Compounds	mg/i		0.17	IS 3025 (Part-43) (R.A2009)-A
14	Sulphides	mg/l	**	ND	IS 3025 (Part-29) (R.A20:4) (lodometric Method)/ APHA 22 rd Edition-2012, 4500 SO ₄ -2-F
I.	Sulphates	mg/l		510	APHA 22 nd Edition-2012 4500 SO ₄ -1-E- (Turbidity method)
l ₅	Chloride as C	mg/l		320	IS:3025 (Part-32) (R.A2014) (Argentometric method)

Remarks: ND: Not Detectable.

Note

Tested By:

En-Vision Environmental Services., (Testing Laboratory), Surat

The results relate only to the items tested.

The test report shall not be reproduced except in full, without writter approval of the laboratory. Fmt No: LAB/FM/05 Revision No: 02 Date: 02.02.17

vu. Mr. Yasant Shah (Technical Manager)



Project Details - Expansion of capacities for Fully Drawn Yarn, Polyester Chips & Captive power plant By M/s. Shree Durga Syntex Pvt Ltd at block no. 128, 129, 130 & 175, Plot no. E & Z, Village: Jolva, Taluka: Palsana, Dist: Surat, Gujarat



201 E 301, Union Trace Center (UTC) T: 0261-2344773, 2344774 Nr. Apple Hospital, Udhana Darwaja, M : 90160 44480 Surat - 395 002, Gujarat, India.

e :info@en-vision.co.in

WASTE WATER ANALYSIS REPORT

[A] NAME & ADDRESS OF CUSTOMER: M/S.SHREE DURGA SYNTEX PVT.LTD

FLOT NO. Z & E. ELOCK NO.128, 129,130 & 175,

VILL: JOLVA, TAL: PALSANA, SURAT-394305.

Issue Date	22/04/2019
Report No.	190422_1718029_04_049

[8] DESCRIPTION OF SAMPLING :

08. Sample Inward No: 190415_1718029_04_051	16.Work Order Date :
07. Packing/Label/Seal: PACKING/LABEL	15.Work Order Number :
06. Total no. of Sample: C1	14. Protocol Purpose: EC
05. Sample Quantity: 2.0 LTR	13. Customer's Ref.No:
04. Name of Sampling Team: A	12. Date of Analysis Completion: 20.04.2019
03. Type of Sampling: GRAB	11. Date of Analysis Start: 16.04.2019
02. Location of Sampling Point: ETP OUTLET	10. Date of Sample Received: 15.04.2019
01. Description of Sample: RAW EFFLUENT	09. Date of Sampling: 15.04.2019

[C] RESULT OF SAMPLE :

CODE	PARAMETERS	UNIT	LIMIT	RESULT	TEST METHOD
P,	pH	pH Unit.	6.5-4.5	7.21	IS:3025, (Part-2) (R.A2012)
P ₂	Temperature	*C	40.0	32.0	IS 3025 (Part-09) (R.A2006)
P ₃	Colour	Pt. Co.Stale	100	80.0	IS 3025 Part-4 (R.A2006)- Pt/Co method
P4	Suspended Sclids	mg/l	300	78.0	IS:3025 (Part-17) (R.A2012) (Gravimetric method)
P _s	Total Dissolved Solics	mg/l	2100	1868	IS:3025 (Part-16) (R.A2012) (Gravimetric method)
O ₁	Chemical Oxygen Demand	mg/I	1000	752	APHA 22 nd Edition-2012, 5200 (Close reflux -Titrimetric method)
Oz	Bochemical Oxygen Demand for 3 days at 27°C	mg/I	400	300	IS 3025 Part-44 (F.A2009)
Oı	Cil & Giease	mg/l	10.0	2.83	IS 3025 Part-39 (F.A2003)-A (Gravimetric Method)
0,	Ammonical Nitrogen (as N)	mg/l	50.0	NC	15:3025 (Part~34) (R.A2009)- C- Distillation/ Titrimetric method)
O ₅	Phenolic Compounds	mg/l	1.0	0.07	IS 3025 (Part-43) (R.A2009)-A
I.	Sulphides	mg/l	2.6	NC	IS 3025 (Part-29) (R.A2014) (Iodo metric Method)/ APHA 22 rd Edition-2012, 4500 SO ₄ -2-
14	Sulphates	mg/l	**	420	APHA 22 rd Edition-2012 4500 SO ₄ -2-E (Turbdity method)
16	Chloride as Cl	mg/l	***	190	IS:3025 (Part-32) (R.A2014) (Argentometric method)

Remarks: ND: Not Detectable.

En-Vision Environmental Services., (Testing Laboratory), Surat

The results relate only to the items tested.

The test report shall not be reproduced except in full, without written approval of the laboratory. Fmt No: LA8/FM/05 Revision No: 32 Date: 02.02.17

Mr. Vasant Shah Technical Man (Technical Manager)



Project Details - Expansion of capacities for Fully Drawn Yarn, Polyester Chips & Captive power plant

By M/s. Shree Durga Syntex Pvt Ltd at block no. 128, 129, 130 & 175, Plot no. E & Z, Village: Jolva,

Taluka: Palsana, Dist: Surat, Gujarat

ANNEXURE-IV

FRESH WATER CONSUMPTION AND EFFLUENT GENERATION FOR LAST SIX MONTHS

The Avg. fresh water consumption in last six months is **526.3 KL/Day**. Monthly Fresh Water consumption details are given as below;

SN	Month	Qty. F/W (KL/Month)	Qty. F/W (KL/Day)
1	April 2019	15687	522.9
2	May 2019	14443	481.4
3	June 2019	14989	499.6
4	July 2019	16596	553.2
5	August 2019	17023	567.4
6	September 2019	15999	533.3

The Avg. industrial waste water generation in last six months is **166 KL/Day**. Monthly waste water generation details are given as below;

SN	Month	Qty (KL/Month)	Qty (KL/Day)
1	April 2019	4999	166.6
2	May 2019	4598	153.2
3	June 2019	5283	176.1
4	July 2019	4755	158.5
5	August 2019	4881	162.7
6	September 2019	5401	180

Project Details - Expansion of capacities for Fully Drawn Yarn, Polyester Chips & Captive power plant By M/s. Shree Durga Syntex Pvt Ltd at block no. 128, 129, 130 & 175, Plot no. E & Z, Village: Jolva, Taluka: Palsana, Dist: Surat, Gujarat

ANNEXURE-V

WATER PERMISSION FROM CGWA FOR GROUND WATER

Government of India Central Ground Water Authority (CGWA) Ministry of Water Resources, River Development and Ganga Rejuvenation Applications for Issue of NOC to Abstract Ground Water (NOCAP)

	ation Number : 21-4/1673/GJ/IND/2017 neral Information:									
	eneral information: /ater Quality: Fresh Water									
	er Quanty. llication Type Category/ Typ	o of Application:	Textiles							
-	Name of Industry:	е от Аррисацоп.	SHREE DURGA SYNTEX P	V/T I TD						
1000		ustrial Unit- (Attach Approved S								
χιι,	Address Line 1 :	ustrial Offic (Attach Approved	BLOCK NO 128,129,130 AN							
-	Address Line 2 :		PLOT NO Z AND E, VILLAG							
-	Address Line 3 :		TALUKA- PALSANA	JE GOEVA						
-	State:		GUJARAT							
-	District:		SURAT							
	Sub-District:		PALSANA							
1	Village/Town:		Jolya							
	Latitude:									
\vdash	Logitude:									
	Area Type :		Non-Notified							
	Area Type Category :		Safe							
(iii)	Communication Address									
	Address Line 1:		PLOT NO 21 TO 29, ANAND INDUSTRIAL ESTATE,							
	Address Line 2:		U.M.ROAD, NR. BEGANI DYEING MILLS PVT LTD							
	Address Line 3:		BHATAR CHAR RASTA							
	State:		GUJARAT SURAT CHORASI							
	District:									
	Sub-District:									
	Pincode:		395017							
	Phone Number with Area (Code:	91 261 2239106							
	Mobile Number:		91 9824102871							
	Fax Number:									
	E-Mail:		beganid4@gmail.com							
(iv)	Salient Features of the Ind	ustrial Activity:								
(v)	The state of the s	ps ,polyester yarn and gray fabric isting / Proposed Industrial Uni		ne Land :						
	Land Use Details	Existing (sq meter)	Proposed (sq meter)	Grand Total (sq meter)						
İ	Green Belt Area	5462.00	3152.00	8614.0						
	Open Land	26713 00	ו	26713 0						
1	Road/ Paved Area	4422.00	n	4422.0						

07/09/2018 04:25 PM

Page 1 of 6

Project Details - Expansion of capacities for Fully Drawn Yarn, Polyester Chips & Captive power plant

By M/s. Shree Durga Syntex Pvt Ltd at block no. 128, 129, 130 & 175, Plot no. E & Z, Village: Jolva,

Taluka: Palsana, Dist: Surat, Gujarat

Government of India
Central Ground Water Authority (CGWA)
Ministry of Water Resources, River Development and Ganga Rejuvenation
Applications for Issue of NOC to Abstract Ground Water (NOCAP)

Application for Permission to Abstract Ground Water for Industrial Use (Application For New NOC)

Application	Mumber .	21-4/1673/G.I/IND/2017

	Rooftop area of building/ sheds		16787.00	7425.00	24212.00	
	Total		53384.00	10577.00	63961.00	
(vi)	, ,		drainage is through natural water course ultimately leading to ko khadi.			
(vii)			borewell			
(viii)	Average Annual Rainfall in the	e Area (in mm):	1200.00			
(ix)	Townships / Villages (Within 2km Radius of the Industrial Unit):		jolva			
(x)	Whether Ground Water Utiliza	tion for:	Existing Industry			
	Date of Commencement Industry:		07/08/2007			
	Date of Expansion :					

2. Details of Water Requirement (Fresh and Recycled Water Usage):

(Please Enclose Water Balance Flow Chart of Activities and Requirement of Water at each Stage) (\$)

(i) Total Water Requirement (a+b+c+d) (m3/day)

	Existing	Proposed	Total
Water Requirement Details (Fresh Water) (m	n3/day)		
(a) Ground Water Requirement (m3/day):	1381.00	0.00	1381.00
(b) Surface Water Available (Canal, River, Ponds etc.) (m3/day):	0.00	0.00	0.00
(c) Water Supply from Any Agency (m3/da	y): 0.00	0.00	0.00
Total Fresh Water Requirement (a+b+c)(m3/day):	1381.00	0.00	1381.00
(d) Recycled Water Usage (m3/day):	100.00	0.00	100.00
Total Water Requirement : (a+b+c+d)(m3/day)	1481.00	0.00	1481.00

(ii) Breakup of Water Requirement and Usage:

Activity	Activity Existing Prop Requirement Requirement (m3/day) (m3.		Total Requirement (m3/day)	No. of Operational Days in a Year	Annual Requirement (m3/year)
Industrial Activity	1417.00	0.00	1417.00	365	517205.00
Residential / Domestic	30.00	0.00	30.00	365	10950.00
Greenbelt Development /Environment Maintenance	34.00	0.00	34.00	365	12410.00
Other Use	0.00	0.00	0.00	0	0.00
Grand Total	1481.00	0.00	1481.00		540565.00

07/09/2018 04:25 PM

Project Details - Expansion of capacities for Fully Drawn Yarn, Polyester Chips & Captive power plant By M/s. Shree Durga Syntex Pvt Ltd at block no. 128, 129, 130 & 175, Plot no. E & Z, Village: Jolva, Taluka: Palsana, Dist: Surat, Gujarat

> Government of India Central Ground Water Authority (CGWA) Ministry of Water Resources, River Development and Ganga Rejuvenation Applications for Issue of NOC to Abstract Ground Water (NOCAP)

Application for Permission to Abstract Ground Water for Industrial Use (Application For New NOC)

Application Number: 21-4/1673/GJ/IND/2017 (iii) Breakup of Recycled Water Usage: (m3/day) (Days) (m3/year) (a) Total Waste Water Generated : 550.00 365 200750.00 (b) Quantity of Treated Water Available 100.00 365 i). Reuse in Industrial Activity: 80.00 29200.00 ii). Reuse in Green Belt Development: 20.00 365 7300.00 iii). Other Uses: 0.00 0 0.00 (c) Total Treated Water Utilized: 100.00 36500.00 **Net Ground Water Requirement:** 1381.00 (m3/day) (a). Groundwater Abstraction Structure- Existing: Number of Existing Structures: 3

SNo.	Type of Structure Name / Year of Construction	Depth (Meter) / Diameter (mm)	Depth to Water Level (Meters below Ground Level)	Discharge (m3/Hour)		Mode of Lift Name	Horse Power of Pump	Whether Fitted with Water Meter	Whether Permission Registered with CGWA / If so Details Thereof
1	Borewell / 2007	50.00 / 300	25.00	75.00	20 / 365	Submer sible Pump	20.00	Yes	Yes / permission o cgwa was asked or 11/08/2007 and permission was granted on 12/10/2007.
2	Borewell / 2009	50.00 / 300	25.00	75.00	20 / 365	Submer sible Pump	20.00	Yes	Yes / only one borewell is operated at a time. permission from CGWA was asked on 01/07/2009 for expansion
3	Borewell / 2007	50.00 / 300	25.00	75.00	20 / 365	Submer sible Pump	20.00	Yes	Yes / one stand-by borewell.

(b). Groundwater Abstraction Structure- Proposed:

Number of Proposed Structures:							0			
SNo.	Type of Structure Name / Year of Construction	Depth (Meter) / Diameter (mm)	Depth to Water Level (Meters below Ground Level)	Discharge (m3/Hour)	Operatio nal Hours (Day) / Days (Year)	Mode of Lift Name	Horse Power of Pump	Whether fitted with Water Meter	Whether Permission Registered with CGWA / If so Details Thereof	

Project Details - Expansion of capacities for Fully Drawn Yarn, Polyester Chips & Captive power plant

By M/s. Shree Durga Syntex Pvt Ltd at block no. 128, 129, 130 & 175, Plot no. E & Z, Village: Jolva,

Taluka: Palsana, Dist: Surat, Gujarat

Government of India
Central Ground Water Authority (CGWA)
Ministry of Water Resources, River Development and Ganga Rejuvenation
Applications for Issue of NOC to Abstract Ground Water (NOCAP)

			Applications to	or Issue of NOC to Ab	stract Ground Water	(NOCAP)						
		Applic	cation for Perm	ission to Abstrac (Application For		r Industrial Use						
App	licatio	n Number :	21-4/1673/GJ/IN	D/2017								
4.	Groundwater Availability (Please Enclose a Comprehensive Report / Note on Groundwater Condition in and Around the Area) Applicable to Industries Consuming Greater Than 500 m3/day : (\$)											
	ground water is potable and of drinkable quality.											
5.	Details of Rrainwater Harvesting and Artificial Recharge Measures Proposed / Implemented. If Ground Water Recharge outside the Industrial Unit Premises, then provide NOC from the Concern Authority / Agency if Already implemented, details may be furnished. (Attach Rainwater Harvesting /Artificial Recharge Proposal).(\$)											
	two no	umber borewel	l are proposed hav	ing 300 mm dia and 50	meter depth.							
6.	Consent to Operate / Estibilish / Approval Letter from Statutory Bodies viz Ministry of Environment & Forests (MoEF) or State Pollution Control Board(SPCB) or State Level Expert Appraisal Committee(SEAC) or State Level Environment Impact Assessment Authority(SLEIAA):(\$)											
	Attac	hed Consent/	Approval of Gove	rnment Agency(Prev	ous: Referral Letter)							
	Lette	Number										
	S.No		/Approval of ment Agency	Attachment Name		File Name						
	1	State Pollution	n Control Board	REFERRAL LETTER OG GPCB	NOC DURGA.pdf							
7.	Have	You Applied I	Earlier for Ground	water Clearance from	CGWA / State Gover	nment Agency:						
	If Yes	, so Details th	ereof with Status									
		to CGWA on 1 eminded on 07/		mission granted on 12/	10/2007 again applyed	on 01/07/2009 for expansion work						
INDU	JSTRIA	AL USE- Self D	Declaration									
A	ware th		of the Data / Inform			y Knowledge and Belief and I am eading at Any Stage the Application						
	1			ation from Time to Time	9 .							
			ubmitted to Region	AND THE RESIDENCE OF THE PARTY								
			al Ground Water E , GUJARAT,38002		egion, Swami Narayaı	n College, Building, Shah Alam						
3. Inc	comple	te Application	will be Summarily I	Rejected.								
	nitted onal C		vill not be Process	sed till the Print Out o	f the Signed Complet	e Application is Submitted to						
			Processing Fee of F I Payable at Faridab		one Thousand Only) in t	he form of Demand Draft drawn in						
Dem	and D	raft Details:-										
D.D.	No.			Date	d :							
Bank	Name	:		Amou	unt:							
				le. Applicant should e Online Application.	nsure and Check Eligi	bility of Submission of Application						

Attached Files:

1). Site Plan with Location Map (Previous: Site Plan): (Refer: 1 (ii))

Project Details - Expansion of capacities for Fully Drawn Yarn, Polyester Chips & Captive power plant

By M/s. Shree Durga Syntex Pvt Ltd at block no. 128, 129, 130 & 175, Plot no. E & Z, Village: Jolva,

Taluka: Palsana, Dist: Surat, Gujarat

Government of India Central Ground Water Authority (CGWA) Ministry of Water Resources, River Development and Ganga Rejuvenation Applications for Issue of NOC to Abstract Ground Water (NOCAP)

Application for Permission to Abstract Ground Water for Industrial Use (Application For New NOC)

Application Number: 21-4/1673/GJ/IND/2017

S.No	Attachment Name	File Name
1	SITE PLAN	SITE PLAN DURGA.pdf
2	REFERRAL LETTER OF GPCB	NOC DURGA.pdf

2). Certified Revenue Sketch: (Refer: 1 (ii))

No Attachment Found!

3). Documents of Ownership / Lease : (Refer: 1 (v))

No Attachment Found!

4). Source Water Availability/Non-availability Certificate(Previous: Source of Availability of Surface Water) : (Refer: 1 (vii))

No Attachment Found!

5). Water Balance Flow Chart (Previous: Enclose Flow Chart of Activity and Requirement of Water): (Refer: 2)

No Attachment Found!

6). Hydrogeological Report(Previous: Groundwater Availability Report): (Refer: 4)

No Attachment Found!

7). Rain Water Harvesting/Artificial Recharge proposal(Previous: Details of Rainwater Harvesting / Artificial Recharge Measures): (Refer: 5)

S.No	Attachment Name	File Name	
1	RAINWATER HARVESTING	DETAILS OF RAINWATER HARVESTING.docx	

8). Authorization Letter (Previous: Authorization):

No Attachment Found!

10). Ground Water Quality Report(Previous: Non-Polluting Effluent):

S.No	Attachment Name	File Name
1	NON-POLLUTING EFFLUENT	NON-POLLUTING.docx

11). Extra Attachment:

No Attachment Found!

12). Scanned Industrial Application:

No Attachment Found!

lication Number : . Date :	21-4/1673/GJ/IND/2017	Name & Signature of the applicar
Place :		(With official sea
Associated User :	PAWANKUMAR	
O. J	: PAWANKUMAR	
Submitted by User		
Submission Date : * In case signed b	11/03/2017	tails of the signatory with the authorization shall be
* In case signed b enclosed.	11/03/2017 y any authorized signatory, the de	
* In case signed b enclosed.	11/03/2017 y any authorized signatory, the de	tails of the signatory with the authorization shall be
* In case signed b enclosed.	11/03/2017 y any authorized signatory, the de	
* In case signed b enclosed.	11/03/2017 y any authorized signatory, the de	
* In case signed b enclosed.	11/03/2017 y any authorized signatory, the de	
* In case signed b enclosed.	11/03/2017 y any authorized signatory, the de	
* In case signed b enclosed.	11/03/2017 y any authorized signatory, the de	
* In case signed b enclosed.	11/03/2017 y any authorized signatory, the de	

Project Details - Expansion of capacities for Fully Drawn Yarn, Polyester Chips & Captive power plant


By M/s. Shree Durga Syntex Pvt Ltd at block no. 128, 129, 130 & 175, Plot no. E & Z, Village: Jolva,

Taluka: Palsana, Dist: Surat, Gujarat

ANNEXURE-VI


STACK MONITORING REPORTS














Project Details - Expansion of capacities for Fully Drawn Yarn, Polyester Chips & Captive power plant By M/s. Shree Durga Syntex Pvt Ltd at block no. 128, 129, 130 & 175, Plot no. E & Z, Village: Jolva, Taluka: Palsana, Dist: Surat, Gujarat

ANNEXURE-VII







Project Details - Expansion of capacities for Fully Drawn Yarn, Polyester Chips & Captive power plant

By M/s. Shree Durga Syntex Pvt Ltd at block no. 128, 129, 130 & 175, Plot no. E & Z, Village: Jolva,

Taluka: Palsana, Dist: Surat, Gujarat

ANNEXURE-VIII

SOLID WASTE GENERATION IN LAST SIX MONTHS

SR. NO.	SOLID NAME OF THE MOI WASTE			E MONTH			
	GENERATION	April 2019	May 2019	June 2019	July 2019	August 2019	September 2019
1.	ETP Sludge (MT)	5.05	-	5.025	-	1	-

DESCRIPTION	MANIFEST DATE	QUANTITY	NAME OF TSDF	MANIFEST NO.
ETP Sludge	ETP Sludge 25/04/2019		Nandesari Enviro Control Ltd	874504
10.075	07/06/2019	5.025	Baroda	898349

Project Details - Expansion of capacities for Fully Drawn Yarn, Polyester Chips & Captive power plant

By M/s. Shree Durga Syntex Pvt Ltd at block no. 128, 129, 130 & 175, Plot no. E & Z, Village: Jolva,

Taluka: Palsana, Dist: Surat, Gujarat

ANNEXURE-IX

MEMBERSHIP CERTIFICATE WITH TSDF



TO WHOM SOEVER IT MAY CONCERN

THIS IS TO CERTIFY THAT M/S.SHREE DURGA SYNTAX PVT.LTD.,BLOCK

NO.129 & 175,PLOT NO. Z & E,TALUKA,PALSANA,ZOLVA,SURAT IS OUR

VALID MEMBER OF COMMON HAZARDOUS WASTE DISPOSAL FACILITY (CHW)F)

DEVELOPED BY NANDESARI ENVIRONMENT CONTROL LTD. AT SURVEY

NO.519/P,GIDC,NANDESARI,DIST:BARODA

ANNUAL COMMITTED QUANTITY IS: 15.000 MT/ANNUM

SO FAR WE HAVE NOT RECEIVED ANY WASTE

FOR & ON BEHALF OF :

NANDESARI ENVIRONMENT CONTROL LTD.

BABUBHAI C.PATEL

CHAIRMAN

For Shree Durga Syntal Pat. Ltd.

Common Solid Waste Disposal and Incineration Facility




Project Details - Expansion of capacities for Fully Drawn Yarn, Polyester Chips & Captive power plant
By M/s. Shree Durga Syntex Pvt Ltd at block no. 128, 129, 130 & 175, Plot no. E & Z, Village: Jolva,

Taluka: Palsana, Dist: Surat, Gujarat

ANNEXURE-X

NOISE MONITORING REPORT





Project Details - Expansion of capacities for Fully Drawn Yarn, Polyester Chips & Captive power plant

By M/s. Shree Durga Syntex Pvt Ltd at block no. 128, 129, 130 & 175, Plot no. E & Z, Village: Jolva,

Taluka: Palsana, Dist: Surat, Gujarat



201 & 301, Union Trade Center (UTC) Nr. Apple Hospital, Udhana Darwaja, Surat - 395 002, Gujarat, India.

T : 0261-2344773, 2344774 M : 90160 44480

ujarat, India. e : info@en-vision.co.in

NOISE MEASUREMENT REPORT

[A] NAME & ADDRESS OF CUSTOMER: M/S.SHREE DURGA SYNTEX PVT.LTD PLOT NO. Z & E, BLOCK NO. 126, 129,130 & 175, VILL: JOLVA, TAL: PALSANA, SURAT-394305...

	Issue Date	22/04/2019	
I	Report No.	190422_1718029_06A_051	

[B] DESCRIPTION OF SAMPLING:

ate of Sample Received : 16.04.2019
ace of Sample Received : 10.04.2019
ate of Analysis Start : 19.04.2019
ate of Analysis Completion: 19.04.2019

09. Name of Location : ADMIN

 Test Method: STP No.: No. Issue No.01 & Date:01.04.2014, (Based on Instruction manual) Using noise level Meter with Data Logger.

[C] RESULT OF SAMPLE:

Code	Unit	Time	Results
N17	dh(A)	22:00	56.3
N18	db(A)	23:00	57.4
N19	dh(A)	00:00	56.8
N20	db(A)	1:00	56.2
N21	db(A)	2:00	55.7
N22	db(A)	3:00	56.1
N23	db(A)	4:00	56.3
N24	db(A)	5:00	56.0

Note:

En-Vision Environmental Services, (Testing Laboratory), Surat

Note:

The results relate only to the items tested.

The test report shall not be reproduced except in full, without written approval of the laboratory.

Fmt No: LAB/FM/DB Revision No: 02 Date; 02.02.17

Tested By :

Mr. Vasant Shah (Technical Manager)



Project Details - Expansion of capacities for Fully Drawn Yarn, Polyester Chips & Captive power plant By M/s. Shree Durga Syntex Pvt Ltd at block no. 128, 129, 130 & 175, Plot no. E & Z, Village: Jolva, Taluka: Palsana, Dist: Surat, Gujarat



201 & 301, Union Trade Center (UTC) T: 0261-2344773, 2344774 Nr. Apple Hospital, Udhana Darwaja, Surat - 395 002, Gujarat, India.

M: 90160 44480 e : info@en-vision.co.in

NOISE MEASUREMENT REPORT

[A] NAME & ADDRESS OF CUSTOMER: M/S.SHREE DURGA SYNTEX PVT.LTD PLOT NO Z&F BLOCK NO.128, 129,130 & 175, VILL: JOLVA, TAL: PALSANA

Issue Date 22/04/2019 Report No. 190422_1718029_06A_052

[B] DESCRIPTION OF SAMPLING:

01. Sample Inward No : 190417_1718029_06A_064	05. Duration of Sampling : 24.0 HRS.
02. No of Location : 01	06. Date of Sample Received: 17.04.2019
03. Name of Sampling Team: A	07. Date of Analysis Start : 19.04.2019
04. Date of Sampling: 16.04.2019	08. Date of Analysis Completion: 19.04.2019
09. Name of Location : BOILER	

10. Test Method: STP No., No, Issue No.01 & Date:01.04.2014, (Based on Instruction manual) Using noise level Meter with Data Logger.

[C] RESULT OF SAMPLE :

SURAT-394305

Code	Unit	Time	Results
N1	db(A)	6:00	73.8
N2	db(A)	7:00	74.2
N3	db(A)	8:00	73.9
N4	db(A)	9:00	74.1
N5	db(A)	10:00	73.8
N6	db(A)	11:00	73.6
N7	db(A)	12:00	73.4
N8	db(A)	13:00	74.3
N9	db(A)	14:00	74.2
N10	db(A)	15:00	7.38
N11	db(A)	16:00	73.6
N12	db(A)	17:00	73.5
N13	db(A)	18:00	73.8
N14	db(A)	19:00	73.6
N15	db(A)	20:00	73.5
N16	db(A)	21:00	74.0

Note:

Tested By

En-Vision Environmental Services, (Testing Laboratory), Surat

The results relate only to the items tested.

The test report shall not be reproduced except in full, without written approval of the laboratory. Fmt No: LAB/FM/08 Revision No: 02 Date: 02.02.17

veno. Mr. Vasant Shah (Technical Manager)

End of Report



Pollution Control Consultants & Engineers

www.en-vision.co.in

Project Details - Expansion of capacities for Fully Drawn Yarn, Polyester Chips & Captive power plant

By M/s. Shree Durga Syntex Pvt Ltd at block no. 128, 129, 130 & 175, Plot no. E & Z, Village: Jolva,

Taluka: Palsana, Dist: Surat, Gujarat



201 & 301, Union Trade Center (UTC) Nr. Apple Hospital, Udhana Darwaja, Surat · 395 002, Gujarat, India.

T: 0261-2344773, 2344774 M: 90160 44480 e: Info@en-vision.co.in

NOISE MEASUREMENT REPORT

[A] NAME & ADDRESS OF CUSTOMER: M/S.SHREE DURGA SYNTEX PVT.LTD

PLOT NO. Z & E, BLOCK NO.128, 129,133 & 175, VILL: JOLVA,

TAL: PALSANA, SURAT-394305...

Issue Date	22/04/2019	
Report No.	190422_1718029_06A_052	

[B] DESCRIPTION OF SAMPLING

Duration of Sampling : 24.0 HRS.
Duration of Sampany 124.0 fixs.
Date of Sample Received: 17.04.2019
Date of Analysis Start: 19.04.2019
Date of Analysis Completion: 19.04.2019

 Name of Location: BOILER
 Test Nethod: STP No.: No. issue No.01 & Date:01.04.2014, (Based on Instruction manual) Using noise level Meter with Cata Logger.

[C] RESULT OF SAMPLE :

Code	Unit	Time	Results
N17	db(A)	22:00	72.8
N18	db(A)	23:00	73.6
N19	db(A)	00:00	73.2
N20	db(A)	1:00	73.5
N21	db(A)	2:00	73.2
N22	db(A)	3:00	73.6
N23	db(A)	4:00	72.8
N24	db(A)	5:00	73.7

Note:

En-Vision Environmental Services, (Testing Laboratory), Surat

hote:

Ranky

Tested By:

The results relate only to the items tested.

The test report shall not be reproduced except in full, without written approval of the laboratory.

Fmt No: LAB/FM/08 Revision No: 02 Date: 02.02.17

Mr. Vasant Shah (Technical Manager)

End of (



Project Details - Expansion of capacities for Fully Drawn Yarn, Polyester Chips & Captive power plant By M/s. Shree Durga Syntex Pvt Ltd at block no. 128, 129, 130 & 175, Plot no. E & Z, Village: Jolva, Taluka: Palsana, Dist: Surat, Gujarat



201 & 301, Union Trade Center (UTC) T : 0261-2344773, 2344774 Nr. Apple Hospital, Udhana Darwaja, Surat - 395 002, Gujarat, India.

M: 90160 44480 e:info@en-vision.co.in

NOISE MEASUREMENT REPORT

[A] NAME & ADDRESS OF CUSTOMER: M/S.SHREE DURGA SYNTEX PVT.LTD PLOT NO. Z & E. BLOCK NO.128, 129,130 & 175, VILL: JOLVA, TAL: PALSANA,

22/04/2019 **Issue Date** 190422_1718029_06A_053 Report No.

[B] DESCRIPTION OF SAMPLING :

01. Sample Inward No : 190418_1718029_06A_065	05. Duration of Sampling : 24.0 HRS.
02. No of Location : 01	06. Date of Sample Received: 18.04.2019
03. Name of Sampling Team: A	07. Date of Analysis Start: 19.04.2019
04. Date of Sampling: 17.04.2019	08. Date of Analysis Completion : 19.04.2019
09. Name of Location : MAIN GATE	

10. Test Method: STP No.: No, Issue No.01 & Date:01.04.2014, (Based on Instruction manual) Using noise level Meter with Data Logger.

[C] RESULT OF SAMPLE :

SURAT-394305.

Code	Unit	Time	Results
N1	db(A)	6:00	67.3
N2	db(A)	7:00	67.4
N3	db(A)	8:00	68.2
N4	db(A)	9:00	68.1
N5	db(A)	10:00	67.9
N6	db(A)	11:00	69.8
N7	db(A)	12:00	69.5
N8	db(A)	13:00	69.2
N9	db(A)	14:00	69.1
N10	db(A)	15:00	67.8
N11	db(A)	16:00	68.1
N12	db(A)	17:00	67.8
N13	db(A)	18:00	68.2
N14	db(A)	19:00	67.9
N15	db(A)	20:00	68.3
N16	db(A)	21:00	68.7

Note:

En-Vision Environmental Services, (Testing Laboratory), Surat

The results relate only to the items tested.

The test report shall not be reproduced except in full, without written approval of the laboratory. Fmt No: LAB/FM/08 Revision No: 02 Date: 02.02.17

win Mr. Vasant Shah (Technical Manager)

Tested By:



Project Details - Expansion of capacities for Fully Drawn Yarn, Polyester Chips & Captive power plant By M/s. Shree Durga Syntex Pvt Ltd at block no. 128, 129, 130 & 175, Plot no. E & Z, Village: Jolva, Taluka: Palsana, Dist: Surat, Gujarat



201 & 301, Union Trade Center (UTC) T: 0261-2344773, 2344774 Nr. Apple Hospital, Udhana Darwaja, M : 90160 44480 Surat - 395 002, Gujarat, India.

e : info@en-vision.co.in

NOISE MEASUREMENT REPORT

[A] NAME & ADDRESS OF CUSTOMER: M/S.SHREE DURGA SYNTEX PVT.LTD PLOT NO. Z & E. BLOCK NO.128, 129,130 & 175, VILL: JOLVA, TAL: PALSANA, SURAT-394305...

Issue Date	22/04/2019
Report No.	190422_1718029_06A_053

[B] DESCRIPTION OF SAMPLING:

01. Sample Inward No : 190418_1718029_06A_065	05. Duration of Sampling : 24.0 HRS.
02. No of Location : 01	06. Date of Sample Received: 18.04.2019
03. Name of Sampling Team: A	07. Date of Analysis Start: 19.04.2019
04 Date of Sampling : 17.04.2019	08. Date of Analysis Completion: 19.04.2019

09. Name of Location: MAIN GATE

10. Test Method: STP No.: No. Issue No.01 & Date:01.04.2014, (Based on Instruction manual) Using noise level Meter with Data Logger.

[C] RESULT OF SAMPLE :

Code	Unit	Time	Results
N17	db(A)	22:00	66.3
N18	db(A)	23:00	67.5
N19	db(A)	00:00	67.1
N20	db(A)	1;00	66.8
N21	db(A)	2:00	66.3
N22	db(A)	3:00	67.2
N23	db(A)	4:00	67,4
N24	db(A)	5:00	66.4

Note:

En-Vision Environmental Services, (Testing Laboratory), Surat

Rested By :

The results relate only to the items tested.

The test report shall not be reproduced except in full, without written approval of the laboratory. Fmt No: LAB/FM/08 Revision No: 02 Date: 02.02.17

vous. Mr. Vasant Shah (Technical Manager)



Project Details - Expansion of capacities for Fully Drawn Yarn, Polyester Chips & Captive power plant By M/s. Shree Durga Syntex Pvt Ltd at block no. 128, 129, 130 & 175, Plot no. E & Z, Village: Jolva, Taluka: Palsana, Dist: Surat, Gujarat



201 & 301, Union Trade Center (UTC)
Nr. Apple Hospital, Udhana Earwaja,
Surat - 395 002, Gujarat, India.

T : 0261-2344773, 2344774
M : 90160 44480
e : info@en-vision.co.in Surat - 395 002, Gujarat, India.

NOISE MEASUREMENT REPORT

[A] NAME & ADDRESS OF CUSTOMER: M/S.SHREE DURGA SYNTEX PVT.LTD PLOT NO. Z & E. BLOCK NO.128, 129,130 & 175, VILL: JOLVA, TAL: PALSANA, SURAT-394305.

Issue Date	22/04/2019	
Report No.	190422_1718029_06A_054	

[B] DESCRIPTION OF SAMPLING :

01. Sample Inward No : 190419_1718029_06A_066	05. Duration of Sampling : 24.0 HRS.
02. Ne of Location : 01	06. Date of Sample Received: 19.04.2019
03. Name of Sampling Team: A	07. Date of Analysis Start: 19.04.2019
04. Date of Sampling : 10.04.2019	08. Date of Analysis Completion: 19.04.2019
09. Name of Location : PLANT AREA	

10. Test Method: STP No.: No. Issue No.01 & Date:01.04.2014, (Based on Instruction manual) Using noise level Meter with Data Logger.

[C] RESULT OF SAMPLE :

Code	Unit	Time	Results
N1	db(A)	6:00	70.2
N2	db(A)	7:00	69.8
N3	db(A)	8:00	69.7
N4	db(A)	9:00	68.9
N5	db(A)	10:00	68.4
N6	db(A)	11:00	67.5
N7	db(A)	12:00	69.8
N8	db(A)	13:00	70.2
N9	db(A)	14.00	69.4
N10	db(A)	15:00	69.3
N11	db(A)	16:00	69.7
N12	db(A)	17:00	68.9
N13	db(A)	18:00	67.4
N14	db(A)	19:00	68.2
N15	db(A)	20:00	69.8
N16	db(A)	21:00	69.5

Note: Note:

En-Vision Environmental Services, (Testing Laboratory), Surat

The results relate only to the items tested.

The test report shall not be reproduced except in full, without written approval of the laboratory. Fmt No: LAB/FM/08 Revision No: 02 Date: 02.02.17

nun Mr. Vasant Shah (Technical Manager)

Rysales Tested By:



Project Details - Expansion of capacities for Fully Drawn Yarn, Polyester Chips & Captive power plant By M/s. Shree Durga Syntex Pvt Ltd at block no. 128, 129, 130 & 175, Plot no. E & Z, Village: Jolva, Taluka: Palsana, Dist: Surat, Gujarat



201 & 301, Urion Tade Center (UTC) T : 0261 2344773, 2344774 Nr. Apple Hospital, Udhana Darwaja, M : 901 60 44480 Surat - 395 002, Gujarat, India.

e :info@en-vision.co.in

NOISE MEASUREMENT REPORT

[A] NAME & ADDRESS OF CUSTOMER: M/S.SHREE DURGA SYNTEX PVT.LTD PLOT NO. Z & E, BLOCK NO.128, 129,130 & 175, VILL: JOLVA. TAL: PALSANA SURAT-394305.

Issue Date	22/04/2019
Report No.	190422_1718029_06A_054

[8] DESCRIPTION OF SAMPLING :

01. Sample Inward No : 190419_1718029_06A_066	05. Duration of Sampling : 24.0 HRS.
D2: Ho of Location : 01	06. Date of Sample Received: 19 04.2019
03. Name of Sampling Team: A	07. Date of Analysis Start: 19.04.2019
04. Date of Sampling: :8.04.2019	68. Date of Analysis Completion : 19.04.2019
09. Name of Location : PLANT AREA	

10. Test Method: STP No.: No. Issue No.01 & Date: C1.04.2014, (Based on Instruction manual) Using noise level Meter with Data Logger.

[C] RESULT OF SAMPLE :

Code	Unit	Time	Results
N17	db(A)	22:00	66.8
N18	db(A)	23:00	67.1
N19	db(A)	00:00	66.6
N20	db(A)	1:00	67.2
N2	db(A)	2:00	67.4
N22	db(A)	3:00	67.8
N23	db(A)	4:00	68.5
N24	db(A)	5:00	68.2

Note:

En-Vision Environmental Services, (Testing Laboratory), Surat

Tested By :

The results relate only to the items tested.

The test report shall not be reproduced except in full, without written approval of the laboratory.

Fmt No: LAB/FM/08 Revision No: 02 Date: 02.02.17

- End of Report

Mr. Vas

ant Shah (Technical Manager)

Project Details - Expansion of capacities for Fully Drawn Yarn, Polyester Chips & Captive power plant

By M/s. Shree Durga Syntex Pvt Ltd at block no. 128, 129, 130 & 175, Plot no. E & Z, Village: Jolva,

Taluka: Palsana, Dist: Surat, Gujarat

ANNEXURE-XI

CSR ACTIVITY

CSR activities carried out during April 2019 to September 2019 are as follows: -


Date	Amount	CSR Amount given to
6/07/2019	22,000	Friends of Tribals Society

MAN TO		वनबंधु पार	(पद	
The B		FRIENDS OF TRIBALS	SOCIETY	
XXXXX	EKA		ri d Kalkata	700 026
ENDS	Phone: 2454 4510/12	BHAWAN- 123/A, Harish Mukherje 2/13, 4004 8127 - Email : fts.kolkata	@ekal.org • web:	site: www.itsitiata.com
red with thanks from : Shree Durga Syntex Pvt. Ltd.			Receipt No.: KOL/0124 Date: 06/07/2019	
ck No. 128, 129,130 & 175, Flot No. E, Village- Jolwa, Palsana at 394 328				
um of Rupee	es / US\$			
	Thousand Only	Y	Rs./US \$	22000.00
Cheque	690381	Dated: 29/06/2019 Drawn	on: Canara	Bank
count of	Donation for	One Teacher School	and the same of th	
Racaint is Va	did Only After Realisati	ion of the Cheque/D.D. by us. Our I	24N No. A.14AF#2	90L
	11	8E/73/89-90		lon
2	of the proviso to Circular dated 2 15.09.2009 shall specifically withdra	with the approval of the Directikata.	vide order da perpetuity uni	ited less
	of the proviso to Circular dated 2 15.09.2009 shall specifically withdra	31.03.2012 (A.Y. 2012-13). Consequence sec. u/s 80G(5)(vi) of the I.T. Altonomous accorded in the deemed to be extended in the swinter section of the Direction	tor of Income Kedia) Hars, Kolkata	Tax
	of the proviso to Circular dated 2 15.09.2009 shall specifically withdra This issues (Exemptions), Ko	31.03.2012 (A.Y. 2012-13). Consequence sec. u/s 80G(5)(vi) of the I.T. A 17.10.2010, approval accorded be deemed to be extended in which the approval of the Directivate. (D. K. ITO (Exem), INSE/73/89-90/7164-66	tor of Income	Tax
	of the proviso to Circular dated 2 15.09.2009 shall specifically withdra This issues (Exemptions), Kol	31.03.2012 (A.Y. 2012-13). Consequence sec. u/s 80G(5)(vi) of the I.T. A 17.10.2010, approval accorded it be deemed to be extended in awn. With the approval of the Direction (D. K. Internation), Kolkata it is a sec. with the approval of the Direction (D. K. Internation), Kolkata it is a sec. with the approval of the Direction (D. K. Internation), Kolkata it is a sec. with the approval of the Direction (D. K. Internation), Kolkata it is a sec. with the approval of the Direction (D. K. Internation), Kolkata	tor of Income Kedia) Hars, Kolkata	ted less

Project Details - Expansion of capacities for Fully Drawn Yarn, Polyester Chips & Captive power plant
By M/s. Shree Durga Syntex Pvt Ltd at block no. 128, 129, 130 & 175, Plot no. E & Z, Village: Jolva,
Taluka: Palsana, Dist: Surat, Gujarat

ANNEXURE XII

PAPER ADVERTISEMENT



Project Details - Expansion of capacities for Fully Drawn Yarn, Polyester Chips & Captive power plant By M/s. Shree Durga Syntex Pvt Ltd at block no. 128, 129, 130 & 175, Plot no. E & Z, Village: Jolva,

Taluka: Palsana, Dist: Surat, Gujarat



Project Details - Expansion of capacities for Fully Drawn Yarn, Polyester Chips & Captive power plant

By M/s. Shree Durga Syntex Pvt Ltd at block no. 128, 129, 130 & 175, Plot no. E & Z, Village: Jolva,

Taluka: Palsana, Dist: Surat, Gujarat

ANNEXURE XIII

FUEL CONSUMPTION

SN	MONTH	COAL (MT/DAY)
1	April 2019	405.75
2	May 2019	289.37
3	June 2019	374.95
4	July 2019	435.59
5	August 2019	409.59
6	September 2019	371.06

Project Details - Expansion of capacities for Fully Drawn Yarn, Polyester Chips & Captive power plant By M/s. Shree Durga Syntex Pvt Ltd at block no. 128, 129, 130 & 175, Plot no. E & Z, Village: Jolva, Taluka: Palsana, Dist: Surat, Gujarat

ANNEXURE XIV **NOC COPY OF PROPOSED EXPANSION**



GUJARAT POLLUTION CONTROL BOARD

PARYAVARAN BHAVAN

Sector-10-A, Gandhinagar 382 010

Phone: (079) 23222425 (079) 23232152

(079) 23232156 Fax:

"Consent to Establish-Amendment@bsite : www.gpcb.gov.in

(CTE-92897)

BY R.P.A.D.

Date:

NO: GPCB/CCA-SRT-995(4)/ID_21289/

M/s. Shree Durga Syntex Pvt. Ltd.

Plot No:- 7. & F., Block No:- 128,129,130, & 175, Vill:- Joiva:- 394305,

Tal:- Palsana, Dist:- Surat.

Sub: Consent to Establish (NOC)-Amendment under Section 25 of Water Act 1974 and Section 21 of Air Act 1981

Ref: 1) Your application for CTE-Amendment no. 133903_received Dated. 05-03-2018.

Without prejudice to the powers of this Board under the Water (Prevention and Control of Pollution) Act-1974, the Air Act-1981 and the Environment (Protection) Act-1986 and without reducing your responsibilities under the said Acts in any way, this is to inform you that this Board grants Consent to Establish-Amendment for enhancement of existing production capacity and addition of new products, installation of new Steam Boller & Thermic fluid heater in existing industrial plant/activities located at Plot No:- Z & E, Block No:- 128,129,130, & 175, Vill:- Jolva:-394305, Tal:- Palsana, Dist:- Surat, for the manufacturing of the following items:-

Sr. No.	Product	Quantity as per CCA dated:25/07/2017	Proposed quantity as per CTE- Amendment quantity	Total quantity after CTE- Amendment	
1	Fully Drawn Yarn	300 Tons/Day	200 Tons/Day	500 Tons/Day	
2	Grey Cloth 2,50,000 Meters/Day		2,50,000 Meters/l		
3	Polyester Chips	600 Tons/Day	200 Tons/Day	800 Tons/Day	
4	Power	3.25 MW 9.0 MW (Bagasse/gas based CPP)	21.0 MW (Coal/Lignite Based CPP)	33.25 MW	
5 Partially Oriented Yarn/Texturised Yarn		3	300 Tons/Day	300 Tons/Day	
6	Nylon-6 Chips/Nylon Yarn	<u> </u>	200 Tons/Day	200 Tons/Day	
		By-Produ	iet		
Ì	Nylon Polymer Lumps		1.0 tones/day	1.0 tons/day	

SUBJECT TO THE FOLLOWING CONDITIONS: -

1. The validity of this order will be up to years i.e. 09-05-2023,

Industry shall manage Solid Wastes generated from industrial activities as per Solid Waste Management Rules-2016 (solid waste as defined in Rule-3(46)). مر مرسو 2

Clean Gujarat Green Gujarat

ISO-9001-2008 & ISO-14001 - 2004 Certified Organisation

COMPLIANCE OF ENVIRONMENTAL CLEARANCE MINISTRY'S LETTER NO.: F. No. SEIAA/GUJ/EC/5(d) & 1(d)/1346/2018- DATED: 14/12/2018

Period - APRIL 2019 TO SEPTEMBER 2019

Project Details - Expansion of capacities for Fully Drawn Yarn, Polyester Chips & Captive power plant
By M/s. Shree Durga Syntex Pvt Ltd at block no. 128, 129, 130 & 175, Plot no. E & Z, Village: Jolva,
Taluka: Palsana, Dist: Surat, Gujarat

- 3. As per Provisions of Rule 18 of Solid Waste Management Rules-2016 you are directed to make an arrangement in Utilities to replace at least five percent (5%) of your solid fuel requirement by 'refused derived fuel'.
- 4. Industry shall obtain NOC from CGWA as per order of Hon. National Green Tribunal for the withdrawal of ground water.
- Unit shall comply with Solid Fuel Guidelines as well as Coal handling guidelines of the Board.
- 6. Industry shall provide dedicated storage facility for fly ash.
- 7. Industry shall comply with fly ash notification 1999 as amended from time to time.

CONDITIONS UNDER WATER ACT 1974:

- 1. Water Source: Borewell.
- The quantity of the fresh water consumption for industrial purpose, after proposed expansion, shall be increased from 774 KL/Day to 1109 KL/Day.
- The quantity of the water consumption for domestic purpose, after proposed expansion, shall be increased from 25 KL/Day to 30 KL/Day.
- The quantity of the industrial effluent to be generated from the manufacturing process and other ancillary industrial operations, after proposed expansion, shall be increased from 180 KL/Day to 549 KL/Day (Total Booked load in CETP: 420 KL/Day)
- Industrial effluent, after necessary treatment shall be reused up to (397 KL/Day) & remaining shall be sent to CETP for further treatment. In no case industrial discharge of CETP shall increase 420 KL/Day.
- Industry shall provide fixed pipeline with flow meter for the reuse of effluent and maintain its records.
- 7. The effluent treatment plant consisting of the following units, as proposed by you, shall be installed.
 - · Screen chamber
 - · Oil separation tank
 - · Non pollution discarded water storage tank
 - Water transfer pump capacity
- The quantity of the domestic waste water (Sewage), after proposed expansion, shall be increased from 22 KL/Day to 26 KL/Day.
- 9. Domestic effluent shall be disposed off through septic tank/soak pit system.
- 10. The applicant shall operate effluent treatment system efficiently so that effluent from the industrial unit shall conform to the CETP inlet norms mentioned below however the final discharge of treated effluent from CETP shall adhere to the prescribed standards for CETP of M/s. Palsana Enviro Protecction Ltd(PEPL).

PARAMETERS	CETP INLET NORMS
PH	6.5 TO 8.5
Temperature	40° C
Colour (pt.co.scale) in units	100 units
Suspended Solids	300 mg/l
Oil and Grease	10 mg/l
Phenolic Compounds	l mg/j
Sulphides	2 mg/l
Ammonical Nitrogen	50 mg/l
Total Chromium	2 mg/l
Hexavelent Chromium	0.1 mg/1
BOD (5 days at 20°C)	400 mg/l
COD	∕ 1000 mg/l

Project Details - Expansion of capacities for Fully Drawn Yarn, Polyester Chips & Captive power plant
By M/s. Shree Durga Syntex Pvt Ltd at block no. 128, 129, 130 & 175, Plot no. E & Z, Village: Jolva,

Taluka: Palsana, Dist: Surat, Gujarat

Total Dissolved Solids	3100 16	2100 mg/l
TOTAL DISSULVED SOLIDS		 2100 mg/1

- 11 The final treated effluent confirming to the above standards shall be fully conveyed into CETP of M/s. Palsana Enviro Protection Ltd(PEPL) through underground drainage system of PEPL & in no case effluent shall be discharged in to Environment by any means.
- 12. In case of failure of CETP, applicant shall have to treat the trade effluent of their unit fully so as to achieve the quality of the treated effluent from their industrial premises as per the GPCB norms mentioned below:-

PARAMETERS	GPCB NORMS
PH	6.5 TO 8.5
Temperature	40° C
Suspended Solids	100 mg/l
Oil and Grease	10 mg/l
Total Dissolved Solids	2100 mg/l
Phenolic Compounds	1 mg/l
Sulphides	2 .0 mg/l
Ammonical Nitrogen	50 mg/l
Total Chromium	2 mg/l
Hexavelent Chromium	0.1 mg/l
BOD (5 days at 20°C)	30 mg/l
COD	100 mg/l
Chlorides	600 mg/l
Sulphate	1000 mg/l

OR,

The applicant shall either stop or curtail its production activities, if the effluent is not adequately treated by the CETP of PEPL to conform to the standards specified by G.P.C.B.

- 13. The applicant shall be responsible for conveyance of entire treated effluent to the CETP of M/s. PEPL & due care shall be taken to avoid any leakage or spillage of effluent during conveyance of treated effluent through drain.
- 14. Unit shall provide flow meters at inlet & outlet of ETP & maintain its record.
- The applicant shall inform renewal/termination of CETP membership well in advance to GPCB.
- 16. The applicant shall be required to make storage facilities od adequate capacity to store the primary treated effluent for at least 48 hours by providing acid proof brick lined impervious tanks/HDPE tanks.
- 17. The applicant shall make fixed arrangement for disposal of the effluent, after primary treatment to the CETP. The unit shall not keep any by-pass line or system or loose or flexible pipe line for discharging effluent into the under ground drainage system of PEPL.
- 18. Leachate from the hazardous solid waste, if any, shall also be connected into a collection tank through leachate collection facilities and shall be conveyed alongwith industrial effluent to the CETP of PEPL.
- 19. Magnetic flow meters shall be installed at the inlet & outlet of effluent collection tanks/ETP to measure the quantity of effluent discharging in to underground drainage system of PEPL.
- 20. The ENTIRE quantity of industrial effluent shall have to be conveyed by PEPL. In no circumstances the effluent either treated or untreated shall be discharged any where else.
- 21 Disposal system for storm water shall be provided separately. In no circumstances storm water shall be mixed with the industrial effluent.
- 22. PEPL member unit have to modify / improve performance of existing Effluent treatment facilities for efficiency & adequacy in order to comply with prescribed in let standards.
- The applicant shall keep accurate records of quantity of production of each product, quantity of water consumption, quantity of effluent generated and consumption of

Project Details - Expansion of capacities for Fully Drawn Yarn, Polyester Chips & Captive power plant

By M/s. Shree Durga Syntex Pvt Ltd at block no. 128, 129, 130 & 175, Plot no. E & Z, Village: Jolva,

Taluka: Palsana, Dist: Surat, Gujarat

- electricity on day to day basis and required to submit the complied record of one month to GPCB & PEPL on or before fifth day of the succeeding month.
- 24. In case of shut-down of plant for more than three days for any reason, the PEPL unit member shall intimate to PEPL authority & GPCB well in advance for the better operation & management of CETP.
- 25. The authorized representative of PEPL may have right of entry at any time for the purpose of inspection and monitoring the effluent collection facilities/ETP (if required) of the applicant.
- 26. If the PEPL authority terminates the membership of the applicant for CETP, the PEPL member unit shall have to close down the manufacturing activities/industrial operation of the process plant immediately until the PEPL membership is resumed.
- 27. The applicant shall put up at the entrance a board displaying PEPL membership number & date of joining of PEPL, the name of unit, particulars of the products/ process and the name of proprietor/partners /directors of the unit and the electricity consumer number as on the record of DGVCL.

CONDITIONS UNDER AIR ACT 1981:

28. The following shall be used as fuel in Steam Boiler, CPP Engines, & Thermic Fluid Heater and D.G.Set respectively.

Sr. No.	Fuel	Existing	Proposed	Quantity
1)	Imported Coal	80 Tons/day	450 tons/day	530 tons/day
	Lignite		700 tons/day	700 tons/day
2)	Natural gas	76875 sq.cm/day		76875 sq.cm/day
3)	LDO	100 m ³ /day		100 m ³ /day
4)	Baggase	250 tons/day		250 tons/day
5)	LDO		0	57 Lit/hr

- The applicant shall install & operate air pollution control system in order to achieve norms prescribed below.
- 30. The flue gas emission through team Boiler, CPP Engines, & Thermic Fluid Heater and D.G.Set stack shall conform to the following standards:

Stack attached to	Stack height in Meter	Air Pollution Control system	Parameter	Permissible Limit
g				
Natural Gas Based CPP Engines - 3 Nos.	30 (each)		PM SO ₂ NO _x	150 mg/NM ³ 100ppm 50ppm
Natural Gas Based Steam Boiler (1 TPH)	3 ^P		PM SO ₂ NO _x	150 mg/NM ³ 100ppm 50ppm
Coal Based Thermic Fluid Heater (14000 U)	50	Electrostatic Precipitator	PM SO ₂ NO _x	150 mg/NM ³ 100 ppm 50 ppm
Natural Gas Based Thermic Fluid Heater (200 U×2 nos)	20		PM SO ₂ NO _x	150 mg/NM ³ 100ppm 50ppm
	B Natural Gas Based CPP Engines - 3 Nos. Natural Gas Based Steam Boiler (1 TPH) Coal Based Thermic Fluid Heater (14000 U) Natural Gas Based Thermic Fluid Heater	height in Meter 8 Natural Gas Based CPP Engines - 3 (each) Nos. Natural Gas Based 11 Steam Boiler (1 TPH) Coal Based 50 Thermic Fluid Heater (14000 U) Natural Gas Based 20 Thermic Fiuid Heater (200 U×2 nos)	height in Meter S Natural Gas Based CPP Engines - 3 (each) Nos. Natural Gas Based 11 Steam Boiler (1 TPH) Coal Based 50 Electrostatic Precipitator Heater (14000 U) Natural Gas Based 20 Thermic Fluid Heater (200 U×2 nos)	Natural Gas Based CPP Engines - 3 (each) Nos.
Project Details - Expansion of capacities for Fully Drawn Yarn, Polyester Chips & Captive power plant

By M/s. Shree Durga Syntex Pvt Ltd at block no. 128, 129, 130 & 175, Plot no. E & Z, Village: Jolva,

Taluka: Palsana, Dist: Surat, Gujarat

7	Natural Gas & LDO/FO Based Thermic Fluid Heater (10000 U) × 2 One Stand by	35		PM SO ₂ NO ₃	150 mg/NM ³ 1C0ppm 50ppm
8	Captive Power Plant (9 MW)	30	Electro Static Precipitator	PM SO ₂ NO ₃	150 mg/NM ³ 100 ppm 50 ppm
Prop	oosed				
1	Steam Boiler (70 TPH) for Coal based Power Plant (21 MW)	30	Economizer. Air Pre-heater, ESP	PM SO ₂ NO _x	150 mg/NM ³ 100ppm 50ppm
2	Steam Boiler (23 TPH) for Coal based Power Plant (21 MW)				
3	Thermic Fluid Heater (Coal based) (18 millilon Kcal/br)	50	ESP	PM SO ₂ NO ₂	150 mg/NM ³ 100ppm 50ppm
4	Steam Boiler (2 TPH)				

- 31. There shall be no process emission from the manufacturing process as well as any other ancillary process.
- Industry shall take adequate measure to Control dusting due to storage, transportation & handling of Coal & fly ash.
- 33. Industry shall comply with Coal handling guideline of the Board.
- 34. Industry shall comply with fly ash notification 1999 as amended from time to time.
- 35. Stack monitoring facilities like port hole, platform/ladder etc., shall be provided with stacks/vents chimney in order to facilitate sampling of gases being emitted into the atmosphere.
- 36. The concentration of the following parameters in the ambient air within the premises of the industry and a distance of 10 meters from the sources (other than the stack/vent) shall not exceed the following levels.

PARAMETERS	PERMISSIBLE LIMIT			
PM 10	100 Microgram/M3			
PM 2.5	60 Microgram/M3			
SO ₂	80 Microgram/M3			
NOx	80 Microgram/M3			

- 37. The industry shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standards in respect of noise to less than 75dB(A) during day time and 70 dB (A) during night time. Daytime is reckoned in between 6a.m. and 10 p.m. and nighttime is reckoned between 10 p.m. and 6 a.m. CONDITIONS UNDER HAZARDOUS WASTE RULES:
- 38. Applicant shall have to comply with provisions of Hazardous and other Waste (Management and Trans Boundary Movement) Rules 2016.

Project Details - Expansion of capacities for Fully Drawn Yarn, Polyester Chips & Captive power plant By M/s. Shree Durga Syntex Pvt Ltd at block no. 128, 129, 130 & 175, Plot no. E & Z, Village: Jolva, Taluka: Palsana, Dist: Surat, Gujarat

- 39. The applicant shall obtain membership of common TSDF site for disposal of Hazardous waste as categorized in Hazardous and other Waste (Management and Trans Boundary Movement) Rules 2016.
- 40. The applicant shall obtain membership of common Hazardous Waste incinerator for disposal of incinerable waste.
- 41. The applicant shall provide temporary storage facilities for each type of Hazardous Waste as per Hazardous and other Waste (Management and Trans Boundary Movement) Rules 2016.
- 42. The applicant shall obtain registration/authorization for recycling/reprocessing any hazardous waste before procuring material/starting production as per HW Rules 2016.
- 43. The applicant shall obtain authorization for recovery/reuses of any hazardous waste material as per HW Rules 2016.

GENERAL CONDITION:

- 44. Adequate plantation shall be carried out all along the periphery of the industrial premises in such a way that the density of plantation is atleast 1000 trees per acre of land and a green helt of 3 meters width is developed.
- 45. The applicant shall have to submit the returns in prescribed form regarding water consumption and shall have to make payment of water cess to the Board under the Water Cess Act- 1977.
- 46. In case of change of ownership/management the name and address of the new owners /partners/ directors/ proprietor should immediately be intimated to the Board.
- 47. The applicant shall however, not without the prior consent of the Board bring into use any new or altered outlet for the discharge of effluent or gaseous emission or sewage waste from the proposed industrial plant. The applicant is required to make applications to this Board for this purpose in the prescribed forms under the provisions of the Water Act-1974, the Air Act-1981 and the Environment (Protection) Act-1986.
- 48. The applicant also comply with the General conditions as per Annexure I attached herewith (No.1 to 38) (whichever applicable).
- 49. The concentration of Noise in ambient air within the premises of industrial unit shall not

- age and Import of Hazardo
 notection) Act-1986.

 de damage is caused due to their industria
 action are obliged to pay the compensation

 For and on behalf of
 GUJARAT POLLUTION CONTROL BOARD

 (Smt U.K. UrEnvironme-

Project Details - Expansion of capacities for Fully Drawn Yarn, Polyester Chips & Captive power plant

By M/s. Shree Durga Syntex Pvt Ltd at block no. 128, 129, 130 & 175, Plot no. E & Z, Village: Jolva,

Taluka: Palsana, Dist: Surat, Gujarat

ANNEXURE XV

EC COPY 2009

F. No. J-11011/98/2009- IA II (I) Government of India Ministry of Environment and Forests (I.A. Division)

> Paryavaran Bhawan CGO Complex, Lodhi Road New Delhi – 110 003

E-mail: plahujarai@yahoo.com Telefax: 011 – 2436 3973 Dated: April 13, 2009

To,

The Director

M/s Shree Durga Syntex Pvt. Ltd

Block no. 129 & 175, plot no. Z & E, Village: Jolva

Taluka: Palsana, Dist: Surat, Gujarat

E-mail: shreedurgasyntex@yahoo.co.in

Subject: Expansion project for Fully drawn Yarn, polyester Chips & Captive power plant at block no. 129 & 175, plot no. Z & E, Village: Jolva, Taluka: Palsana, Dist: Surat, Gujarat by M/s Shree Durga Syntex Pvt. Ltd - reg environmental clearance

Sir.

This has reference to your letter no. Nil Dated 6th February, 2009 along with Form-1 and pre-feasibility report on the above mentioned subject seeking environmental clearance under the Environmental Impact Assessment Notification, 2006.

- 2.0 The Ministry of Environment and Forests has examined your application. It is noted that M/s Shree Durga Syntex Pvt. Ltd have proposed for expansion of capacities for Fully Drawn Yarn, Polyester Chips & Captive power plant at block no. 129 & 175, plot no. Z & E, Village: Jolva, Taluka: Palsana, Dist: Surat, Gujarat. The production capacity of Fully Drawn yarn will increase from 40 MTPD to 300 MTPD and captive power plant will increase from 3.25 MW to 12.25 MW. It is proposed to manufacture 600 MTPD of polyester chips by continuous polymerization. It is proposed to increase production capacity along with backward integration of polyester chips/ liquid polyester to avoid melting process of polyester chips for producing FDY. No eco-sensitive areas are located within 10 km radius of the plant. The proposed expansion will be carried within the existing unit having land area of 9000 m2, of which green belt will be developed in 33% of the total land area. Cost of the project is Rs.150.00 Crores, of which Rs. 30.00 lacs is earmarked for Environmental Protection Measures.
- 3.0 The total water requirement after the expansion will be 799 m3/d, which will be sourced from ground water source. Permission for drawl of 315m3/d of ground water was obtained on 12.10.2007. The waste water generation will be 202 m3/day. The domestic effluent (22m3/d) will be disposed of into septic tank followed by soak pit. Source of industrial wastewater (180 m3/d. will be from floor washing, cooling blow down, DM back wash and process condensate. The wastewater after passing through settling tank will be discharged in to the pipeline of PEPL, leading to PEPL- CETP. Power requirement will be met through the Captive power plant. Fuel requirement will be natural gas (72,000 m3/day) or FO/LDO (100 m3/day) Stack height of 30 m is proposed for existing Gas Engine(3Nos) and 50 m for proposed DG sets (3 nos), 30 m for proposed Gas Engine(3Nos) and 65 m for proposed DG sets (3 nos). Stack height of 11 m is proposed for steam boiler. There will not be any solid waste generation from the process or ETP.

-2-

- 4.0 The Petrochemical based processing units are listed at serial no. 5(e) of schedule of EIA Notification, 2006 and categorized under "A" or "B" category depending upon the location of the plant outside or inside the notified industrial area. In the instant case, the unit is located outside the industrial area hence this is a category "A" project and appraised by the Expert Appraisal committee (I) at centre.
- 5.0 The proposal was considered by the Expert Appraisal Committee (Industry) in its 92ndmeeting held on 18th -20th March, 2009. The EAC (I) recommended the proposal for grant of

Project Details - Expansion of capacities for Fully Drawn Yarn, Polyester Chips & Captive power plant

By M/s. Shree Durga Syntex Pvt Ltd at block no. 128, 129, 130 & 175, Plot no. E & Z, Village: Jolva,

Taluka: Palsana, Dist: Surat, Gujarat

environmental clearance under para 7(ii) of EIA Notification, 2006 exempting the project from preparation of EIA report and public hearing.

6.0 Based on the information submitted by the project authorities, the Ministry of Environment and Forests hereby accords environmental clearance to above project under the provisions of ElA Notification, dated 14th September 2006 subject to the compliance of the following Specific and General Conditions:

A. SPECIFIC CONDITIONS:

- i. The industrial effluent generation shall not exceed 180m3/d. The effluent after treatment in the ETP and conforming to the prescribed standards shall be discharged into the pipeline of PEPL leading to CETP. The domestic effluent (22m3/d) shall be disposed through septic tank/soak pit.
- ii. There shall not be any process emissions due to the proposed activity. For dispersion of gaseous emissions from the steam boiler and DG sets, adequate height as per CPCB standards shall be provided. Acoustic enclosures / treatment shall be given to the DG sets to mitigate noise pollution. Measures for control of NOx emissions shall be undertaken.
- tii. The proponent shall upload the status of compliance of the stipulated environmental clearance conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the Regional office of MOEF, the respective Zonal office of CPCB and the State Pollution Control Board. The criteria pollutant levels namely; SPM, RSPM, SO2, NOx (ambient levels as well as stack emissions) or critical sectoral parameters, indicated for the project shall be monitored and displayed at a convenient location near the main gate of the company in the public domain.
- iv. The project authorities shall strictly comply with the rules and guidelines under Manufacture, Storage and Import of Hazardous Chemicals Rules, 1989 *as* amended in October, 1994 and January, 2000. All Transportation of Hazardous Chemicals shall be *as per* the MVA, 1989.

-3-

i. The company shall undertake following Waste Minimization measures:-

Metering and control of quantities of active ingredients to minimize waste.

Reuse of by-products from the process as raw materials or as raw material substitutes in other processes.

Use of automated filling to minimize spillage.

Use of "Close Feed" system into batch reactors.

Venting equipment through vapour recovery system.

Use of high pressure hoses for equipment clearing to reduce wastewater generation.

- ii. Fugitive emissions in the work zone environment, product, raw materials storage area etc. shall be regularly monitored. The emissions shall conform to the limits imposed by GPCB.
- iii. During transfer of materials, spillages shall be avoided and garland drains be constructed to avoid mixing of accidental spillages with domestic waste and storm drains.
- iv. The adequate financial provisions shall be made in the budget of the project for implementation of the above suggested environmental safeguards. Fund so earmarked shall not be diverted for any other purposes.
- v. Occupational health surveillance of the workers shall be done on a regular basis and records maintained as per the Factories Act.
- vi. The company shall make the arrangement for protection of possible fire hazards during manufacturing process in material handling.
- vii. Training shall be imparted to all employees on safety and health aspects of chemicals handling. Pre-employment and routine periodical medical examinations for all employees shall be undertaken on

Project Details - Expansion of capacities for Fully Drawn Yarn, Polyester Chips & Captive power plant

By M/s. Shree Durga Syntex Pvt Ltd at block no. 128, 129, 130 & 175, Plot no. E & Z, Village: Jolva,

Taluka: Palsana, Dist: Surat, Gujarat

regular basis. Training to all employees on handling of chemicals shall be imparted.

viii. Usage of PPEs by all employees/ workers shall be ensured.

ix. Permission to draw ground water shall be undertaken fro the CGWB / State Ground Water Authority) as may be applicable to this case.

x. The company shall undertake rainwater harvesting measures to recharge the ground water as well as reduced consumption of water.

-4-

B. GENERAL CONDITIONS:

 The project authorities shall strictly adhere to the stipulations made by the State Pollution Control Board.

ii. No further expansion or modifications in the plant shall be carried out without prior approval of the Ministry of Environment and Forests. In *case* of deviations or alterations in the project proposal from those submitted to this Ministry for clearance, a fresh reference shall be made to the Ministry to assess the adequacy of conditions imposed and to add additional environmental protection measures required, if any.

iii. At no time, the emissions shall exceed the prescribed limits. In the event of failure of any pollution control system adopted by the unit, the unit shall be immediately put out of operation and shall not be restarted until the desired efficiency has been achieved.

iv. The gaseous emissions (NOx, SO2 and SPM) and Particulate matter along with RSPM levels from various process units shall conform to the standards prescribed by the concerned authorities from time to time. At no time, the emission levels shall go beyond the stipulated standards. In the event of failure of pollution control system(s) adopted by the unit, the respective unit shall not be restarted until the control measures *are* rectified to achieve the desired efficiency. Stack monitoring for SO2, NOx and SPM shall be carried.

v. The locations of ambient air quality monitoring stations shall be decided in consultation with the State Pollution Control Board (SPCB) and it shall be ensured that at least one stations is installed in the up wind and downwind direction as well as where maximum ground level concentrations *are* anticipated.

vi. Dedicated scrubbers and stacks of appropriate height as per the Central Pollution Control Board guidelines shall be provided to control the emissions from various vents. The scrubbed water shall be sent to ETP for further treatment.

vii. The overall noise levels in and around the plant *area* shall be kept well within the standards by providing noise control measures including acoustic hoods, silencers, enclosures etc. on all sources of noise generation. The ambient noise levels shall conform to the standards prescribed under Environment (Protection) Act, 1986 Rules, 1989 viz. 75 dBA (day time) and 70 dBA (night time).

viii. The project proponent shall also comply with all the environmental protection measures and safeguards proposed in the project report submitted to the Ministry. All the recommendations made in respect of environmental management and risk mitigation measures relating to the project shall be implemented.

-5-

ix. The company will undertake all relevant measures for improving the Socio-economic conditions of the surrounding area. CSR activities will be undertaken by involving local villages and administration

x. The company shall undertake eco-developmental measures including community welfare measures in the project area for the overall improvement of the environment.

xi. A separate Environmental Management Cell equipped with full fledged laboratory facilities shall be set up to carry out the Environmental Management and Monitoring functions.

xii. The project authorities shall earmark adequate funds to implement the conditions stipulated by the Ministry of Environment and Forests as well as the State Government along with the implementation schedule for all the conditions stipulated herein. The funds so provided shall not be diverted for any other purpose.

xiii. The implementation of the project vis-a-vis environmental action plans shall be monitored by the concerned Regional Office of the Ministry/SPCB / CPCB. A six monthly compliance status report shall be submitted to monitoring agencies and shall be posted on the website of the Company.

Project Details - Expansion of capacities for Fully Drawn Yarn, Polyester Chips & Captive power plant
By M/s. Shree Durga Syntex Pvt Ltd at block no. 128, 129, 130 & 175, Plot no. E & Z, Village: Jolva,
Taluka: Palsana, Dist: Surat, Gujarat

xiv. A copy of the clearance letter shall be sent by the proponent to concerned Panchayat, Zila Parisad/Municipal Corporation, Urban local Body and the local NGO, if any, from who suggestions/representations, if any, were received while processing the proposal.

xv. The project proponent shall also submit six monthly reports on the status of compliance of the stipulated E C conditions including results of monitored data (both in hard copies as well as by e-mail) to the respective Regional Office of MoEF, the respective Zonal Office of CPCB and the State Pollution Control Board.

The project proponent shall inform the public that the project has been accorded environmental clearance by the Ministry and copies of the clearance letter are available with the SPCB/Committee and may also be seen at Website of the Ministry at http://envfor.nic.in. This shall be advertised within seven days from the date of issue of the clearance letter, at least in two local newspapers that are widely circulated in the region of which one shall be in the vernacular language of the locality concerned and a copy of the same shall be forwarded to the concerned Regional Office of the Ministry.

xvii. The project authorities shall inform the Regional Office as well as the Ministry, the date of financial closure and final approval of the project by the concerned authorities and the date of start of the project.

-6-

- 7.0 The Ministry may revoke or suspend the clearance, if implementation of any of the above conditions is not satisfactory.
- 8.0 The Ministry reserves the right to stipulate additional conditions, if found necessary. The company in a time bound manner will implement these conditions.
- 9.0 Any appeal against this environmental clearance shall lie with the National Appellate Authority, if preferred, within a period of 30 days as prescribed under section 11 of the National Environment Appellate Authority Act, 1997.
- 10.0 The above conditions will be enforced, inter-alia under the provisions of the Water (Prevention & Control of Pollution) Act, 1974, Air (Prevention & Control of Water Pollution) Act, 1981, the Environment (Protection) Act, 1986 Hazardous Wastes (Management and Handling) Rules, 2003/2008 and the Public Liability Insurance Act, 1991 along with their amendments and rules.

(Dr.P.L. Ahujarai) Director

Copy to:

- 1. The Secretary, Forests & Environment Department, Government of Gujarat, Sachivalaya, 8th Floor, Gandhi Nagar-382 010, Gujarat.
- 2. The Chief Conservator of Forests (Western Zone), Ministry of Environment & Forests, Regional Office, E-5, Arera Colony, Link Road -3, Bhopal -462 016, M.P.
- 3. The Chairman, Central Pollution Control Board Parivesh Bhavan, CBD-cum-Office Complex, East Arjun Nagar, New Delhi 110 032.
- 4. The Chairman, Gujarat State Pollution Control Board, Paryavaran Bhawan, Sector 10 A, Gandhi Nagar-382 043, Gujarat.
- 5. Monitoring Cell, Ministry of Environment and Forests, Paryavaran Bhavan, CGO Complex, New Delhi.
- 6. Guard File/Monitoring File/Record File.

(Dr.P.L. Ahujarai) Director

Project Details - Expansion of capacities for Fully Drawn Yarn, Polyester Chips & Captive power plant By M/s. Shree Durga Syntex Pvt Ltd at block no. 128, 129, 130 & 175, Plot no. E & Z, Village: Jolva, Taluka: Palsana, Dist: Surat, Gujarat

ANNEXURE XVI

EC COPY 2018

S. M. SAIYAD, IFS MEMBER SECRETARY SEIAA (GUJARAT)



STATE LEVEL ENVIRONMENT IMPACT ASSESSMENT AUTHORITY GUJARAT

Government of Gujarat

No. SEIAA/GUJ/EC/5(d)&1(d)/1346/2018

Date: 1 4 DEC 2018 ByRPAD

Sub: Environment Clearance to M/s. Shree Durga Syntex Pvt Ltd. for setting up expansion of Manmade Fibre manufacturing plant and CPP at Plot No. E & Z, Block No 128, 129, 130 & 175, Vill. Jolwa, Ta.: Palsana, Dist: Surat. In Category 5(d)&1(d) of Schedule annexed with EIA Notification dated 14/09/2006.

Ref: Your Proposal No. SIA/GJ/IND2/18454/2017.

Dear Sir.

This has reference to your application along with Form-I dated 14/07/2018 submitted to SEIAA, seeking Environmental Clearance under Environment Impact Assessment Notification, 2006 and additional information / documents submitted vide letter dated 19/09/2018 to the SEAC.

The proposal is for Environmental Clearance to M/s. Shree Durga Syntex Pvt Ltd. for setting up expansion of Manmade Fibre manufacturing plant and CPP at Plot No. E & Z, Block No 128, 129, 130 & 175, Vill. Jolwa, Ta.: Palsana, Dist: Surat. It is an existing unit for manufacturing following products, which falls in the category - 5(d)&1(d) of the schedule of the EIA Notification-2006:

Sr.	Name of the	CAS		Quantity		End-use of the	
no.	Products	no. / Cl no.	Existing	Proposed	Total	products	
1	Polyester Chips	ster Chips - 600 Tons/day		200 Tons/day	800 Tons/day	POY/FDY/ Making Fabric	
2	Fully Drawn Yarn (FDY)	1	300 Tons/day	200 Tons/day	500 Tons/day	Making Fabric	
3	Partially Oriented Yarn (POY)/ Texturised Yarn	0_		300 Tons/day	300 Tons/day	Making Fabric	
4	Nylon- 6 Chips/ Nylon Yarn		-	200 Tons/day	200 Tons/day	Making Fabric	
5	Power	-	3.25 MW (Natural Gas Based) 9.0 MW (Biomass (Agro waste/baggase) & Coal (15% as auxiliary fuel) based Captive power plant)	21.0 MW (Coal/ Lignite Based) Captive power Plant	33.25 MW	Power Generation	
By-Pro	oduct	- 11 E					
6	Nylon Polymer Lumps	-	-	1.0 Tons/day	1.0 Tons/day		

The project activity is covered in 5(d)&1(d) and is of 'B' Category. Public hearing was conducted on 22/02/2018.

The SEAC, Gujarat vide their letter dated 22/11/2018 had recommended to the SEIAA, Gujarat, to grant the Environment Clearance for the above-mentioned project based on its meeting held on 16/10/2018. The proposal was considered by SEIAA, Gujarat in its meeting held on 28/11/2018 at Gandhinagar. After careful consideration, the SEIAA hereby accords Environmental Clearance to above project under the provisions of EIA Notification dated 14th September, 2006 subject to the compliance of the following conditions.

A. CONDITIONS: A. 1 SPECIFIC CONDITION :

Unirshall adopt proper methods for segregation of waste water streams based on characteristics at source and its sound management keeping in view direction under section 18 (1) (b) of the Water (Prevention and Control of Pollution) act, 1974 issued by CPCB regarding compliance of CETP.

Git 28 Unit shall not exceed waste water discharge quantity into CETP of M/s: PEPL as mentioned in the existing CC&A.

Office: Gujarat Pollution Control Board, "Paryavaran Bhavan" Sector-10 A, Gandhinagar-382010

Phone No.:- (079) 232-32152,232-41514 Fax No.:- (079) 232-22784 E-mail: msseiaagi@gmail.com, Website:- www.seiaa.gujarat.gov.in Page 1 of 7

Project Details - Expansion of capacities for Fully Drawn Yarn, Polyester Chips & Captive power plant
By M/s. Shree Durga Syntex Pvt Ltd at block no. 128, 129, 130 & 175, Plot no. E & Z, Village: Jolva,

Taluka: Palsana, Dist: Surat, Gujarat

- Unit shall comply the emission standards mentioned in the Notification by MoEF&CC vide no. S.O. 3305 (E) dated 07/12/2015 and amended time to time.
- Unit shall use only imported coal as a fuel for proposed captive power plant and lignite shall be used only in unavoidable circumstance as per undertaking submitted. In such situation, lignite consumption shall not exceed 4900 MT/Month considering 700 MT/Day X 7 days).
- Process Waste (Oligomer) (10 MT/Month) shall be sold out to the authorized actual users only.

A, 2 WATER:

- 6. Total water requirement for the project shall not exceed 4307 KLD. Unit shall reuse 2555 KLD of waste water from RO Permeate and Boiler condensate for Cooling tower and Boiler respectively. Hence, fresh water requirement shall not exceed 1139 KLD and it shall be met through 3-Nos. of existing Bore well. Prior permission from the concerned authority shall be obtained for withdrawal of water.
- 7. No ground water shall be tapped for the project requirements without prior permission from the competent authority.
- Total Industrial wastewater generation after proposed expansion shall not exceed 549 KLD. (180.KL/day existing + 369 KL/day Proposed).
- Unit shall continue to discharge 180 KLD of treated waste water to CETP-PEPL as per the existing CC&A. Ensure that there is no additional discharge to CETP.
- Additional waste water to be generated from the proposed expansion shall not exceed 369 KLD and it shall be treated in proposed ETP followed by RO system (Cap. 400 KLD) & MEE system (Cap. 150 KLD).
- 11. RO permeate (240 KLD) and MEE condensate (127 KLD) shall be reused for cooling tower makeup.
- 12. Wastewater generated from washing activity for existing facility (40 KLD) shall be sent to CETP after treatment in existing ETP. Waste water generated from proposed washing activity (79 KLD) will be treated in proposed ETP, MF/UF & 2-stage RO followed by 4-stage MEE and treated water will be reuse in cooling tower make up water.
- 13. Wastewater generated from existing utilities (Boiler 26 KLD & Cooling 114 KLD) shall be treated in existing ETP and treated water send to CETP. Wastewater generated from proposed utilities (Boiler 178 KLD & Cooling 112 KLD) will be treated in MF/UF & 2-stage RO followed by 4-stage MEE and treated water will be reuse in cooling tower make to water.
- 14. The domestic wastewater generation shall not exceed 26 KLD and it shall be disposed in to the soak pit/septic tank,
- Proper logbooks of ETP, water consumption, power consumption, reuse etc. shall be maintained and shall be furnished to the GPCB from time to time.
- to the GPCB from time to lime.

 16. The unit shall provide metering facility at the inlet & outlet of the ETP, RO, MEE system & reuse system and maintain records for the same.
- 17. Proper logbooks of ETP, RO, MFE system, chemical consumption, quantities and qualities of effluent reuse, effluent discharge to CETP, power consumption etc. shall be maintained and shall be furnished to the GPCB from time to time.
- 18. The unit shall join and participate financially and technically for any common environmental facility / infrastructure as and when the same is taken up either by the GIDC or GPCB or any such authority created for this purpose by the Govt. / GIDC.

A. 3 AIR:

19. Unit shall not exceed fuel consumption for Steam Boiler and stand-by DG set as mentioned below:

Exist	ting					
Sr. no.	Source of emission With Capacity	Stack Height (meter)	Type of Fuel	Quantity of Fuel MT/Day	Type of emissions	Air Pollution Control Measures (APCM)
i	Steam boiler	11 m	WHRB		SPM SO ₂ NOx	Adequate Stack height
2	Thermic Fluid Heater (Natural Gas Based) (2.0 Lakhs Kcal/Hr.)	20 m (Common)	Natural Gas	22440 sq.cm/day	SPM SO ₂ NOx	Adequate Stack height
3	Thermic Fluid Heater (Natural Gas Based) (2.0 Lakhs Kcal/Hr.) (Stand by)				SPM SO ₂ NOx	Adequate Stack height
4	Thermic Fluid Heater (Natural Gas Based/LDO) (10 Million Kcal/Hr.)	35.0 m (Common)			SPM SO ₂ NOx	Adequate Stack height

Project Details - Expansion of capacities for Fully Drawn Yarn, Polyester Chips & Captive power plant
By M/s. Shree Durga Syntex Pvt Ltd at block no. 128, 129, 130 & 175, Plot no. E & Z, Village: Jolva,
Taluka: Palsana, Dist: Surat, Gujarat

5	Thermic Fluid Heater		LDO	100	SPM	Adequate
	(LDO/NG Based) (10 Million Kcal/Hr.) (Stand by)			m3/day	SO ₂ NOx	Stack height
6	Thermic Fluid Heater (Coal based) (14 Million Kcal/Hr.)	50.0 m	Coal	80 MT/Day	SPM SO ₂ NOx	Electrostatic Precipitator
7	Steam boiler (1 TPH)	11 m	Natural Gas	51500 sq.cm/day	SPM SO ₂	Adequate Stack height
8	* Natural Gas Based CPP Engines(3.25 MW)	30 m			NOx	Adequate Stack height
9	Steam Boiler (40 TPH) for Biomass (Agrowaste/baggase) & Coal (15% as auxiliary fuel) based Power Plant (9 MW) #	80.0 m	Bagasse& 15% Coal	250 ton/day & 35 MT/Day	SPM SO ₂ NOx	Economizer, Air Pre- heater, Electrostatic Precipitator



	osed					· · · · · · · · · · · · · · · · · · ·
Sr. no.	Source of emission With Capacity	Stack Height (meter)	Type of Fuel	Quantity of Fuel MT/Day	Type of emissions i.e. Air Pollutants	Air Pollution Control Measures (APCM)
1	Steam Boiler (70 TPH) for Coal based Power Plant (21 MW) #	80.0 m	Imported Coal/Lignite	450 tons/day or	SPM SO ₂ NOx	Economizer, Air Pre-heater, Electrostatic
2	Steam Boiler (23 TPH) for Coal based Power Plant (21 MW) #	1	2	700 tons/day		Precipitator
3	Thermic Fluid Heater (Coal based) (18 Million Kcal/Hr.)	50.0 m			SPM SO₂ NOx	Electrostatic Precipitator (ESP)
4	Steam boiler (2 TPH)	1				

- 20. Unit shall provide adequate APCM with flue gas generation sources as mentioned above:
- 21. There shall be no process gas emission from existing as well as from the proposed project.
- 22. Sulfur and ash content of the fuel to be used shall be analyzed and its record shall be maintained.
- 23. A long term study of radio activity and heavy metals contents on coal/lignite to be used shall be carried out through a reputed Institute and results thereof analyzed regularly and reported along with monitoring reports. Thereafter mechanism for an in-built continuous monitoring for radio activity and heavy metals in coal/lignite and fly ash (Including bottom ash) shall be put in place.
- 24. A flue gas stack of 80 m height shall be provided with online monitoring system to proposed Steam Boiler. Mercury emissions from stacks shall also be monitored on periodic basis. However, unit shall comply the specific condition no. 13 above regarding height of the Boiler stack.
- 25. High efficiency Electro Static Precipitators (ESP) with efficiency not less than 99.9% shall be installed for control of flue gas emission from the proposed Boilers. The ESP shall be operated efficiently to ensure that particulate matter emission does not exceed the GPCB norms. The control system shall be designed and integrated in plant DCS in such a way that if emission from ESP exceeds the specified standard prescribed in the Environment (Protection) Rules, 1986 as amended from time to time, utilization of boiler capacity shall reduce so that flue gas emission from the stack meets with the specified standards or boiler shall shut down totally.
- Third party monitoring of the functioning of the ESP along with its efficiency shall be carried out once in a year through a
 reputed institute / organization.
- 27. Lime stone injection technology shall be adopted to control SO2 and it shall be ensured that SO2 levels in the ambient air do not exceed the prescribed standards.
- 28. The company shall prepare schedule and carry out regular preventive maintenance of mechanical and electrical parts of ESPs and assign responsibility of preventive maintenance to the senior officer of the company.
- 29. Measures shall be taken to reduce the process vapors emissions as far as possible.
- 30. The fugitive emission in the work zone environment shall be monitored. The emission shall conform to the standards prescribed by the concerned authorities from time to time (e.g. Directors of Industrial Safety & Health). Following indicative guidelines shall also be followed to reduce the fugitive emission.
- 31. Internal roads shall be either concreted or asphalted or paved properly to reduce the fugitive emission during vehicular

Office: Gujarat Pollution Control Board, "Paryavaran Bhavan" Sector-10 A, Gandhinagar-382010
Phone No.:- (079) 232-32152,232-41514 Fax No.:- (079) 232-22784
E-mail: msseiaagi@gmail.com, Website:- www.sciaa.gujarat.gov.in

Page 3 of 7

Project Details - Expansion of capacities for Fully Drawn Yarn, Polyester Chips & Captive power plant
By M/s. Shree Durga Syntex Pvt Ltd at block no. 128, 129, 130 & 175, Plot no. E & Z, Village: Jolva,
Taluka: Palsana, Dist: Surat, Gujarat

movement

- 32. Air borne dust shall be controlled with water sprinklers at suitable locations in the plant.
- A green belt shall be developed all around the plant boundary and also along the roads to mitigate fugitive & transport dust emission.
- 34. Regular monitoring of Volatile Organic Compounds (VOCs) shall be carried out in the work zone area and ambient air.
- 35. For control of fugitive emission, VOCs, following steps shall be followed:
- 36. Closed handling and charging system shall be provided for chemicals.
- 37. Pumps shall be provided with mechanical seals to prevent leakages.
- 38. Airborne dust at all transfers operations/ points shall be controlled either by spraying water or providing enclosures.
- 39. Regular monitoring of ground level concentration of PM10, PM2.5, SO2, NOx & VOC shall be carried out in the impact zone and its records shall be maintained. Ambient air quality levels shall not exceed the standards stipulated by the GPCB. If at any stage these levels are found to exceed the prescribed limits, necessary additional control measures shall be taken immediately. The location of the stations and frequency of monitoring shall be decided in consultation with the GPCB.

A. 4 SOLID / HAZARDOUS WASTE:

- 40. The company shall strictly comply with the rules and regulations with regards to handling and disposal of Hazardous waste in accordance with the Hazardous and Other Wastes (Management and Transboundary Movement) Rules 2016, as may be amended from time to time. Authorization of the GPCB shall be obtained for collection / treatment / storage / disposal of hazardous wastes.
- 41. Hazardous wastes shall be dried, packed and stored in separate designated hazardous waste storage facility with pucca bottom and leachate collection facility, before its disposal.
- 42. Hazardous / Solid waste management shall be as below:

Sr. no.	Type of Hazardous waste	Source of generation	Category per HW Rules.	Quantity (MT/Annum)			Disposal Method
27.77				Existing	Proposed	Total	<u> </u>
1	Used Oil	Maintenance	5.1	1.0 KI/Year	2 0 Kl/Year	3.0 Kl/Year	Sent To GPCB Approved Recycler For Suitable Treatment
2	Discarded Containers/ Barrels/Liners/ Carboys/ Bags/ Plastic waste	Raw Material / Production	33.1	10 Tons Near	15 Tons/Year	25 Tons/Year	Sent Back for Supplier/ To GPCB approved Recycler
3	Chemical Sludge from ETP	ETP	35.3	25.0 Tons/Year	50.0 Tons/Year	75.0 Tons/Year	Collection, Storage Transportation, Disposal at TSDF site (NECL. Nandesari, Baroda)
4	Process Waste (Oligomer)	Process	24.1	Nil	300.0 Tons/Year	300.0 Tons/Year	Collection, Storage Transportation, Disposal at TSDF site (NECL, Nandesari, Baroda)
5	Fly Ash from Boiler	Boiler		Nil	24000 Tons/Year	24000 Tons/Year	Sent To authorized Brick Manufacturer

- 43. Authorized end-users shall have permissions from the concerned authorities under the Rule 9 of the Hazardous and Other Wastes (Management and Transboundary Movement) Rules 201
- 44. The unit shall obtain necessary permission from the nearby TSDF site and CHWIF.
- 45. Trucks/Tankers used for transportation of hazardous waste shall be in accordance with the provisions under the Motor Vehicle Act, 1988, and rules made there under.
- 46. The design of the Trucks/tankers shall be such that there is no spillage during transportation
- 47. All possible efforts shall be made for Co-Processing of the Hazardous waste prior to disposal into TSDF/CHWIF.
- 48. Management of fly ash (If any) shall be as per the Fly ash Notification 2009 & its amendment time to time and it shall be ensured that there is 100% utilization of fly ash to be generated from the unit.

Office: Gujarat Pollution Control Board, "Paryavaran Bhavan" Sector-10 A, Gandhinagar-382010
Phone No.:- (079) 232-32152,232-41514 Fax No.:- (079) 232-22784

E-mail: mssciaagi@gmail.com, Website:- www.seiaa.gujarat.gov.in

Project Details - Expansion of capacities for Fully Drawn Yarn, Polyester Chips & Captive power plant

By M/s. Shree Durga Syntex Pvt Ltd at block no. 128, 129, 130 & 175, Plot no. E & Z, Village: Jolva,

Taluka: Palsana, Dist: Surat, Gujarat

A. 5 SAFETY:

- The occupier/manager shall strictly comply the provisions under the Factories Act 1948 and the Gujarat Factories Rules 1963.
- Project specific process Safety Management System shall be developed as per the prevailing norms and it shall be implemented in letter and spirit.
- 51. Unit shall adopt automization system along with high safety measures for polymerization process.
- 52. The project authorities shall strictly comply with the provisions made in Manufacture, Storage and Import of Hazardous Chemicals Rules (MSIHC) 1989, as amended time to time and the Public Liability Insurance Act for handling of hazardous chemicals etc. Necessary approvals from the Chief Controller of Explosives and concerned Govt. Authorities shall be obtained before commissioning of the project. Requisite On-site and Off-site Disaster Management Plans have to be prepared and implemented.
- 53. First Aid Box shall be made readily available in adequate quantity at all the times.
- 54. Main entry and exit shall be separate and clearly marked in the facility.
- 55. Sufficient peripheral open passage shall be kept in the margin area for free movement of fire tender/ emergency vehicle around the premises.
- 56. Storage of flammable chemicals shall be sufficiently away from the production area.
- 57. Sufficient number of fire extinguishers shall be provided near the plant and storage area.
- 58. All necessary precautionary measures shall be taken to avoid any kind of accident during storage and handling of toxic / hazardous chemicals.
- 59. All the toxic/hazardous chemicals shall be stored in optimum quantity and all necessary permissions in this regard shall be obtained before commencing the expansion activities.
- 60. The project management shall ensure to comply with all the environment protection measures, risk mitigation measures and safeguards mentioned in the Risk Assessment report.
 - Flame proof electrical fittings shall be provided in flame proof zones or wherever applicable in Plant premises
 - Storage of hazardous chemicals shall be minimized and it shall be in multiple small capacity tanks / containers instead of containers instead of containers.
- 3. All the storage tanks shall be fitted with appropriate controls to avoid any leakages. Bund/dyke walls shall be provided for storage tanks for Hazardous Chemicals.
- 34. Handling and charging of the chemicals shall be done in closed manner by pumping or by vacuum transfer so that minimal human exposure occurs.
- 65. Tie up shall be done with nearby health care unit / doctor for seeking immediate medical attention in the case of emergency.
- 66. Personal Protective Equipments (PPEs) shall be provided to workers and its usage shall be ensured and supervised.
- 67. First Aid Box and required Antidotes for the chemicals used in the unit shall be made readily available in adequate quantity.
- 68. Training shall be imparted to all the workers on safety and health aspects of chemicals handling.
- 69. Occupational health surveillance of the workers shall be done and its records shall be maintained. Pre-employment and periodical medical examination for all the workers shall be undertaken as per the Factories Act & Rules.
- 70. Transportation of hazardous chemicals shall be done as per the provisions of the Motor Vehicle Act & Rules.
- 71. The company shall implement all preventive and mitigation measures suggested in the Risk Assessment Report.
- Necessary permissions from various statutory authorities like PESO, Factory Inspectorate and others shall be obtained prior to commissioning of the project.

A. 6 NOISE:

nact A

73. The overall noise level in and around the plant area shall be kept well within the standards by providing noise control measures including engineering controls like acoustic insulation hoods, silencers, enclosures etc. on all sources of noise generation. The ambient noise level shall confirm to the standards prescribed under The Environment (Protection) Act, 1986 & Rules.

A. 7 CLEANER PRODUCTION AND WASTE MINIMISATION:

- 74. The unit shall undertake the Cleaner Production Assessment study through a reputed institute / organization and shall form a CP tearn in the company. The recommendations thereof along with the compliance shall be furnished to the GPCB.
- 75. The company shall undertake various waste minimization measures such as :
- 76. Metering and control of quantities of active ingredients to minimize waste.
- 77. Reuse of by-products from the process as raw materials or as raw materials substitutes.
- 78. Use of automated and close filling to minimize spillages.
- 79. Use of close feed system into batch reactors.
- 80. Venting equipment through vapour recovery system.
- 81. Use of high pressure hoses for cleaning to reduce wastewater generation.
- 82. Recycling of washes to subsequent batches.
- 83. Recycling of steam condensate

Office: Gujarat Pollution Control Board, "Paryavaran Bhavan" Sector-10 A, Gandhinagar-382010

Phone No.:- (079) 232-32152,232-41514 Fax No.:-(079) 232-22784 E-mail: msseiaagi@gmail.com, Website:- www.seiaa.gujarat.gov.in

Page 5 of 7

Project Details - Expansion of capacities for Fully Drawn Yarn, Polyester Chips & Captive power plant

By M/s. Shree Durga Syntex Pvt Ltd at block no. 128, 129, 130 & 175, Plot no. E & Z, Village: Jolva,

Taluka: Palsana, Dist: Surat, Gujarat

- 84. Sweeping / mopping of floor instead of floor washing to avoid effluent generation.
- 85. Regular preventive maintenance for avoiding leakage, spillage etc.

A. 8 GREEN BELT AND OTHER PLANTATION:

- 86. The unit shall develop green belt within premises as per the CPCB guidelines. However, if the adequate land is not available within the premises, the unit shall take up adequate plantation on road sides and suitable open areas in GIDC estate or any other open areas in consultation with the GIDC / GPCB and submit an action plan of plantation for next three years to the GPCB.
- 87. Drip irrigation / low-volume, low-angle sprinkler system shall be used for the green belt development within the premises.

B. OTHER CONDITIONS:

- 88. In case of use of spray dryer, the unit shall provide the adequate & efficient APCMs with spray dryer so that there should not be any adverse impact on human health & environment. Unit shall carry out third party monitoring of the proposed Spray dryer & it's APCM through the credible institutes and study report for impacts on Environment and Human Health shall be submitted to GPCB every year along with half yearly compliance report.
- 89. The project proponent shall allocate the separate fund for Corporate Environment Responsibility (CER) in accordance to the MoEFCC's Office Memorandum No. F.No.22-65/2017-IA.III dated 01/05/2018 to carry out the activities under CER in affected area around the project. The entire activities proposed under CER shall be monitored and the monitoring report shall be submitted to the regional office of MoEFCC as a part of half-yearly compliance report and to district collector. The monitoring report shall be posted on the website of the project proponent.
- 90. All the recommendations, mitigation measures, environmental protection measures and safeguards proposed in the EIA report of the project prepared by M/s: Envision Enviro Technologies Pvt. Ltd., Surat was submitted by project proponent vide letter no. NIL dated 03/07/2018 and commitments made during presentation before SEAC and proposed in the EIA report shall be strictly adhered to in letter and spirit.
- 91. Rain water harvesting of surface as well as rooftop runoff shall be undertaken and the same water shall be used for the various activities of the project to conserve fresh water as well as to recharge ground water. Before recharging the surface run off, pre-treatment must be done to remove suspended matter.
- 92. The unit shall join and participate financially and technically for any common environmental facility / infrastructure as and when the same is taken up either by the Industrial Association or GIDC or GPCB or any such authority created for the purpose by the Govt. / GIDC.
- 93. Application of solar energy shall be incorporated for illumination of common areas, lighting for gardens and street lighting in addition the provision for solar water heating system shall also be provided.
- 94. The area earmarked as green area shall be used only for plantation and shall not be altered for any other purpose
- 95. All the commitments / undertakings given to the SEAC during the appraisal process for the purpose of environmental protection and management shall be strictly adhered to.
- 96. The project proponent shall also comply with any additional condition that may be imposed by the SEAC or the SEIAA or any other competent authority for the purpose for the environmental protection and management.
- 97. In the event of failure of any pollution control system adopted by the unit, the unit shall be safely closed down and shall not be restarted until the desired efficiency of the control equipment has been achieved.
- 98. The project authorities must strictly adhere to the stipulations made by the Gujarat Pollution Control Board (GPCB), State Government and any statutory authority.
- 99. During material transfer there shall be no spillages and garland drain shall be constructed to avoid mixing of accidental spillages with domestic wastewater or storm water.
- 100. Pucca flooring / impervious layer shall be provided in the work areas, chemical storage areas and chemical handling areas to minimize soil contamination.
- 101. Leakages from the pipes, pumps, shall be minimal and if occurs, shall be arrested promptly.
- 102.No further expansion or modifications in the plant likely to cause environmental impacts shall be carried out without obtaining prior Environment Clearance from the concerned authority.
- 103. The above conditions will be enforced, inter-alia under the provisions of the Water (Prevention & Control of Pollution) Act, 1974, Air (Prevention & Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986, Hazardous Wastes (Management, Handling and Transboundary Movement) Rules, 2008 and the Public Liability Insurance Act, 1991 along with their amendments and rules.
- 104. The project proponent shall comply all the conditions mentioned in "The Companies (Corporate Social Responsibility Policy) Rules, 2014" and its amendments from time to time in a letter and spirit.
- 105.The project management shall ensure that unit complies with all the environment protection measures, risk mitigation measures and safeguards recommended in the EMP report and Risk Assessment study report as well as proposed by project proponent.
- 106.The project authorities shall earmark adequate funds to implement the conditions stipulated by SEIAA as well as GPCB along with the implementation schedule for all the conditions stipulated herein. The funds so provided shall not be diverted for any other purpose.

Project Details - Expansion of capacities for Fully Drawn Yarn, Polyester Chips & Captive power plant

By M/s. Shree Durga Syntex Pvt Ltd at block no. 128, 129, 130 & 175, Plot no. E & Z, Village: Jolva,

Taluka: Palsana, Dist: Surat, Gujarat

- 107. The applicant shall inform the public that the project has been accorded environmental clearance by the SEIAA and that the copies of the clearance letter are available with the GPCB and may also be seen at the Website of SEIAA/ SEAC/ GPCB. This shall be advertised within seven days from the date of the clearance letter, in at least two local newspapers that are widely circulated in the region, one of which shall be in the Gujarati language and the other in English. A copy each of the same shall be forwarded to the concerned Regional Office of the Ministry.
- 108. The project proponent shall also comply with any additional condition that may be imposed by the SEAC or the SEIAA or any other competent authority for the purpose of the environmental protection and management.
- 109. It shall be mandatory for the project management to submit half-yearly compliance report in respect of the stipulated prior environmental clearance terms and conditions in hard and soft copies to the regulatory authority concerned, on 1st June and 1st December of each calendar year.
- 110. Concealing factual data or submission of false/fabricated data and failure to comply with any of the conditions mentioned above may result in withdrawal of this clearance and attract action under the provisions of Environment (Protection) Act, 1986
- 111. The project authorities shall also adhere to the stipulations made by the Gujarat Pollution Control Board.
- 112. The SEIAA may revoke or suspend the clearance, if implementation of any of the above conditions is not found satisfactory.
- 113. The company in a time bound manner shall implement these conditions. The SEIAA reserves the right to stipulate additional conditions, if the same is found necessary.
- 114. The project authorities shall inform the GPCB, Regional Office of MoEF and SEIAA about the date of financial closure and final approval of the project by the concerned authorities and the date of start of the project.
- 115. This environmental clearance is valid for seven years from the date of issue.
- 116.Any appeal against this environmental clearance shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.

117. Submission of any false or misleading information or data which is material to screening or scoping or appraisal or decision on the application makes this environment clearance cancelled.

With regards,

ECI AS

(S. M. SAIYAD) Member Secretary

4 C

Issued to:

M/s. Shree Durga Syntex Pvt Ltd.

Plot No. E & Z, Block No 128, 129, 130 & 175,

Vill. Jolwa, Ta.: Palsana, Dist: Surat

Office: Gujarat Pollution Control Board, "Paryavaran Bhavan" Sector-10 A, Gandhinagar-382010
Phone No.:- (079) 232-32152,232-41514 Fax No.:-(079) 232-22784
E-mail: msseiaagj@gmail.com, Website:- www.seiaa.gujarat.gov.in

Page 7 of 7