F. No. J11011/98/2009-IA II (I), DATED: 13/04/2009

Period - OCTOBER 2018 -MARCH 2019

Project Details - Expansion of capacities for Fully Drawn Yarn, Polyester Chips & Captive power plant
By M/s. Shree Durga Syntex Pvt Ltd at block no. 128, 129, 130 & 175, Plot no. E & Z, Village: Jolva,
Taluka: Palsana, Dist: Surat, Gujarat

SL.	CONDITIONS
NO. 2	The Ministry of Environment and Forests has examined your application. It is noted that M/s Shree Durga Syntex Pvt. Ltd have proposed for expansion of capacities for Fully Drawn Yarn, Polyester Chips & Captive power plant at block no. 129 & 175, plot no. Z & E, Village: Jolva, Taluka: Palsana, Dist: Surat, Gujarat. The production capacity of Fully Drawn yarn will increase from 40 MTPD to 300 MTPD and captive power plant will increase from 3.25 MW to 12.25 MW. It is proposed to manufacture 600 MTPD of polyester chips by continuous polymerization. It is proposed to increase production capacity along with backward integration of polyester chips/liquid polyester to avoid melting process of polyester chips for producing FDY. No ecosensitive areas are located within 10 km radius of the plant. The proposed expansion will be carried within the existing unit having land area of 9000 m², of which green belt will be developed in 33% of the total land area. Cost of the project is Rs.150.00 Crores, of which Rs. 30.00 lakhs is earmarked for Environmental Protection Measures.

COMPLIANCE STATUS

Noted.

Production details is as follows;

SN.	PRODUCT	NAME OF THE MONTE					
		Oct. 2018	Nov. 2018	Dec. 2018	Jan. 2019	Feb. 2019	Mar. 2019
	Dalamatan						
1	Polyester	490 T/D	500 T/D	510 T/D	592 T/D	400 T/D	420 T/D
	Chips (MT)						
2	Gray Cloth	163642	191791	285207	217999	155941	185544
		Mtr/d	Mtr/d	Mtr/d	Mtr/d	Mtr/d	Mtr/d
	(Mtr/Day)	2.242, 4					
3	FDY (MT)	130 T/D	137 T/D	130 T/D	152 T/D	144 T/D	142 T/D
4	CPP	5035600	5343000	5508900	5502012	5904648	5802490
-		3033000	2272000	3300700	3302012	3704040	3002470
	(9 MW)						

Area statement of the project shown in below table:

PROJECT AREA	AREA (M ²)
Plant & M/c area	1650
Utility area	2500
Storage area	1149
Office area	231
Green belt area	2970
Road area	500
Total	9000

We ensure that proposed expansion is carried on land area of 9000 m². And Approx. 33% of it is greenbelt.





F. No. J11011/98/2009-IA II (I), DATED: 13/04/2009

Period - OCTOBER 2018 -MARCH 2019

Project Details - Expansion of capacities for Fully Drawn Yarn, Polyester Chips & Captive power plant By M/s. Shree Durga Syntex Pvt Ltd at block no. 128, 129, 130 & 175, Plot no. E & Z, Village: Jolva, Taluka: Palsana, Dist: Surat, Gujarat





3 The total water requirement after the expansion will be 799 m³/d, water was

which will be sourced from ground water source. Permission for drawl of 315m³/d of ground obtained 12.10.2007. The waste water generation will be 202 m³/day. The domestic effluent (22m³/d) will be disposed of into septic tank followed by soak pit. Source of industrial wastewater (180 m³/d. will be from floor washing, cooling blow down, DM back wash and process condensate. The wastewater after passing through settling tank will be discharged in to the pipeline of PEPL, leading to PEPL CETP. Power requirement will be met through the Captive power plant. Fuel requirement will be natural gas (72,000 m³/day) or FO/LDO m³/day) Stack height of 30 m is proposed for existing Gas Engine(3 Nos) and 50 m for proposed DG sets (3 Nos), 30 m for proposed Gas Engine (3Nos) and 65 m for proposed DG sets (3 nos). Stack height of 11 m is proposed for steam boiler. There will not be any solid waste generation from the process or

ETP.

Noted. & Complied.

Permission for withdrawing ground water is obtained from CGWA for 315 m³/Day. For additionally water requirement, application is made to CGWA which is under verification stage. Please find attachment as ANNEXURE- V.

The Avg. fresh water consumption in last six months is 525.5 KL/Day. Monthly Fresh Water consumption details are given as below;

SN	Month	Qty. F/W (KL/Month)	Qty. F/W (KL/Day)
1	Oct-18	14800	477
2	Nov-18	15660	522
3	Dec-18	15030	485
4	Jan-19	17001	548
5	Feb-19	16933	605
6	Mar-19	16010	516

The Avg. industrial waste water generation in last six months is 165 KL/Day. Monthly waste water generation details are given as below;

SN	Month	Qty (KL/Month)	Qty (KL/Day)
1	Oct-18	5200	168
2	Nov-18	4799	160
3	Dec-18	5110	165
4	Jan-19	4595	148
5	Feb-19	4931	176
6	Mar-19	5300	171

To monitor the same, online flow meter is operational at the outlet of ETP discharge line to CETP. The Avg. domestic waste water generation is discharge through septic tank & soak pit. The generated industrial effluent is treated in ETP. The treated effluent is discharged to PEPL-CETP through pipeline.

<u>F. No. J11011/98/2009-IA II (I), DATED: 13/04/2009</u>

Period - OCTOBER 2018 -MARCH 2019

		Fuel cons	sumption deta	ils are as belov	W;	
		SN	Month	NG	COAL (MT/Day)	BAGASSE (MT/Day)
		1	Oct-18	22511	15	150
		2	Nov-18	169919	15	142
		3	Dec-18	129898	14	151
		4	Jan-19	25900	16	145
		5	Feb-19	955	14	150
		6	Mar-19	120	13	162
4	The Petrochemical based processing units are listed at serial no. 5(e) of schedule of EIA Notification, 2006 and categorized under "A" or "B" category depending upon the location of the plant outside or inside the notified industrial area. In the instant case, the unit is located outside the industrial area hence this is a category "A" project and appraised by the Expert Appraisal committee (I) at centre.	Noted.				
5	The proposal was considered by the Expert Appraisal Committee (Industry) in its 92 nd meeting held on 18 th - 20 th March, 2009. The EAC (I) recommended the proposal for grant of environmental clearance under para 7(ii) of EIA Notification, 2006 exempting the project from preparation of EIA report and public hearing.	Noted.				
6	Based on the information submitted by the project authorities, the Ministry of Environment and Forests hereby accords environmental clearance to above project under the provisions of EIA Notification, dated 14 th September 2006 subject to the compliance of the following Specific and General	Noted.				

F. No. J11011/98/2009-IA II (I), DATED: 13/04/2009

Period – OCTOBER 2018 –MARCH 2019

	Conditions:							
A	SPECIFIC CONDITIONS:							
1.	The industrial effluent generation shall not exceed 180m ³ /d. The effluent after	The			water generation r generation detai			165
	treatment in the ETP and conforming to the prescribed		SN	Month	Qty (KL/Month	2)	Qty L/Day)	
	standards shall be discharged		1	Oct-18	5200		168	
	into the pipeline of PEPL leading to CETP. The domestic		2	Nov-18	4799		160	
	effluent (22m³/d) shall be		3	Dec-18	5110		165	
	disposed through septic		4	Jan-19	4595		148	
	tank/soak pit.		5	Feb-19	4931		176	
	r		6	Mar-19	5300		171	
		The gis dis meets ANN The t Surat 23/02 The c	scharged S CETF EXURI esting Is NABI 2/2019 a	d industrial wast to PEPL-CET inlet norms. E-III. aboratory appoin accreditation and valid till-22/0	te water is treated P through pipelin Analysis report of ted is M/s. En-vis certificate vide 12/2021.	ne. The was of the same sion Environ no. TC-530	te water tree is attached mental Serv 04, issue da	eated d as ices, ated:
2.	There shall not be any process	pit.	nlied					
2.	There shall not be any process emissions due to the proposed activity. For dispersion of gaseous emissions from the steam boiler and DG sets,	We e activi	ity. For		_			
	adequate height as per CPCB		2		1 000	20.15		
	standards shall be provided. Acoustic enclosures / treatment shall be given to the DG sets to	1 to	3	Natural Gas Bas – Nos (Total-3.25 MW	sed CPP engines	30 Mt (Each)	-	
	mitigate noise pollution. Measures for control of NOx	4		Steam Boiler Natural Gas Bas		11 Mt	-	
	emissions shall be undertaken.	5		Coal Based The Heater (14000 U	rmic Fluid	50 Mt	ESP	
		6		Coal Based The Heater (200 U X	X 2)*	20Mt	-	
		7		Coal Based The Heater (10000U				
		8		CPP 9 MW		80 Mt	ESP	

F. No. J11011/98/2009-IA II (I), DATED: 13/04/2009

Period - OCTOBER 2018 - MARCH 2019

Project Details - Expansion of capacities for Fully Drawn Yarn, Polyester Chips & Captive power plant By M/s. Shree Durga Syntex Pvt Ltd at block no. 128, 129, 130 & 175, Plot no. E & Z, Village: Jolva, Taluka: Palsana, Dist: Surat, Gujarat

*One Standby

** DG Set Not Available





3. The proponent shall upload the status of compliance of the stipulated environmental clearance conditions, including results of monitored data on their

results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the Regional office of MOEF, the respective Zonal office of CPCB and the State Pollution Control Board. The criteria pollutant levels namely; SPM, RSPM, SO₂, NOx (ambient levels as well as stack emissions) or critical sectoral parameters, indicated for the project shall be

monitored and displayed at a

convenient location near the

main gate of the company in the

4. The project authorities shall strictly comply with the rules and guidelines under Manufacture, Storage and Import of Hazardous Chemicals Rules, 1989 as amended in October, 1994 and January, 2000. All Transportation of Hazardous Chemicals shall be as per the

public domain.

Complied.

We have uploaded the status of compliance of Environmental Clearance including results of monitored data on our website. It also simultaneously submitted to Regional office of MoEF i.e. RO Bhopal.



The pollutant levels namely; SPM, RSPM, SO2, NOx (ambient levels as well as stack emission) or critical sectoral parameters, are monitored periodically and displayed at display board near main gate in public domain.

Noted.

F. No. J11011/98/2009-IA II (I), DATED: 13/04/2009

Period – OCTOBER 2018 –MARCH 2019

MVA, 1989.	
The company shall undertake following Waste Minimization measures	
 i. Metering and control of quantities of active ingredients to minimize waste. Reuse of byproducts from the process as raw materials or as raw material substitutes in other processes. Use of automated filling to minimize spillage. Use of "Close Feed" system into batch reactors. Venting equipment through vapour recovery system. Use of high pressure hoses for equipment clearing to reduce wastewater generation. 	A. Metering is being done to monitor and control of active raw materials to minimize the waste. i.e. Flow meters are provided at MEG handling system B. Automatic filling / transfer system is being provided to minimize the spillage i.e. Chain conveyor system provided at PTA handling area and then stored in Silo and transferred to schenck system to paste tank for plant. C. Reuse of byproducts / used oil / drums is being sent to authorized recyclers
ii. Fugitive emissions in the work zone environment product, raw materials storage area etc. shall be regularly monitored. The emissions shall conform to the limits imposed by GPCB.	Work zone monitoring is being carried out periodically through third party NABL Approved. Ambient Air Monitoring Reports are Attached As ANNEXURE-VII.
iii. During transfer of materials, spillages shall be avoided and garland drains be constructed to avoid mixing of accidental spillages with domestic waste and storm drains.	We are ensuring that during transfer of materials, spillages are avoided. If not avoided drains are constructed to collect the spillage and transfer back to the process.

F. No. J11011/98/2009-IA II (I), DATED: 13/04/2009

Period – OCTOBER 2018 –MARCH 2019

iv.	provisions shall be made in the budget of the project for implementation of the above suggested environmental safeguards. Fund so earmarked shall	Complied. We have spent and made provision for adequate funds, both recurring and non-recurring to implement the conditions stipulated by the MoEF&CC as well as the State Government along with the implementation schedule for all conditions stipulated in the EC Order. Adequate funds are allotted as below;				
	not be diverted for any other purposes.	EMP Activity	Capex Spent 2018-19	Recurring Spent 2018-19		
		 ETP Sludge Disposal CETP Charges Env Audit Env Monitoring Charges ETP Raw Material APCM Upgradation 	85 lacs	25 lacs		
		Capex Projected for Year 201 For EMP Activites – Approx. Recurring Projected for Year For EMP Activites – Approx. We also assure that these fund	50 lacs 2019-20 25 lacs	verted for any othe	r activities.	
v.	Occupational health surveillance of the workers shall be done on a regular basis and records maintained as per the Factories Act.	Complied. Health check-up of all works maintained as per Factories A		e periodically and	records are	
vi.	The company shall make the arrangement for protection of possible fire hazards during manufacturing process in material handling.	Complied. The company maintains fire adequate fire fighting equipm 1. Fire Hydrant 2. Fire Extinguishers 3. Sprinkler system in c 4. OHC in plant premise PPE's to employee	ents like followi		es and have	
vii.	Training shall be imparted to all employees on safety and health aspects of chemicals handling. Pre- employment and routine	Complied. Training imparted to all level medical examinations for all of				

F. No. J11011/98/2009-IA II (I), DATED: 13/04/2009

Period – OCTOBER 2018 –MARCH 2019

	periodical medical					
	examinations for all					
	employees shall be					
	undertaken on regular basis.					
	Training to all employees					
	on handling of chemicals					
	shall be imparted.					
viii.	Usage of PPEs by all	Comp				
	employees/ workers shall			have to be provided and applic		
	be ensured.			of BIS approved products. Work	place entore	cement of wearing
		is don	e regula	rly.		
			S.No	PPEs	UOM	QTY.
			1	Self Contained Breathing	Nos.	10
				Apparatus- 10kg		
			2	Full Face masks	Nos.	25
			3	Trolley mounted oxygen cylinders	Nos.	5
			4	Full body chemical protection suits	Nos.	10
			5	Chemical splash proof goggles	Nos.	50
			6	Aluminized fire fighting suits	Nos.	10
			7	25mm hose clips with screw clips	Nos.	10
			8	Gum boots full length	Nos.	25
			9	Leather hand gloves	Pair	50
			10	Electrical hand gloves	Pair	5
			11	Non permeable hand gloves	Nos.	25
			12	Safety helmets	Nos.	50
			13	Safety shoes sizes	Pair	60
			14	Pick axles	Nos.	2
			15	Shovels	Nos.	5
			16	Rain coats full size	Nos.	10
			17	Stretchers	Nos.	2
ix.	Permission to draw ground	Comp			•	<u> </u>
	water shall be undertaken			withdraw ground water is u	ndertaken	from CGWA for
	from the CGWB / State	existir	ng 799 K	XL/day.		
	Ground Water Authority)					
	as may be applicable to this					
	case.					
х.	The company shall	Comp			_	
	undertake rainwater			ground water as well as reduced		
	harvesting measures to			ing is carried out to recharge		
	recharge the ground water	evapo	rated. 3	Nos. of percolating recharge pit	ts are provid	ded for rain water

F. No. J11011/98/2009-IA II (I), DATED: 13/04/2009

Period – OCTOBER 2018 –MARCH 2019

	as well as reduced consumption of water.	recharging.
В	GENERAL CONDITIONS:	
1.	The project authorities shall strictly adhere to the stipulations made by the State Pollution Control Board.	We are strictly agree, complying & will continue to comply with all stipulation made by GPCB as per CC&A No.86533 Dated: 16/06/2017, Valid Till-3/7/2022.
2.	No further expansion or modifications in the plant shall be carried out without prior approval of the Ministry of Environment and Forests. In case of deviations or alterations in the project proposal from those submitted to this Ministry for clearance, a fresh reference shall be made to the Ministry to assess the adequacy of conditions imposed and to add additional environmental protection measures required, if any.	We ensure that no further expansion or modification related to EC in the plant shall be carried out only after prior approval of Ministry.
3.	At no time, the emissions shall exceed the prescribed limits. In the event of failure of any pollution control system adopted by the unit, the unit shall be immediately put out of operation and shall not be restarted until the desired efficiency has been achieved.	Noted & Complied. We assure that, at no time the emission level will go beyond the stipulated standards and or prescribed limits. In such cases / occurrence we will intimate to board & authority time to time. In event of failure of APCM, the unit shall not restart until the control measures are rectified to achieve the efficiency.

F. No. J11011/98/2009-IA II (I), DATED: 13/04/2009

Period - OCTOBER 2018 -MARCH 2019

4.	The gaseous emissions (NO _x , SO ₂ and SPM) and Particulate matter along with RSPM levels from various process units shall conform to the standards prescribed by the concerned authorities from time to time. At no time, the emission levels shall go beyond the stipulated standards. In the event of failure of pollution control system(s) adopted by the unit, the respective unit shall not be	Complied. The gaseous emissions (NOx, SO2 & SPM) and Particulate matter along with RSPM levels & stack monitoring for SO2, NOx & SPM from various units are monitored at regular interval for ensuring the compliance. Air Monitoring Report are attached as ANNEXURE-VII & Stack Monitoring Report are attached as ANNEXURE-VI.
	restarted until the control measures are rectified to achieve the desired efficiency. Stack monitoring for SO2, NOx and SPM shall be carried.	
5.	The locations of ambient air quality monitoring stations shall be decided in consultation with the State Pollution Control Board (SPCB) and it shall be ensured that at least one stations is installed in the up wind and downwind direction as well as where maximum ground level concentrations are anticipated.	Noted & Complied. The location of AAQ are discussed & reviewed during the visits of GPCB and with the Environmental Auditors appointed by GPCB time to time & set up in the direction where max. GLC are anticipated. We will ensure that at least one station is in upwind & one in downwind.
6.	Dedicated scrubbers and stacks of appropriate height as per the Central Pollution Control Board guidelines shall be provided to control the emissions from various vents. The scrubbed water shall be sent to ETP for further treatment.	Not Applicable. There is no process gas vents / stacks in the units.
7.	The overall noise levels in and around the plant area shall be kept well within the standards by providing noise control measures including acoustic hoods, silencers, enclosures etc. on all sources of noise generation. The ambient noise levels shall conform to the standards	Complied. The overall noise levels in and around the plant area is kept well within the standards by providing noise control measures including acoustic hoods, silencers, enclosures etc. on all sources of noise generation. Ambient noise levels are being monitored periodically. It is mandatory for workers to use PPE's such as ear plugs / ear muffs in high noise area. The ambient noise levels is under the standards prescribed under EPA, 1986 Rules, 1989 viz. 75 dBA (Day Time) and 70 dBA (Night Time).

F. No. J11011/98/2009-IA II (I), DATED: 13/04/2009

Period - OCTOBER 2018 -MARCH 2019

	prescribed under Environment (Protection) Act, 1986 Rules, 1989 viz. 75 dBA (day time) and 70 dBA (night time).	Equipment generating high noise are equipped with acoustic enclosures; regular maintenance, lubrication and vibration pads are assured for such sources. The result are stated as under; 1) The emission reports describing the above parameters conforming that at no time emission level gone beyond the stipulated standards. The testing lab appointed is M/s. En-Vision Environmental Services, Surat as NABL Approved vide TC-5304, issue date-23/02/2019 and valid till-22/2/2021. Noise Monitoring Reports are Attached as ANNEXURE-X.
8.	The project proponent shall also comply with all the environmental protection measures and safeguards proposed in the project report submitted to the Ministry. All the recommendations made in respect of environmental management and risk mitigation measures relating to the project shall be implemented.	Complied.
9.	The company will undertake all relevant measures for improving the Socioeconomic conditions of the surrounding area. CSR activities will be undertaken by involving local villages and administration	Complied and ongoing. CSR activity given in ANNEXURE-XI The amount is utilized for various communities, welfare and eco development projects within and surrounding areas of project site.
10.	The company shall undertake eco developmental measures including community welfare measures in the project area for the overall improvement of the environment.	Complied and ongoing. CSR activity given in ANNEXURE-XI The amount is utilized for various communities, welfare and eco development projects within and surrounding areas of project site.
11.	A separate Environmental Management Cell equipped with full fledged laboratory facilities shall be set up to carry out the Environmental Management and Monitoring functions.	Complied. A separate Environment Management Cell is equipped along with internal lab. For All Environmental Monitoring we have appointed M/s. En-Vision Environmental Services, Surat as NABL Approved Lab vide TC-5304, issue date – 23/2/2019 and Valid Till-22/2/2021.

F. No. J11011/98/2009-IA II (I), DATED: 13/04/2009

Period - OCTOBER 2018 -MARCH 2019

12.	The project authorities shall	Complied.				
	earmark adequate funds to implement the conditions stipulated by the Ministry of Environment and Forests as well	EMP Activity	Capex Spent 2018-19	Recurring Spent 2018-19		
	as the State Government along with the implementation schedule for all the conditions stipulated herein. The funds so provided shall not be diverted for any other purpose.	 ETP Sludge Disposal CETP Charges Env Audit Env Monitoring Charges ETP Raw Material APCM Upgradation 	85 lacs	25 lacs		
13.	The implementation of the project vis-a-vis environmental action plans shall be monitored by the concerned Regional Office of the Ministry/SPCB / CPCB. A six monthly compliance status report shall be submitted to monitoring agencies and shall be posted on the website of the Company.	Complied.				
14.	A copy of the clearance letter shall be sent by the proponent to concerned Panchayat, Zila Parisad /Municipal Corporation, Urban local Body and the local NGO, if any, from who suggestions/ representations, if any, were received while processing the proposal.	We have obtain EC in year 2008 and its amendment obtain at 14 th December 2018, and inform the public that the project has been accorded environmental clearance and advertised in two local newspapers that are widely circulated in the region with vernacular language Guajarati and another in English. Paper advertisement is attached as ANNEXURE-XII.				
15.	The project proponent shall also submit six monthly reports on the status of compliance of the stipulated E C conditions including results of monitored data (both in hard copies as well as by email) to the respective Regional Office of MoEF, the respective Zonal Office of CPCB and the State Pollution Control Board.	Complied.				
16.	The project proponent shall inform the public that the project has been accorded	Complied. We have obtain EC in year December 2018, and inform the				

F. No. J11011/98/2009-IA II (I), DATED: 13/04/2009

Period - OCTOBER 2018 -MARCH 2019

	environmental clearance by the Ministry and copies of the clearance letter are available with the SPCB /Committee and may also be seen at Website of the Ministry at http://envfor.nic.in. This shall be advertised within seven days from the date of issue of the clearance letter, at least in two local newspapers that are widely circulated in the region of which one shall be in the vernacular language of the locality concerned and a copy of the same shall be forwarded to the concerned Regional Office of the	environmental clearance and advertised in two local newspapers that are widely circulated in the region with vernacular language Guajarati and another in English as per below details: 1. Gujarati news paper: 25/12/2018 2. English news paper: 24/12/2018
17.	Ministry. The project authorities shall inform the Regional Office as well as the Ministry, the date of financial closure and final approval of the project by the concerned authorities and the date of start of the project.	Complied.
18.	The Ministry may revoke or suspend the clearance, if implementation of any of the above conditions is not satisfactory.	Noted.
19.	The Ministry reserves the right to stipulate additional conditions, if found necessary. The company in a time bound manner will implement these conditions.	Noted.
20.	Any appeal against this environmental clearance shall lie with the National Appellate Authority, if preferred, within a period of 30 days as prescribed under section 11 of the National Environment Appellate Authority Act, 1997.	Noted.
21.	The above conditions will be enforced, inter-alia under the provisions of the Water	Noted.

F. No. J11011/98/2009-IA II (I), DATED: 13/04/2009

Period - OCTOBER 2018 -MARCH 2019

(Prevention & Control of	
Pollution) Act, 1974, Air	
(Prevention &. Control of Water	
Pollution) Act, 1981, the	
Environment (Protection) Act,	
1986 Hazardous Wastes	
(Management and Handling)	
Rules, 2003/2008 and the Public	
Liability Insurance Act, 1991	
along with their amendments and	
rules.	

	Project Status:- EC Was obtained dated:14.12.2018 for this proposed expansion & NOC is obtained Vide No. 460328, Dated.5.7.2018, Currently project is under construction stage for proposed expansion.				
S. NO.	CONDITIONS	COMPLIANCE STATUS			
A. CC	ONDITIONS				
A. 1 S	SPECIFIC CONDITION				
1.	Unit shall adopt proper methods	Noted & Will be Complied.			
	for segregation of waste water streams based on characteristics at source and its sound management keeping in view direction under section 18 (1) (b) of the Water (Prevention and Control of Pollution) act,1974 issued by CPCB regarding compliance of CETP.	The Avg. domestic waste water generation is discharge through septic tank & soak pit. The generated industrial effluent is treated in ETP. For proposed expansion, complete treated water will be reused in cooling tower & condensate recovery in boiler, maintaining proposed expansion to ZERO Discharge; however existing waste water which is treated in ETP will be sent to CETP (PEPL), Palsana.			
2.	Unit shall not exceed waste	Noted. & Will be Complied.			
	water discharge quantity into CETP of M/s: PEPL as mentioned in the existing CC&A.	For proposed expansion, complete treated water will be reused in cooling tower & condensate recovery in boiler, maintaining proposed expansion to ZERO Discharge; however existing waste water which is treated in ETP will be sent to CETP (PEPL), Palsana.			
3.	Unit shall comply the emission	Will be Complied.			
	standards mentioned in the Notification by MoEF&CC vide no. 5.0. 3305 (E) dated 07/12/2015 and amended time to time.				
4.	Unit shall use only imported coal as a fuel for proposed captive power plant and lignite shall be used only in unavoidable circumstance as per undertaking submitted. In such situation, lignite consumption shall not exceed 4900 MT/Month considering 700 MT/Day X 7 days).	Noted. We ensure that we will use Lignite if Imported coal is not available and also ensured that lignite consumption shall not exceed 4900 MT/Month considering 700 MT/Day X 7 days).			
5.	Process Waste (Oligomer) (10	Will Be Complied.			
	MT/Month) shall be sold out to	•			
	the authorized actual users only,				
A. 2 V	WATER:				
6.	Total water requirement for the	Water consumption is given in ANNEXURE-IV.			
	project shall not exceed 4307	Permission for withdrawing ground water is applied from			
	1 3	1			

7.	of waste water from RO Permeate and Boiler condensate for Cooling tower and Boiler respectively. Hence, fresh water requirement shall not exceed 1139 KLD and it shall be met through 3-Nos. of existing Bore well. Prior permission from the concerned authority shall be obtained for withdrawal of water. No ground water shall be tapped for the project requirements.	Will be Complied. Permission for withdrawing ground water is obtained from
	for the project requirements without prior permission from the competent authority.	Permission for withdrawing ground water is obtained from CGWA for 315 m ³ /Day. For additionally water requirement, application is made to CGWA which is under verification stage. Permission as ANNEXURE-V .
8.	Total industrial wastewater generation after proposed expansion shall not exceed 549 KLD. (180.KL/day existing + 369 KL/day Proposed).	Will be Complied. The Avg. domestic waste water generation is discharge through septic tank & soak pit. For proposed expansion, complete treated water is reused in cooling tower & condensate recovery in boiler, maintaining proposed expansion to ZERO Discharge; however existing waste water which is treated in ETP will be sent to CETP (PEPL), Palsana. Waste water consumption given in ANNEXURE-IV.
9.	Unit shall continue to discharge 180 KLD of treated waste water to CETP-PEPL as per the existing CC&A. Ensure that there is no additional discharge to CETP.	Noted & Will be Complied. We ensure that For proposed expansion, complete treated water will be reused in cooling tower & condensate recovery in boiler, maintaining proposed expansion to ZERO Discharge; however existing waste water which is treated in ETP will be sent to CETP (PEPL), Palsana.
10.	Additional waste water to be generated from the proposed expansion shall not exceed 369 KLD and it shall be treated in proposed ETP followed by RO system (Cap.400 KLD) & MEE system (Cap. 150 KLD).	Noted & Will be Complied. We ensure that For proposed expansion, complete treated water will be reused in cooling tower & condensate recovery in boiler, maintaining proposed expansion to ZERO Discharge,
11.	RO permeate (240 KLD) and MEE condensate (127 KLD) shall be reused for cooling tower makeup.	Noted & Will be Complied. We ensure that For proposed expansion, complete treated water will be reused in cooling tower & condensate recovery in boiler, maintaining proposed expansion to ZERO Discharge,
12.	Wastewater generated from washing activity for existing facility (40 KLD) shall be sent to	Noted & Will be Complied.

	CETP after treatment in existing	
	ETP. Waste water generated	
	from proposed washing activity	
	(79 KLD) will be treated in	
	proposed ETP, MF/UF & 2-stage	
	RO followed by 4-slage MEE	
	and treated water will be reuse in	
10	cooling lower make up water.	
13.	Wastewater generated from	Will be Complied.
	existing utilities (Boiler - 26	
	KLD & Cooling -114 KLD) shall	
	be treated in existing ETP and	
	treated water send to CETP.	
	Wastewater generated from	
	proposed utilities (Boiler - 178	
	KLD & Cooling - 112 KLD) will	
	be treated in MF/UF & 2-stage	
	RO followed by 4-stage MEE	
	and treated water will be reuse in	
	cooling tower makeup water	
14.	The domestic wastewater	Will be Complied.
14.		
	generation shall not exceed 26	The Avg. domestic waste water generation will be discharge
	KLD and it shall be disposed in	through septic tank & soak pit.
	lo the soak pit/septic tank	
15.	Proper logbooks of ETP, water	Will be Complied.
	consumption, power	
	consumption, reuse etc. shall be	
	maintained and shall be	
	furnished to the GPCB from time	
	to time	
16.	The unit shall provide metering	Will be Complied.
	facility at the inlet & outlet of the	-
	ETP, RO, MEE system & reuse	
	system and maintaining records	
	for the same	
17.	Proper logbooks of ETP, RO,	Will be Complied.
1/.	MEE system, chemical	77 m be complica.
	consumption, quantities and	
	qualities of effluent reuse,	
	· ·	
	power consumption etc. shall be	
	maintained and shall be	
	furnished to the GPCB from time	
	to time.	
18.	The unit shall join and	Noted.
	participate financially and	

	techn	ically for any commo	n							
		onmental facility	/							
	infras	structure as and when th	e							
	same	is taken up either by th	e							
	GIDO	C or GPCB or any suc	h							
	authority created for this purpose									
	by the	e Govt. / GIDC.								
A. 3 A										
19.		shall not exceed fuel c	•	_		•	For Proposed			
	Stean below	n Boiler and stand-by DG s v:	set as mention				el consumption EXURE XIII.			
	Exis									
	Sr. no.	Source of emission With Capacity	Stack Height (meter)	Type of Fuel	Quantity of Fuel MT/Day	Type of emissions	Air Pollution Control Measures (APCM)			
	1	Steam boiler	11 Meters	WH	IRB	SPM SO ₂ NOx	Adequate Stack height			
	2	Thermic Fluid Heater (Natural Gas Based) (2.0 Lakhs Kcal/Hr.)	20 m	Natural Gas	22440 sq.cm/ day	SPM SO ₂ NOx	Adequate Stack height			
	3	Thermic Fluid Heater (Natural Gas Based) (2.0 Lakhs Kcal/Hr.) (Stand by)	(Common)			SPM SO ₂ NOx	Adequate Stack height			
	4	Thermic Fluid Heater (Natural Gas Based/LDO) (10 Million Kcal/Hr.)	35.0 m			SPM SO ₂ NOx	Adequate Stack height			
	5	Thermic Fluid Heater (LDO/NG Based) (10 Million Kcal/Hr.) (Stand by)	(Common)	LDO	100 m3/day	SPM SO ₂ NOx	Adequate Stack height			
	6	Thermic Fluid Heater (Coal based) (14 Million Kcal/Hr.)	50.0 m	Coal	80 MT/Day	SPM SO ₂ NOx	Electrostatic Precipitator			
	7	Steam boiler (1 TPH)	11 m	Natural	51500	SPM SO ₂ NOx	Adequate Stack height			
	8	* Natural Gas Based CPP Engines(3.25 MW)	30 m	Gas	sq.cm /day	SPM SO ₂ NOx	Adequate Stack height			
	9	Steam Boiler (40 TPH) for Biomass (Agro waste/Baggase) & Coal (15% as auxiliary fuel) based Power Plant (9 MW) #	80.0 m	Baggase & 15% Coal	250 ton/day & 35 MT/Day	SPM SO ₂ NOx	Economizer, Air Preheater, Electrostatic Precipitator			
	Prop			1						

	Sr. no.	Source of emission With Capacity	Stack Height (meter)	Type of	f	Quantity of Fuel MT/Day	Type of emissions i.e. Air Pollutants	Air Pollution Control Measures (APCM)
	2	Steam Boiler (70 TPH) for Coal based Power Plant (21 MW) # Steam Boiler (23 TPH) for Coal based Power Plant (21 MW) #	80.0 m	Impo			SPM SO ₂ NOx	Economizer, Air Pre-heater, Electrostatic Precipitator
	3	Thermic Fluid Heater (Coal based) (18 Million Kcal/Hr.) Steam boiler (2 TPH)	50.0 m	Coal/Li		700 tons/day	SPM SO ₂ NOx	Electrostatic Precipitator
20.	gas ge	shall provide adequate eneration sources as m	entioned ab	ove:	Will be Complied. We ensure that there will not be any process emission due to our production activity.			
21.		shall be no process and as well as from the	_		Noted. We ensure that there will not be any process emission due to our production activity.			
22.		and ash content of the analyzed and its ained.			Will be Complied.			
23.	A long term study of radio activity and heavy metals contents on coal/lignite to be used shall be carried out through a reputed institute and results thereof analyzed regularly and reported along with monitoring reports. Thereafter mechanism for an in-built continuous monitoring for radio activity and heavy metals in coal/lignite and fly ash (including bottom ash) shall be put in place.				Note	d & Will B	e Complied.	
24.	A flue gas stack of 80 m height shall be provided with online monitoring system to proposed Steam boiler. Mercury emissions from stacks shall also be monitored on periodic basis. However, unit shall comply the specific condition no. 13 above regarding height of the Boiler slack.				Will	be Compli	ed.	
25.	High efficiency Electro Static Precipitators (ESP) with efficiency not less than 99.9% shall be installed for control of flue gas				Will	be Compli	ed.	

	emission from the proposed Boilers. The ESP shall be operated efficiently to ensure that particulate matter emission does not exceed the GPCB norms. The control system shall be designed and integrated in plan! DCS in such a way that if emission from ESP exceeds the specified standard prescribed in the Environment (Protection) Rules, 1986 as amended from time to time, utilization of boiler capacity shall reduce so that flue gas emission from the stack meets with the specified standards or boiler shall shut down totally.	
26.	Third party monitoring of the functioning o, the ESP along with its efficiency shall be carried out once in a year through a reputed institute / organization.	Will be Complied.
27.	Lime stone injection technology shall be adopted lo control SO2 and it shall be ensured that SO2 levels in the ambient air do not exceed the prescribed standards.	Will be Complied.
28.	The company shall prepare schedule and carry out regular preventive maintenance of mechanical and electrical parts of ESPS and assign responsibility of preventive maintenance to the senior officer of the company.	Will be Complied.
29.	Measures shall be taken to reduce the process vapors emissions as far as possible.	Complied. We ensure that there will not be any process emission due to our production activity.
30.	The fugitive emission in the work zone environment shall be monitored. The emission shall conform to the standards prescribed by the concerned authorities from time to time (e.g. Directors of industrial Safety & Health) Following indicative guidelines shall also be followed to reduce the fugitive emission.	Will be Complied. Work zone monitoring is being carried out periodically through third party NABL Approved. Ambient Air Monitoring Reports are Attached As ANNEXURE-VII. Same will be conducted for proposed expansion.
31.	Internal roads shall be either concreted or asphalted or paved properly lo reduce the fugitive emission during vehicular movement.	Complied.
32.	Air borne dust shall be controlled with water sprinklers at suitable locations in the plant.	Will be Complied.
33.	A green belt shall be developed all around the plant boundary and also along the roads to mitigate fugitive & transport dust emission.	Will be Complied. We ensure that proposed expansion is carried on land area of 9000 m2. And Approx. 33% of it is greenbelt

34.	Regular monitoring of Volatile Organic Compounds (VOCS) shall be carried out in	Complied.
	the work zone area and ambient air	
35.	For control of fugitive emission, VOCS, following steps shall be followed:	Will be Complied.
36.	Closed handling and charging system shall be provided for chemicals.	Will be Complied.
37.	Pumps shall be provided with mechanical seals to prevent leakages.	Will be Complied.
38.	Airborne dust at all transfers operations/ points shall be controlled either by spraying water or providing enclosures	Will be Complied.
39.	Regular monitoring of ground level concentration of PM10, PM2.5, SO2, NOx & VOC shall be carried out in the impact zone and its records shall be maintained. Ambient air quality levels shall not exceed the standards stipulated by the GPCB. If at any stage these levels are found to exceed the prescribed limits, necessary additional control measures shall be taken immediately. The location of the stations and frequency of monitoring shall be decided in consultation with the GPCB.	Will be Complied. The gaseous emissions (NOx, SO2 & SPM) and Particulate matter along with RSPM levels & stack monitoring for SO2, NOx & SPM from various units are monitored at regular interval for ensuring the compliance. Same will be continued in future also for proposed expansion. Air Monitoring Report are attached as ANNEXURE- VII & Stack Monitoring Report are attached as ANNEXURE-VI.
A. 4 S	SOLID / HAZAROOUS WASTE	
40.	The company shall strictly comply with the rules and regulations with regards to handling and disposal of Hazardous waste in accordance with the Hazardous and Other Wastes (Management and Transboundary Movement) Rules 2016, as may be amended from time to time. Authorization of the GPCB shall be obtained for collection / treatment / storage / disposal of hazardous wastes.	Complied, We ensured that generated hazardous waste is & will be disposed off as per HWM rules, 2016.
41.	Hazardous wastes shall be dried, packed and stored in separate designable hazardous waste storage facility with pucca bottom and leachate collection facility, before its disposal.	-
42.	Hazardous / Solid waste management shall be as below:	Will be Complied.

	Sr.	Type/Name	Source of	Category and		ntity (MT/Ar	nnum)	
	no.	of Hazardous waste	generation	Schedule as per HW Rules.	Existing	Proposed	Total	Disposal Method
	1	Used Oil	Maintenance	5.1	1.0 Kl/Year	2.0 Kl/Year	3.0 Kl/Year	Sent To GPCB Approved Recycler For Suitable Treatment
	2	Discarded Containers/ Barrels/Liner s/ Carboys/ Bags/ Plastic waste	Raw Material / Production	33.1	10 Tons /Year	15 Tons/Year	25 Tons/Year	Sent Back to Suppli To GPCB approved Recycler
	3	Chemical Sludge from ETP	ЕТР	35.3	25.0 Tons/Ye ar	50.0 Tons/Year	75.0 Tons/Year	Sent To TSDF Site for Suitable Treatment.
	4	Process Waste (Oligomer)	Process	24.1	Nil	300.0 Tons/Year	300.0 Tons/Year	Sent To TSDF Site for Suitable Treatment / Sale to Co-Processing Unit
	5	Fly Ash from Boiler	Boiler		Nil	24000 Tons/Year	24000 Tons/Year	Sent To authorized Brick Manufacturer
43.	permauthor the H (Man Trans	orized end-use issions from the orities under the lazardous and lazardous and lazardous agement sboundary is 2016	ne concerned ne Rule 9 of	Noted				
44.	The perm	unit shall obtaission from F site and CHW	the nearby			e Complied attached as A		ed Expansion, E-IX.
45.	transp waste the p Vehice	cs/Tankers cortation of e shall be in accorovisions under the Act, 1988 there under.	er the Motor	Complied	& Will be	e Complied	for Propose	ed Expansion
46.	shall	design of the T be such that ge during trans	there is no	Complied	& Will be	e Complied	for Propose	ed Expansion
47.	All po	ossible efforts Co-Processin		Complied	& Will be	e Complied	for Propose	ed Expansion

	Hazardous waste prior to disposal into TSDF/CHWIF.	
48.	Management of fly ash (if any) shall be as per the Fly ash Notification 200g & its amendment time to lime and it shall be ensured that there is	Complied & Will be Complied for Proposed Expansion
	100% utilization of fly ash to be generated from the unit.	
A. 5 S	SAFETY	
49.	The occupier/manager shall strictly comply the provisions under the Factories Act 1948 and the Gujarat Factories Rules 1963.	Complied & Will be Complied for Proposed Expansion
50.	Project specific process Safety Management System shall be developed as per the prevailing norms and it shall be implemented in letter and spirit.	Complied & Will be Complied for Proposed Expansion
51.	Unit shall adopt automization system along with high safety measures for polymerization process.	Complied & Will be Complied for Proposed Expansion
52.	The project authorities shall strictly comply with the provisions made in Manufacture. Storage and import of Hazardous Chemicals Rules (MSIHC) 1989, as amended time to time and the Public Liability insurance Act for handling of hazardous chemicals etc. Necessary approvals from the Chief Controller of Explosives and concerned Govt. Authorities shall be obtained before commissioning of the project. Requisite On-site and Off-site Disaster Management Plans have to be prepared and implemented.	Complied & Will be Complied for Proposed Expansion
53.	First Aid Box shall be made readily available in adequate quantity at all the times.	Complied & Will be Complied for Proposed Expansion
54.	Main entry and exit shall be separate and clearly marked in the facility.	Complied & Will be Complied for Proposed Expansion

	T	
	Sufficient peripheral open	Complied & Will be Complied for Proposed Expansion
55.	passage shall be kept in the margin area for free movement	
33.	of lire tender/ emergency vehicle	
	around the premises.	
	Storage of flammable chemicals	Complied & Will be Complied for Proposed Expansion
56.	shall be sufficiently away from	r r r r r r r r r r r r r r r r r r r
	the production area	
	Sufficient number of fire	Complied & Will be Complied for Proposed Expansion
57.	extinguishers shall be provided	
	near the plant and storage area.	
	All necessary precautionary	Complied & Will be Complied for Proposed Expansion
	measures shall be taken to avoid	
58.	any kind of accident during	
	storage and handling of toxic /	
	hazardous chemicals.	NYA NY
	All the toxic/hazardous chemicals shall be stored in	NA, No any toxic material is handled
	optimum quantity and all	
59.	necessary permissions in this	
39.	regard shall be obtained before	
	commencing the expansion	
	acclivities.	
	The project management shall	Complied & Will be Complied for Proposed Expansion
	ensure to comply with all the	r r r r r r r r r r r r r r r r r r r
	environment protection	
60.	measures, risk mitigation	
	measures and safeguards	
	mentioned in the Risk	
	Assessment report.	
	Flame proof electrical fittings	Complied & Will be Complied for Proposed Expansion
61.	shall be provided in flame proof	
	zones or wherever applicable in	
	Plant premises	
	Storage of hazardous chemicals	Complied & Will be Complied for Proposed Expansion
	shall be minimized and it shall be in multiple small capacity	
62.	tanks / containers instead of one	
	single large capacity tank /	
	containers.	
	All the storage tanks shall be	Complied & Will be Complied for Proposed Expansion
	fitted with appropriate controls	Complica at 11 in oc Complica for Frontier Lapatibion
60	to avoid any leakages.	
63.	Bund/dyke walls shall be	
	provided for storage tanks for	
	Hazardous Chemicals.	

64.	Handling and charging of the chemicals shall be done in closed manner by pumping or by vacuum transfer so that minimal human exposure occurs	Compli	ed & Will be Complied for Pro	posed Expa	nsion
65.	Tie up shall be done with nearby health care unit / doctor for seeking immediate medical attention in the case of emergency.	Compli	Complied & Will be Complied for Proposed Expansion		
	Personal Protective Equipments (PPEs) shall be provided to workers and its usage shall be ensured and supervised	Suitable All the	ed & Will be Complied for e PPEs have to be provided and PPEs procured are of BIS appraering approaches to the provided and PPEs procured are of BIS appraering is done regular.	application roved produc	enforced.
		S.No	PPEs	UOM	QTY.
		1	Self Contained Breathing Apparatus- 10kg	Nos.	10
		2	Full Face masks	Nos.	25
		3	Trolley mounted oxygen cylinders	Nos.	5
		4	Full body chemical protection suits	Nos.	10
66.		5	Chemical splash proof goggles	Nos.	50
		6	Aluminized fire fighting suits	Nos.	10
		7	25mm hose clips with screw clips	Nos.	10
		8	Gum boots full length	Nos.	25
		9	Leather hand gloves	Pair	50
		10	Electrical hand gloves	Pair	5
		11	Non permeable hand gloves	Nos.	25
		12	Safety helmets	Nos.	50
		13	Safety shoes sizes	Pair	60
		14	Pick axles	Nos.	5
		15 16	Shovels Rain coats full size	Nos.	10
		17	Stretchers	Nos.	2
	First Aid Box and required		ed & Will be Complied for Pro	l.	
67.	Antidotes for the chemicals used	Compi	to the secomplete for 110	говен плра	
	in the unit shall be made readily				
	available in adequate quantity.				
	Training shall be imparted to all		ed & Will be Complied for Pro		
68.	the workers on safety and health	,	g imparted to all level employees		
	aspects of chemicals handling	periodical medical examinations for all employees are carried			

		out on regular basis.
69.	Occupational health surveillance of the workers shall be done and its records shall be maintained. Pre-employment and periodical medical examination for all the workers shall be undertaken as per the Factories Act & Rules.	Health check-up of all workers is being done periodically and records are maintained as per Factories Act.
70.	Transportation of hazardous chemicals shall be done as per the provisions of the Motor Vehicle Act & Rules.	Complied & Will be Complied for Proposed Expansion
71.	The company shall implement all preventive and mitigation measures suggested in the Risk Assessment Report.	
72.	Necessary permissions from various statutory authorities like PESO, Factory inspectorate and others shall be obtained prior lo commissioning of the project.	
A. 6.	NOISE	
73.	The overall noise level in and around the plant area shall be kept well within the standards by providing noise control measures including engineering controls like acoustic insulation hoods, silencers, enclosures etc. on all sources of noise generation. The ambient noise level shall confirm to the standards prescribed under The Environment (Protection) Act, 1986 & Rules.	Complied & Will be Complied for Proposed Expansion The overall noise levels in and around the plant area is kept well within the standards by providing noise control measures including acoustic hoods, silencers, enclosures etc. on all sources of noise generation. Ambient noise levels are being monitored periodically. It is mandatory for workers to use PPE's such as ear plugs / ear muffs in high noise area. The ambient noise levels is under the standards prescribed under EPA, 1986 Rules, 1989 viz. 75 dBA (Day Time) and 70 dBA (Night Time). Equipment generating high noise are equipped with acoustic enclosures; regular maintenance, lubrication and vibration pads are assured for such sources. The results are attached as Noise Monitoring Reports in ANNEXURE- X.
A. 7.	CLEANER PRODUCTION AND	
74.	The unit shall undertake the Cleaner Production Assessment study through a reputed institute / organization and shall form a CP team in the company. The recommendations thereof along with the compliance shall be furnished to the GPCB.	Complied & Will be Complied for Proposed Expansion

	The company shall undertake	Complied & Will be Complied for Proposed Expansion
75.	various waste minimization	Complied & will be Complied for Froposed Expansion
75.	measures such as	
	Metering and control of	
76.	quantities of active ingredients lo	
70.	minimize waste.	
	Reuse of by-products from the	Automatic filling / transfer system is being provided to
	process as raw materials or as	minimize the spillage i.e. Chain conveyor system provided at
77.	raw materials substitutes	PTA handling area and then stored in Silo and transferred to
	Taw materials substitutes	schenck system to paste tank for plant.
	Use of automated and close	Reuse of byproducts / used oil / drums is being sent to
78.		
	filling to minimize spillages.	authorized recyclers
79.	Use of close feed system into batch reactors.	Complied & Will be Complied for Proposed Expansion
80.	Venting equipment through	
	vapor recovery system.	
81.	use of high pressure hoses for cleaning to reduce wastewater	
01.	generation	
	Recycling of washes to	
82.	subsequent batches.	
83.	Recycling of steam condensate	
03.	Sweeping / mopping of floor	
84.	instead of floor washing lo avoid	
04.	effluent generation	
	Regular preventive maintenance	
85.	for avoiding leakage, spillage etc'	
A. 8 (GREENBELT AND OTHER PLA	NTATION
11.0	The unit shall develop green belt	We ensure that proposed expansion is carried on land area of
	within premises as per the CPCB	9000 m2. And Approx. 33% of it is greenbelt.
	guidelines However, if the	ground and approximately of the signature.
	adequate land is not available	
	within the premises, the unit	
	shall take up adequate plantation	
86.	on road sides and suitable open	
	areas in GIDC estate or any other	
	open areas in consultation with	
	the GIDC / GPCB and submit an	
	action plan of plantation for next	
	three years to the GPCB.	
	Drip irrigation / low-volume,	Complied & Will be Complied for Proposed Expansion
87.	low-angle sprinkler system shall	, r
	be used for the green belt	
	development within the	
	premises.	
	•	

B. O'	THER CONDITIONS	
88.	In case of use of spray dryer, the unit shall provide the adequate & efficient APCMs with spray dryer so that there should not be any adverse impact on human health & environment. Unit shall carry out third party monitoring of the proposed Spray dryer & it's APCM through the credible institutes and study report for impacts on Environment and Human Health shall be submitted to GPCB every year along with hall yearly compliance report	Complied & Will be Complied for Proposed Expansion The gaseous emissions (NOx, SO2 & SPM) and Particulate matter along with RSPM levels & stack monitoring for SO2, NOx & SPM from various units are monitored at regular interval for ensuring the compliance. Stack monitoring is being carried out periodically through third party NABL Approved. Stack Monitoring Report are attached as ANNEXURE-VI.
89.	The project proponent shall allocate the separate fund for Corporate Environment Responsibility (CER) in accordance to the MoEFCC's Office Memorandum No. F.No.22-652017-IA.lll dated 01/05/2018 to carry out the activities under CER in affected area around the project. The entire activities proposed under CER shall be monitored and the monitoring report shall be submitted to the regional office of MoEFCC as a part of hall-yearly compliance report and to district collector The monitoring report shall be posted on the website of the project proponent.	Complied & Will be Complied for Proposed Expansion For community welfare measures and CSR activity adequate funds allotted. The amount is utilized for various communities, welfare and eco development projects within and surrounding areas of project site.
90.	All the recommendations, mitigation measures, environmental protection measures and Safeguards proposed in the EIA report of the project prepared by M/s. Envision Enviro Technologies Pvt. Ltd., Surat was submitted by project proponent vide letter no. NIL dated 03/07/2018 and commitments made during	Noted

	1.6 0040	
	presentation before SEAC and	
	proposed in the EIA report shall	
	be strictly adhered to in letter	
	and spirit.	
	Rain water harvesting of surface	Complied.
	as well as rooftop runoff shall be	To conserve ground water as well as reduced consumption of
	undertaken and the same water	water, rain water recharging is carried out to recharge ground
	shall be used for the various	water before its get evaporated. 3 Nos. of percolating recharge
0.1	activities of the project to	pits are provided for rain water recharging.
91.	conserve fresh water as well as	
	lo recharge ground water. Before	
	recharging the surface run off,	
	pretreatment must be done to	
	remove suspended matte	
	The unit shall join and	Noted
	participate financially and	
	technically for any common	
	environmental facility /	
	infrastructure as and when the	
92.	same is taken up either by the	
	industrial Association or GIDC	
	or GPCB or any such authority	
	created for this purpose by the	
	Govt. / GIDC.	
	Application of solar energy shall	Will be Complied for Proposed Expansion
	be incorporated for illumination	will be complicator Troposca Expansion
	of common areas, lighting for	
93.	gardens and street lighting, in	
93.	addition the provision for solar	
	water heating system shall also	
	be provided.	
	i	We encure that area germanized as green area shall be used
	The area earmarked as green area shall be used only for	We ensure that area earmarked as green area shall be used
94.		only for plantation and shall not be altered for any other
	plantation and shall not be altered for any other purpose	purpose
	, , ,	Noted
	All the commitments /	Noted
	undertakings given to the SEAC	
95.	during the appraisal process for	
	the purpose of environmental	
	protection and management shall	
	be strictly adhered to.	C1'-1
	The project proponent shall also	Complied
0.5	comply with any additional	
96.	condition that may be imposed	
	by the SEAC or the SEIAA or	
	any other competent authority	

	for the purpose for the	
	environmental protection and	
	management.	
	In the event of failure of any	We assure that, at no time the emission level will go beyond
	pollution control system adopted	the stipulated standards and or prescribed limits. In such cases
	by the unit, the unit shall be	/ occurrence we will intimate to board & authority time to
97.	safely closed down and shall not	time. In event of failure of APCM, the unit shall not restarted
	be restarted until the desired	until the control measures are rectified to achieve the
	efficiency of the control	efficiency.
	equipment has been achieved.	-
	The project authorities must	We are strictly agree, complying & will continue to comply
	strictly adhere to the stipulations	with all stipulation made by GPCB as per CC&A No.86533
98.	made by the Gujarat Pollution	Dated:16/06/2017, Valid Till-3/7/2022. And will be Complied
76.	Control Board (GPCB).State	for Proposed Expansion.
	Government and any statutory	
	authority.	
	During material transfer there	Complied & Will be Complied for Proposed Expansion
	shall be no spillages and garland	We are ensuring that during transfer of materials, spillages are
99.	drain shall be constructed to avoid mixing of accidental	avoided. If not avoided drains are constructed to collect the
	avoid mixing of accidental spillages with domestic	spillage and transfer back to the process.
	wastewater or storm water.	
	Pucca flooring / impervious	Complied & Will be Complied for Proposed Expansion
	layer shall be provided in the	Complica a will be complica for 1 toposca Expansion
	work areas, chemical storage	
100.	areas and chemical handling	
	areas to minimize soil	
	contamination.	
	Leakages from the pipes, pumps,	Complied & Will be Complied for Proposed Expansion
101.	shall be minimal and if occurs,	
	shall be arrested promptly	
	No further expansion or	We ensure that no further expansion or modification related to
	modifications in the plant likely	EC in the plant shall be carried out only after prior approval of
100	to cause environmental impacts	Ministry.
102.	shall be carried out without	
	obtaining prior Environment Clearance from the concerned	
	authority.	
	The above conditions will be	Noted
	enforced. inter-alia under the	110004
	provisions of the Water	
103.	(Prevention & Control of	
	Pollution) Act, 1974, Air	
	(Prevention & Control of	
	Pollution) Act, '1981, the	
	Environment (Protection) Act,	

	1986, Hazardous Wastes (Management, Handling and Transboundary Movement) Rules, 2008 and the Public Liability insurance Ad, 1991 along with their amendments and rules.	
104.	The project proponent shall comply all the conditions mentioned in "The Companies (Corporate Social Responsibility Policy) Rules, 2014 and its amendments from time to time in a letter and spirit.	Complied.
105.	The project management shall ensure that unit complies with all the environment protection measures, risk mitigation measures and safeguards recommended in the EMP report and Risk Assessment study report as well as proposed by project proponent.	Complied.
106.	The project authorities shall earmark adequate funds to implement the conditions stipulated by SEIAA as well as GPCB along with the implementation schedule for all the conditions stipulated herein. The funds so provided shall not be diverted for any other purpose.	Complied & Will be Complied for Proposed Expansion For community welfare measures and CSR activity adequate funds allotted. The amount is utilized for various communities, welfare and eco development projects within and surrounding areas of project site.

107.	The applicant shall inform the public that the project has been accorded environmental clearance by the SEIAA and that the copies of the clearance letter are available with the GPCB and may also be seen at the Website of SEIAA/ SEAC/ GPCB. This shall be advertised within seven days from the date of the clearance letter, in at least two local newspapers that are widely circulated in the region, one of which shall be in the Gujarati language and the other in English. A copy each of the same shall be forwarded to the concerned Regional Office of the Ministry.	Noted. We have obtain EC in year 2008 and its amendment obtain at 14 th December 2018, and inform the public that the project has been accorded environmental clearance and advertised in two local newspapers that are widely circulated in the region with vernacular language Guajarati and another in English Paper advertisements are attached as ANNEXURE- XII. 1. Guajarati news paper: 25/12/2018 2. English news paper: 25/12/2018
108.	The project proponent shall also comply with any additional condition that may be imposed by the SEAC or the SEIAA or any other competent authority for the purpose of the environmental protection and management.	Complied.
109.	It shall be mandatory for the project management to submit half-yearly compliance report in respect of the stipulated prior environmental clearance terms and conditions in hard and soft copies to the regulatory authority consumed, on 1st June and 1st December of each calendar year.	Complied.
110.	Concealing factual data or submission of false/fabricated data and failure to comply with any of the conditions mentioned above may result in withdrawal of this clearance and attract action under the provisions of Environment (Protection) Act, 1986.	Noted

111.	The project authorities shall also adhere to the stipulations made by the Gujarat Pollution Control Board	We are strictly agree, complying & will continue to comply with all stipulation made by GPCB as per CC&A No.86533 Dated: 16/06/2017, Valid Till-3/7/2022.
112.	The SEIAA may revoke or suspend the clearance. if implementation of any of the above conditions is not found satisfactory.	Noted
113.	The company in a time bound manner shall implement these conditions. The SEIAA reserves the right to stipulate additional conditions, if the same is found necessary.	Noted
114.	The protect authorities shall inform the GPCB, Regional Office of MoEF and SEIAA about the date of financial closure and final approval of the project by the condemned authorities and the date of start of the project.	Complied & Will be Complied for Proposed Expansion
115.	This environmental clearance is valid for seven years from the date of issue	Noted
116.	Any appeal against this environmental clearance shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.	Noted
117.	Submission of any false or misleading information or data which is material to screening or scoping or appraisal or decision on the application makes this environment clearance cancelled.	Noted

Project Details - Expansion of capacities for Fully Drawn Yarn, Polyester Chips & Captive power plant
By M/s. Shree Durga Syntex Pvt Ltd at block no. 128, 129, 130 & 175, Plot no. E & Z, Village: Jolva,
Taluka: Palsana, Dist: Surat, Gujarat

LIST OF ANNEXURE

ANNEXURES	PARTICULARS
ANNEXURE I	COPY OF LAST VALID CONSENT
ANNEXURE II	PRODUCTION DETAILS FOR LAST SIX MONTHS
ANNEXURE III	ETP, RAW AND TREATED WATER ANALYSIS REPORT AND ETP SLUDGE ANALYSIS REPORT
ANNEXURE IV	FRESH WATER CONSUMPTION AND EFFLUENT GENERATION FOR LAST SIX MONTHS
ANNEXURE V	WATER PERMISSION FROM CGWA FOR GROUND WATER
ANNEXURE VI	STACK MONITORING REPORTS
ANNEXURE VII	ANALYSIS REPORT OF WORKPLACE AIR MONITORING
ANNEXURE VIII	SOLID WASTE GENERATION IN LAST SIX MONTHS
ANNEXURE IX	MEMBERSHIP CERTIFICATE WITH TSDF
ANNEXURE X	NOISE MONITORING REPORT
ANNEXURE XI	CSR ACTIVITY
ANNEXURE XII	PAPER ADVERTISEMENT
ANNEXURE XIII	FUEL CONSUMPTION
ANNEXURE XIV	NOC COPY OF PROPOSED EXPANSION
ANNEXURE V	EC COPY 2009
ANNEXURE VI	EC COPY 2018

F. No. SEIAA/GUJ/EC/5(d) & 1(d)/1346/2018- DATED: 14/12/2018

Period - OCTOBER 2018 -MARCH 2019

Project Details - Expansion of capacities for Fully Drawn Yarn, Polyester Chips & Captive power plant By M/s. Shree Durga Syntex Pvt Ltd at block no. 128, 129, 130 & 175, Plot no. E & Z, Village: Jolva, Taluka: Palsana, Dist: Surat, Gujarat

ANNEXURE-I



GUJARAT POLLUTION CONTROL BOARD

PARYAVARAN BHAVAN

Sector-10-A, Gandhinagar 382 010

Phone: (079) 23222425

(079) 23232152

Fax: (079) 23232156

Fax: (0/9) 23232155 Website: www.gpcb.gov.in

In exercise of the power conferred under section-25 of the Water (Prevention and Control of Pollution) Act-1974, under section-21 of the Air (Prevention and Control of Pollution)-1981 and Authorization under rule 3(c) & 5(5) of the Hazardous Waste (Management and Handling & Trans boundary Movement) Rules'2008 framed under the Environmental (Protection) Act-1986. This Board is empowered to Grant CC&A.

And whereas Board has received consolidated consent application letter no. 120345 dated 10/04/2017 for the Renewal of Consolidated Consent and Authorization (CC & A) of this Board under the provisions / rules of the aforesaid Acts. Consents & Authorization are hereby granted as under:

CONSENTS AND AUTHORISATION:

(Under the provisions /rules of the aforesaid environmental acts)

ro/

M/s. Shree Durga Syntex Pvt. Ltd.

Plot No:- Z & E, Block No:- 128,129,130, & 175,

Vill:- Jolya:- 394305,

Tal:- Palsana, Dist:- Surat.

- Consent Order No. <u>AWH-86533</u> Date of issue: 16/06/2017.
- 2. The consents shall be <u>valid upto 03/07/2022</u> for the use of outlet for the discharge of treated effluent and emission due to operation of industrial plant for manufacturing of the following items/ products:

Sr. No.	Product O	Quantity	
1	Fully Drawn Yarn	300 MT/Day	
2	Grey Cloth	2,50,000 Meters/Day	
3	Polyester Chips O	600 MT/Day	
4	CPP (gas based)	3.25 MW	
. 5	CPP O	9 MW	

Subject to specific condition:

- Industry shall manage Solid Wastes generated from industrial activities as per Solid Waste Management Rules 2016 (solid waste as defined in Rule-3(46)).
- As per Provisions of Rule 18 of Solid Waste Management Rules-2016 you are directed to make an arrangement in Utilities to replace at least five percent (5%) of your solid fuel requirement by 'refused derived fuel'.
- Industry shall obtain NOC from CGWA as per order of Hon. National Green Tribunal for the withdrawal of ground water.
- At any time, consumption of coal as an Auxiliary fuel shall exceed 15 % of total fuel consumed.

Clean Gujarat Green Gujarat

ISO-9001-2008 & ISO-14001 - 2004 Certified Organisation

F. No. SEIAA/GUJ/EC/5(d) & 1(d)/1346/2018- DATED: 14/12/2018

Period - OCTOBER 2018 -MARCH 2019

Project Details - Expansion of capacities for Fully Drawn Yarn, Polyester Chips & Captive power plant By M/s. Shree Durga Syntex Pvt Ltd at block no. 128, 129, 130 & 175, Plot no. E & Z, Village: Jolva, Taluka: Palsana, Dist: Surat, Gujarat

Industry shall maintain complete record of consumption of agro waste/baggase & Coal and make it available at the time of inspection.

3. CONDITIONS UNDER THE WATER ACT:

- 3.1. Source of Water:- Borewell,
- 3.2. The quantity of the fresh water consumption for industrial purpose shall not exceed 774 KL/Day.
- 3.3. The quantity of the fresh water consumption for domestic purpose shall not exceed 25 KL/Day.
- 3.4. The quantity of the industrial effluent to be generated from the manufacturing process and other ancillary industrial operations shall not exceed 180 KL/Day. (Total Booked Chamber in CETP: 06 Chamber)
- 3.5. The quantity of domestic waste water shall not exceed 22 KL/Day.
- 3.6. Domestic effluent shall be disposed off through septic tank/scak pit system.
- 3.7. The applicant shall operate effluent treatment system efficiently so that effluent from the industrial unit shall conform to the CETP inlet norms mentioned below however the final discharge of treated effluent from CETP shall adhere to the prescribed standards for CETP of M/s. Palsana Enviro Protection Ltd(PEPL).

PARAMETERS	CETP INLET NORMS
PH	6.5 TO 8.5
Temperature	40° C
Colour (pt.co.scale) in units	100 units
Suspended Solids	300 mg/l
Oil and Grease	10 mg/l
Chlorides	600 mg/l
Phenolic Compounds	/\mg/l
Sulphides	2 mg/l
Ammonical Nitrogen	50 mg/l
Total Chromium	2 mg/l
Hexavelent Chromium	0.1 mg/l
BOD (5 days at 20°C)	400 mg/l
COD	1000 mg/l
Total Dissolved Solids	2100 mg/t

- 3.8. The final treated effluent confirming to the above standards shall be fully conveyed into CETP of M/s. Palsana Enviro Protection Ltd(PEPL), through underground drainage system of PEPL & in no case effluent shall be discharged into Environment by any means.
- 3.9. In case of failure of CETP, applicant shall have to treat the trade effluent of their unit fully so as to achieve the quality of the treated effluent from their industrial premises as per the GPCB norms mentioned below:-

PARAMETERS	GPCB NORMS
PH	6.5 TO 8.5
Temperature	40° C
Suspended Solids	100 mg/l
Oil and Grease	10 mg/l
Total Dissolved Solids	2100 mg/1
Phenolic Compounds	l mg/l
Sulphides	2 .0 mg/l
Ammonical Nitrogen	50 mg/l
Total Chromium	2 mg/l

F. No. SEIAA/GUJ/EC/5(d) & 1(d)/1346/2018- DATED: 14/12/2018

Period - OCTOBER 2018 -MARCH 2019

Project Details - Expansion of capacities for Fully Drawn Yarn, Polyester Chips & Captive power plant By M/s. Shree Durga Syntex Pvt Ltd at block no. 128, 129, 130 & 175, Plot no. E & Z, Village: Jolva, Taluka: Palsana, Dist: Surat, Gujarat

0.1 mg/l
30 mg/l
100 mg/l
600 mg/l
1000 mg/l

The applicant shall either stop or curtail its production activities if the effluent is not adequately treated by the CETP of PEPL to conform to the standards specified by G.P.C.B.

- 3.10. The applicant shall be responsible for conveyance of entire treated effluent to the CETP of M/s. PEPL & due care shall be taken to avoid any leakage or spillage of effluent during conveyance of treated effluent through drain.
- 3.11. Unit shall provide flow meters at inlet & outlet of ETP & maintain its record.
- The applicant shall inform renewal/termination of CETP membership well in advance to GPCB.
- 3.13. The applicant shall be required to make storage facilities to store the primary treated effluent for at least 48 hours by providing acid proof brick lined impervious tanks/HDPE tanks.
- 3.14. The applicant shall make fixed arrangement for loading the effluent after primary treatment to the CETP. The unit shall not keep any by-pass line or system or loose or flexible pipe line for discharging effluent into the under ground drainage system of PEPL.
- 3.15. Leachate from the hazardous solid waste, if any shall also be connected into a collection tank through leachate collection facilities and shall be conveyed alongwith industrial effluent to the CETP of PEPI...
- 3.16. Magnetic flow meters shall be installed at the inlet & outlet of effluent collection tanks/ETP to measure the quantity of effluent discharging in to underground drainage system of PEPL.
- 3.17. The ENTIRE quantity of industrial effluent shall have to be conveyed by PEPL. In no circumstances the effluent either treated or untreated shall be discharged any where else.
- 3.18. Disposal system for storm water shall be provided separately. In no circumstances storm water shall be mixed with the industrial effluent.
- 3.19. PEPL member unit have to modify / improve performance of existing Effluent treatment facilities for efficiency & adequacy in order to comply with prescribed in let standards.
- 3.20. The applicant shall keep accurate records of quantity of production of each product, quantity of water consumption, quantity of effluent generated and consumption of electricity on day to day basis and required to submit the complied record of one month to GPCB & PEPL on or before fifth day of the succeeding month.
- 3.21. in case of shut-down of plant for more than three days for any reason, the PEPL unit member shall intimate to PEPL authority & GPCB well in advance for the better operation & management of CETP.
- 3.22. The authorized representative of PEPL may have right of entry at any time for the purpose of inspection and monitoring the effluent collection facilities/ETP (if required) of the applicant.
- 3.23. If the PEPLL authority terminates the membership of the applicant for CETP, the PEPL member unit shall have to close down the manufacturing activities/industrial operation of the process plant immediately until the PEPL membership is resumed.
- 3.24. The applicant shall put up at the entrance a board displaying PEPLL membership number & date of joining of PEPL, the name of unit, particulars of the products/ process and the name of proprietor/partners /directors of the unit and the electricity consumer number as on the record of GSECL.

F. No. SEIAA/GUJ/EC/5(d) & 1(d)/1346/2018- DATED: 14/12/2018

Period - OCTOBER 2018 -MARCH 2019

Project Details - Expansion of capacities for Fully Drawn Yarn, Polyester Chips & Captive power plant By M/s. Shree Durga Syntex Pvt Ltd at block no. 128, 129, 130 & 175, Plot no. E & Z, Village: Jolva, Taluka: Palsana, Dist: Surat, Gujarat

4. CONDITIONS UNDER THE AIR ACT:

4.1. The following shall be used as a fuel in Steam Boiler, CPP Engines, & Thermic Fluid Heater and D.G.Set respectively.

Sr. No.	Utility	Fuel	Quantity	
1	CPP Engines – 3 Nos. Steam Boiler (1 TPH)	The state of the s		
2	Gas Based Thermo pack or Coal Based Thermic Fluid Heater	Natural Gas Or Coal	SCM/Day 22440 SCM/Day Or 80 MT/Day	
3 Thermic Fluid Heater (10,000 U×2) Stand by		LDO/FO	100 m³/Day	
5	Steam Boiler CPP (9 MW) *	Coal or Lignite Biomass (Agro waste/Baggase) & Coal (15 % as Auxiliary fuel)	450 MT/Day cr 500 MT/Day 250 MT/Day & 35 MT/Day	

Note:- *

- At any time, consumption of coal as an Auxiliary fuel shall exceed 15 % of total fuel consumed.
- II. Industry shall maintain complete record of consumption of agro waste/baggase & Coal and make it available at the time of inspection.
- 4.2. The applicant shall install & operate comprehensive adequate air pollution control system in order to achieve prescribed norms.
- 4.3. The flue gas emission through stack attached to Steam Boiler, CPP Engines, & Thermic Fluid Heater shall conform to the following standards:

Stack No.	Stack attached to	Stack height in Meter	Air Pollution Control system	Parameter	Permissible Limit
l to	Natural Gas Based CPP Engines - 3 Nos.	Part of the second		PM SO ₂ NO ₈	150 mg/NM ³ 10 0ppm 5 0ppm
4	Natural Gas Based Steam Boiler (1 TPH)	11	-	PM SO ₂ NO ₈	150 mg/NM ⁵ 190ppm 50ppm
5	Coal Based Thermic Fluid Heater (14000 U)	50	Electrostatic Precipitator	PM SO ₂ NO ₄	150 mg/NM ³ 100 ppm 50 ppm
40°C	Natural Gas Based Thermic Fluid Heater (200 U×2 nos) One Stand by	20		PM SO ₂ NO _x	150 mg/NM ³ 130ppm 50ppm

F. No. SEIAA/GUJ/EC/5(d) & 1(d)/1346/2018- DATED: 14/12/2018

Period - OCTOBER 2018 -MARCH 2019

Project Details - Expansion of capacities for Fully Drawn Yarn, Polyester Chips & Captive power plant
By M/s. Shree Durga Syntex Pvt Ltd at block no. 128, 129, 130 & 175, Plot no. E & Z, Village: Jolva,

Taluka: Palsana, Dist: Surat, Gujarat

7	Natural Gas & LDO/FO Based Thermic Fluid Heater (10000 U) × 2 One Stand by	35	·	PM SO ₂ NO _x	150 mg/NM ³ 100ppm 50ppm
8	Captive Power Plant (9 MW)	80	Electro Statio	PM SO₂ NO₂	150 mg/NM 100 ppm 50 ppm

- 4.4. There shall be no process emission from the manufacturing process as well as any other ancillary process.
- 4.5. Industry shall take adequate measure to control dusting due to storage, transportation & handling of Coal/Lignite & fly ash.
- 1.6. Industry shall comply with Coal handling guideline of the Board.
- 4.7. Industry shall comply with fly ash notification 1999 as amended from time to time.
- 4.8. The concentration of the following parameters in the ambient air within the premises of the industry and a distance of 10meters from the source) other than the stack/vent) shall not exceed the following levels.

PARAMETERS	PERMISSIBLE LIMIT
PM 10	100 Microgram/M3
PM 2,5	60 Microgram/M3
\$02	80 Microgram/M3
NOx	80 Microgram/M3

- 4.9. The applicant shall provide portholes, ladder, platform etc at chimney(s) for monitoring the air emissions and the same shall be open for inspection to/and for use of Board's staff. The chimney(s) vents attached to various sources of emission shall be designed by numbers such as S-1, S-2, etc. and these shall be painted/displayed to fapilitate identification.
- 4.10. The industry shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standards in respect of noise to less than 75dB(A) during day time and 70 dB (A) during night time. Daytime is reckoned in between 6a.m. and 10 p.m. and nighttime is reckoned between 10 p.m. and 6 a.m.
- AUTHORIZATION as per HAZARDOUS AND OTHER WASTE (MANAGEMENT AND TRANSBOUNDARY) RULES, 2016 Form-2 [See rule 6 (2)]

Form for grant of authorization for occupier or operator handling Hazardous waste

- Authorization order No:- AWH-86533 date of Issue: 16/06/2017.
- 6.2 M/s. Shree Durga Systex Pvt. Ltd. is hereby granted an authorization to operate facility for following hazardous wastes on the premises situated at Plot No:- Z & E. Block No:- 128,129,130, & 175, Vills-Jolva:- 394305, Tal:- Palsana, Dist:- Surat.

Sr. No.	Waste	Quantity MT/Year	Schedule-I/ Category	Facility
1	ETP.Waste	25	35.3	Collection, Storage, Transportation and disposal at GPCB authorized TSDF Site.
20,4	Used Oil	2	5.1	Collection. storage. transportation and disposal by selling to Registered re-refiners.

F. No. SEIAA/GUJ/EC/5(d) & 1(d)/1346/2018- DATED: 14/12/2018

Period - OCTOBER 2018 -MARCH 2019

Project Details - Expansion of capacities for Fully Drawn Yarn, Polyester Chips & Captive power plant By M/s. Shree Durga Syntex Pvt Ltd at block no. 128, 129, 130 & 175, Plot no. E & Z, Village: Jolva, Taluka: Palsana, Dist: Surat, Gujarat

-	Jel Spage				
	3	Discarded	5	33.1	Collection, storage
	i	Containers/)]	transportation and
		Barrels/Liners			disposal to authorized
		l	\ '	ì	decontaminator

- 6.3 The authorization shall be valid up to 03/07/2022.
- 6.4 The authorization is subject to the conditions stated below and such other conditions as may be specified in the rules from time to time under the Environment (Protection) Act-1986.
- 6.5 The authorization is granted to operate a facility for collection, storage within factory premises transportation and ultimate disposal of Hazardous wastes as per condition no.6.2 to the industry having valid CCA of this Board.

7. TERMS AND CONDITIONS OF AUTHORISATION

- The applicant shall comply with the provisions of the Environment (Protection) Act-1986 and the rules made there under.
- The authorization or its renewal shall be produced for inspection at the request of an officer authorized by the Gujarat Pollution Control Board.
- 3. The persons authorized shall not rent, lend, sell, and transfer or otherwise transport the hazardous wastes without obtaining prior permission of the Gujarat Pollution Control Board.
- Any unauthorized change in personnel, equipment or working conditions as mentioned in the authorization order by the persons authorized shall constitute a beach of this authorization.
- 5. The person authorized shall implement Emergency Response Procedure (ERP) for which this authorization is being granted considering all site specific possible scenarios such as spillages, leakages, fire etc. and their possible impacts and also carry out mock drill in this regard at regular interval of time;
- 6. The person authorized shall comply with the provisions outlined in the Central Pollution Control Board guidelines on "Implementing Liabilities for Environmental Damages due to Handling and Disposal of Hazardous Wastes and Penalty"
- It is the duty of the authorized person to take prior permission of the Gujarat Pollution Control Board to close down the facility.
- An application for the renewal of an authorization shall be made as laid down in rules 6(2) under Hazardous Waste and Other Waste Rules, 2016.
- The imported hazardous and other wastes shall be fully insured for transit as well as for any accidental occurrence and its clean-up operation.
- The record of consumption and fate of the imported hazardous and other wastes shall be maintained.
- 11. The hazardous and other wastes which gets generated during recycling or reuse or recovery or pre-processing or utilization of imported hazardous or other wastes shall be treated and disposed of as per specific conditions of authorization.
- 12. The importer or exporter shall bear the cost of import or export and mitigation of damages if any.
- 13. Any other conditions for compliance as per the Guidelines issued by the Ministry of Environment, Forest and Climate Change or Central Pollution Control Board from time to time.
- 14. The waste generator shall be totally responsible for (i.e. collection, storage, transportation and ultimate disposal) the wastes generated.
- 15. Records of waste generation, its management and annual return shall be submitted to Gujarat Pollution Control Board in Form-4 by 30th day of June of every year for the preceding period April to March.
- In case of any accident, details of the same shall be submitted on Form-11 to Gujarat Pollution Control Board.
- 17. As per "Public Liability Insurance Act-91" company shall get Insurance Policy, if applicable.
- 18. Empty drums and containers of toxic and hazard material shall be treated as per guideline published for "Management & Handling of discarded containers". Records of the same shall be maintained and forwarded to Gujarat Pollution Control Board regularly.

F. No. SEIAA/GUJ/EC/5(d) & 1(d)/1346/2018- DATED: 14/12/2018

Period - OCTOBER 2018 -MARCH 2019

Project Details - Expansion of capacities for Fully Drawn Yarn, Polyester Chips & Captive power plant By M/s. Shree Durga Syntex Pvt Ltd at block no. 128, 129, 130 & 175, Plot no. E & Z, Village: Jolva, Taluka: Palsana, Dist: Surat, Gujarat

- 19. In case of transport of hazardous wastes to a facility for (i.e. treatment, storage and disposal) existing in a State other than the State where hazardous wastes are generated, the occupier shall obtain 'No Objection Certificate' from the State Pollution Control Board or Committee of the concerned State of Union Territory Administration where the facility exists.
- 20. Unit shall take all concrete measures to show tangible results in waste generation, reduction, avoidance, reuse and recycle. Actions taken in this regard shall be submitted within three months and also along with Form-4.
- Industry shall have to display the relevant information with regards to hazardous waste as indicated in the Hon. Supreme Court's Order in W.P. No.657 of 1995 dated 14th October, 2003.
- 22. Industry shall have to display on-line data outside the main factory gate with regard to quantity and nature of hazardous chemicals being handled in the plant, including wastewater and air emissions and solid hazardous wastes generated within the factory premises.

8. GENERAL CONDITIONS: -

- 8.1. Any change in personnel, equipment or working conditions as mentioned in the consents form/order should immediately be intimated to this Board.
- 8.2. Applicant shall also comply with the general conditions given in annexure 1.
- 8.3. Whenever due to accident or other unforeseen act or ever, such emissions occur or is apprehended to occur in excess of standards laid down such information shall be forthwith reported to Board, concerned Police Station, Office of Directorate of Health Service, Department of Explosives, Inspectorate of Factories and local body.
- 8.4. In case of failure of pollution control equipments, the production process connected to it shall be stopped. Remedial actions/measures shall be implemented immediately to bring entire situation normal.
- 8.5. The Environmental Management Unit/Cell shall be setup to ensure implementation on and monitoring of environmental safeguards and other conditions stipulated by statutory authorities. The Environmental Management Cell/Unit shall directly report to the Chief Executive of the organization and shall work as a focal point for internalizing environmental issues. These cells/units also coordinate the exercise of environmental audit and preparation of environmental statements.
- 8.6. The Environmental audit shall be carried out yearly and the environmental statements pertaining to the previous year shall be submitting to this State Board latest by 30th September every year.
- 8.7. The Board reserves the right to review and/or revoke the consent and/or make variations in the conditions, which the Board deems, fit in accordance with Section 27 of the Act.
- 8.8. In case of change of ownership/management the name and address of the new owners/ partners/directors/proprietor should immediately be intimated to the Board.
- 8.9. Industry shall have to display the relevant information with regard to hazardous waste as indicated in the Hon. Supreme order in w.p. no. 657 of 1995 dated 14th October 2003.

9. SPECIFIC CONDITIONS:

- 9.1. The authorized actual user of hazardous and other wastes shall maintain records of hazardous and other wastes purchased in a passbook issued by the State Pollution Control Board along with the authorization.
- 9.2. Handling over of the hazardous and other wastes to the authorized actual user shall be only after making the entry in the passbook of the actual user.
- 9.3. In case of renewal of authorization, a self-certified compliance report in respect of effluent, emission standards and the conditions specified in the authorization for hazardous and other wastes shall be submitted to SPCB.
- 9.4. The occupier of the facility shall comply Standard operating procedure/guidelines published by MOEP&CC or CPCB or GPCB from time to time.
- 9.5. Unit shall comply provisions of E-Waste Management Rules-2016.

Project Details - Expansion of capacities for Fully Drawn Yarn, Polyester Chips & Captive power plant By M/s. Shree Durga Syntex Pvt Ltd at block no. 128, 129, 130 & 175, Plot no. E & Z, Village: Jolva, Taluka: Palsana, Dist: Surat, Gujarat

- 9.6. The disposal of Hazardous Waste shall be carried out as per the waste Management hierarchy.
- 9.7. The occupiers of facilities shall not store the hazardous and other wastes for a period not exceeding ninety days. Prior permission of the Board shall be obtained for extension of the storage period.
- 9.8. The occupier shall maintain the records of generation, sale, storage, transport, recycling, co processing and disposal of hazardous waste and make available during the inspection.
- 9.9. The transportation of the hazardous waste shall be carried out in GPS mounted dedicated vehicles.

For and on behalf of Gujarat Pollution Control Board

> (Smt U.K. Upadhyay) Environmental Engineer

NO: GPCB/CCA-SRT-955(4)/ID-21289/ Issued to: M/s, Shree Durga Systex Pvt. Ltd. Plot No:- Z & E, Block No:- 128,129,130, & 175, VIII:- Joiva:- 394305,

Tal:-Palsana, Dist:- Surat.

Date:-

Project Details - Expansion of capacities for Fully Drawn Yarn, Polyester Chips & Captive power plant
By M/s. Shree Durga Syntex Pvt Ltd at block no. 128, 129, 130 & 175, Plot no. E & Z, Village: Jolva,
Taluka: Palsana, Dist: Surat, Gujarat

ANNEXURE-II


PRODUCTION DETAILS FOR LAST SIX MONTHS

SN.	PRODUCT			NAME OF T	HE MONTH		
		Oct.	Nov.	Dec.	Jan.	Feb.	Mar.
		2018	2018	2018	2019	2019	2019
1	Polyester Chips	490 T/D	500 T/D	510 T/D	592 T/D	400 T/D	420 T/D
	(MT)						
2	Gray Cloth	163642Mtr/	191791Mtr/	285207Mtr/	217999Mtr/	155941Mtr/	185544Mtr/
	(Mtr/Day)	d	d	d	d	d	d
3	FDY (MT)	130 T/D	137 T/D	130 T/D	152 T/D	144 T/D	142 T/D
4	CPP (9 MW) (Power	5035600	5343000	5508900	5502012	5904648	5802490
	generation)						

Project Details - Expansion of capacities for Fully Drawn Yarn, Polyester Chips & Captive power plant By M/s. Shree Durga Syntex Pvt Ltd at block no. 128, 129, 130 & 175, Plot no. E & Z, Village: Jolva, Taluka: Palsana, Dist: Surat, Gujarat

ANNEXURE-III

ETP- Raw and treated water analysis report and ETP sludge analysis report



Project Details - Expansion of capacities for Fully Drawn Yarn, Polyester Chips & Captive power plant By M/s. Shree Durga Syntex Pvt Ltd at block no. 128, 129, 130 & 175, Plot no. E & Z, Village: Jolva, Taluka: Palsana, Dist: Surat, Gujarat



201 & 301, Union Trade Center (UTC) Nr. Apple Hospital, Udhana Darwaja, Surat - 395 002

M: 97277 51088 T: 0261-2344773, 2344774 e:info@en-vision.co.in e : envision.es@hotmail.com

Because Tomorrow it helps

WASTE WATER ANALYSIS REPORT

[A] NAME & ADDRESS OF CUSTOMER: M/S.SHREE DURGA SYNTEX PVT.LTD

PLOT NO. Z & E. BLOCK NO.128, 129,130 & 175, VILL: JOLVA,

TAL: PALSANA, SURAT-394305.

Issue Date	30/10/2018
Report No.	181030_1718029_04_045

[B] DESCRIPTION OF SAMPLING:

01. Description of Sample: RAW EFFLUENT	09. Date of Sampling: 23.10.2018
02. Location of Sampling Point: ETP PRIMARY	10. Date of Sample Received: 23.10.2018
03. Type of Sampling: GRAB	11. Date of Analysis Start: 24.10.2018
04. Name of Sampling Team: A	12. Date of Analysis Completion: 27.10.2018
05. Sample Quantity: 2.0 LTR	13. Customer's Ref.No:
06. Total no. of Sample: 01	14. Protocol Purpose: EC
07. Packing/Label/Seal: PACKING/LABEL	15.Work Order Number :
08. Sample Inward No: 181023_1718029_04_045	16.Work Order Date :

[C] RESULT OF SAMPLE :

CODE	PARAMETERS	UNIT	LIMIT	RESULT	TEST METHOD
P ₁	pH	pH Unit		7.11	IS:3025, (Part-2) (R.A2012)
Pz	Temperature	°C		30.0	IS 3025 (Part-09) (R.A2006)
P ₃	Colour	Pt. Co.Scale		110	IS 3025 Part-4 (R.A2006)- Pt/Co method
P ₄	Suspended Solids	mg/l	-	114	IS:3025 (Part-17) (R.A2012) (Gravimetric method)
P ₅	Total Dissolved Solids	mg/l		1842	IS:3025 (Part-16) (R.A2012) (Gravimetric method)
01	Chemical Oxygen Demand	mg/l	-	2580	APHA 22 nd Edition-2012, 5200 (Close reflux -Titrimetric method)
O ₂	Biochemical Oxygen Demand for 3 days at 27°C	chemical Oxygen Demand for 3 days at 27°C mg/l 1050		IS 3025 Part-44 (R.A2009)	
O ₃	Oil & Grease	mg/l		8.70	IS 3025 Part-39 (R.A2003)-A (Gravimetric Method)
04	Ammonical Nitrogen (as N)	mg/l		ND	IS:3025 (Part-34) (R.A2009)- C- Distillation/ Titrimetric method)
O ₅	Phenolic Compounds	mg/l	-	0.07	IS 3025 (Part-43) (R.A2009)-A
I4	Sulphides	mg/l		ND	IS 3025 (Part-29) (R.A2014) (Iodometric Method)/ APHA 22 nd Edition-2012, 4500 SO ₄ -2-F
4	Sulphates	mg/l		540	APHA 22 nd Edition-2012 4500 SO ₄ -2-E (Turbidity method)
I ₅	Chloride as CI	mg/l		350	IS:3025 (Part-32) (R.A2014) (Argentometric method)

Remarks: ND: Not Detectable.

En-Vision Environmental Services., (Testing Laboratory), Surat

The results relate only to the items tested.

The test report shall not be reproduced except in full, without written approval of the laboratory.

Fmt No: LAB/FM/05 Revision No: 02 Date: 02.02.17

our. Mr. Vasant Shah (Technical Manager)

Tested By:

End of Report

Pollution Control Consultants & Engineers

Project Details - Expansion of capacities for Fully Drawn Yarn, Polyester Chips & Captive power plant By M/s. Shree Durga Syntex Pvt Ltd at block no. 128, 129, 130 & 175, Plot no. E & Z, Village: Jolva, Taluka: Palsana, Dist: Surat, Gujarat



201 & 301, Union Trade Center (UTC) M: 97277 51088 Nr. Apple Hospital, Udhana Darwaja, Surat - 395 002

T: 0261-2344773, 2344774

e:info@en-vision.co.in e : envision.es@hotmail.com

Because Tomorrow it helps

WASTE WATER ANALYSIS REPORT

[A] NAME & ADDRESS OF CUSTOMER: M/S.SHREE DURGA SYNTEX PVT.LTD

PLOT NO 7 & F. BLOCK NO.128, 129,130 & 175, VILL: JOLVA,

TAL: PALSANA, SURAT-394305.

Issue Date	30/10/2018		
Report No.	181030 1718029 04 046		

[B] DESCRIPTION OF SAMPLING:

09. Date of Sampling: 23.10.2018
10. Date of Sample Received: 23.10.2018
11. Date of Analysis Start: 24.10.2018
12. Date of Analysis Completion: 27.10.2018
13. Customer's Ref.No:
14. Protocol Purpose: EC
15.Work Order Number :
16.Work Order Date :

[C] RESULT OF SAMPLE :

CODE	PARAMETERS	UNIT	LIMIT	RESULT	TEST METHOD
P,	рН	pH Unit	6.5-8.5	7.38	IS:3025, (Part-2) (R.A2012)
P ₂	Temperature	°C	40.0	30.0	IS 3025 (Part-09) (R.A2006)
P ₃	Colour	Pt. Co.Scale	100	85.0	IS 3025 Part-4 (R.A2006)- Pt/Co method
P ₄	Suspended Solids	mg/l	300	92.0	IS:3025 (Part-17) (R.A2012) (Gravimetric method)
P ₅	Total Dissolved Solids	mg/l	2100	1910	IS:3025 (Part-16) (R.A2012) (Gravimetric method)
O ₁	Chemical Oxygen Demand	mg/l	1000	800	APHA 22 nd Edition-2012, 5200 (Close reflux -Titrimetric method)
O ₂	Biochemical Oxygen Demand for 3 days at 27°C	mg/l	400	315	IS 3025 Part-44 (R.A2009)
Ο3	Oil & Grease	mg/l	10.0	2.40	IS 3025 Part-39 (R.A2003)-A (Gravimetric Method)
O ₄	Ammonical Nitrogen (as N)	mg/l	50.0	ND	IS:3025 (Part-34) (R.A2009)- C- Distillation/ Titrimetric method)
O ₅	Phenolic Compounds	mg/I	1.0	0.04	IS 3025 (Part-43) (R.A2009)-A
14	Sulphides	mg/l	2.0	ND	IS 3025 (Part-29) (R.A2014) (Iodometric Method)/ APHA 22 nd Edition-2012, 4500 SO ₄ -2-
14	Sulphates	mg/l	1770	460	APHA 22 nd Edition-2012 4500 SO ₄ -2-E (Turbidity method)
ls	Chloride as Ci	mg/l		230	IS:3025 (Part-32) (R.A2014) (Argentometric method)

Remarks: ND: Not Detectable.

En-Vision Environmental Services., (Testing Laboratory), Surat

Tested By:

The results relate only to the items tested.

The test report shall not be reproduced except in full, without written approval of the laboratory.

Fmt No: LAB/FM/05 Revision No: 02 Date: 02.02.17

new Mr. Vasant Shah (Technical Manager)

End of Report

Pollution Control Consultants & Engineers

Project Details - Expansion of capacities for Fully Drawn Yarn, Polyester Chips & Captive power plant By M/s. Shree Durga Syntex Pvt Ltd at block no. 128, 129, 130 & 175, Plot no. E & Z, Village: Jolva, Taluka: Palsana, Dist: Surat, Gujarat



201 & 301, Union Trade Center (UTC) M: 97277 51088 T: 0261-2344773, 2344774 Nr. Apple Hospital, Udhana Darwaja, Surat - 395 002

e:info@en-vision.co.in

e : envision.es@hotmail.com

SOLID WASTE ANALYSIS REPORT

[A] NAME & ADDRESS OF CUSTOMER: M/S.SHREE DURGA SYNTEX PVT.LTD PLOT NO. Z & E. BLOCK NO.128, 129,130 & 175, VILL: JOLVA, TAL: PALSANA, SURAT-394305.

Issue Date	30/10/2018	
Report No.	181030 1718029 06 047	

[B] DESCRIPTION OF SAMPLING :

01. Sample Inward No : 181023_1718029_06_047	05. Time of Sampling: 3:20 PM
02. Location of Sampler : ETP SLUDGE	06. Date of Sample Received: 23.10.2018
03. Name of Sampling Team: A	07. Date of Analysis Start: 24.10.2018
04. Date of Sampling: 23.10.2018	08. Date of Analysis Completion: 27.10.2018

[C] RESULT OF SAMPLE :

CODE	PARAMETERS	UNIT	RESULT	TEST METHOD
P1	рН	PH Unit	8.42	IS 2720 (Part - 26) - 1987 (Reaffirmed 2007)
P ₂	Total Dissolved Solids (TDS)	gm/kg	13.0	IS:3025 (Part-16): 1984 (Reaff.2006)- Gravimetric method
P ₃	Alkalinity	gm/kg	6.90	15:3025 (Part-23) : 1986 (Reaff.2009) Titrimetric method
P ₄	Moisture	%	13.6	IS 2720(Part - 2) : 1973 (Reaffirmed 2007).
Ps	Phenolic Compounds as C ₆ H ₅ OH	gm/kg	0.17	IS 3025 (Part-43):1992 (Reaff.2009)- A
0,	Chemical Oxygen Demand	gm/kg	4.80	APHA 22 nd Edition-2012 5200 - C (Close reflux –Titrimetric method)
Oz	Biochemical Oxygen Demand for 3 days 27°C	gm/kg	1.50	IS 3025 Part-44-1993 (Reaff.2009

Remarks:

En-Vision Environmental Services., (Testing Laboratory), Surat

The results relate only to the items tested.

The test report shall not be reproduced except in full, without written approval of the laboratory.

Fmt No: LAB/FM/03 Revision No: 02 Date: 02.02.17

1000 Mr. Vasant Shah (Technical Manager)

Tested By:

End of Report

Page 1 of 1



Pollution Control Consultants & Engineers

Project Details - Expansion of capacities for Fully Drawn Yarn, Polyester Chips & Captive power plant By M/s. Shree Durga Syntex Pvt Ltd at block no. 128, 129, 130 & 175, Plot no. E & Z, Village: Jolva, Taluka: Palsana, Dist: Surat, Gujarat

ANNEXURE-IV

FRESH WATER CONSUMPTION AND EFFLUENT GENERATION FOR LAST SIX MONTHS

The Avg. fresh water consumption in last six months is 525.5 KL/Day. Monthly Fresh Water consumption details are given as below;

SN	Month	Qty. F/W (KL/Month)	Qty. F/W (KL/Day)
1	Oct-18	14800	477
2	Nov-18	15660	522
3	Dec-18	15030	485
4	Jan-19	17001	548
5	Feb-19	16933	605
6	Mar-19	16010	516


The Avg. industrial waste water generation in last six months is 165 KL/Day. Monthly waste water generation details are given as below;

SN	Month	Qty (KL/Month)	Qty (KL/Day)
1	Oct-18	5200	168
2	Nov-18	4799	160
3	Dec-18	5110	165
4	Jan-19	4595	148
5	Feb-19	4931	176
6	Mar-19	5300	171


Project Details - Expansion of capacities for Fully Drawn Yarn, Polyester Chips & Captive power plant By M/s. Shree Durga Syntex Pvt Ltd at block no. 128, 129, 130 & 175, Plot no. E & Z, Village: Jolva, Taluka: Palsana, Dist: Surat, Gujarat

ANNEXURE-V

WATER PERMISSION FROM CGWA FOR GROUND WATER




Project Details - Expansion of capacities for Fully Drawn Yarn, Polyester Chips & Captive power plant By M/s. Shree Durga Syntex Pvt Ltd at block no. 128, 129, 130 & 175, Plot no. E & Z, Village: Jolva, Taluka: Palsana, Dist: Surat, Gujarat



Project Details - Expansion of capacities for Fully Drawn Yarn, Polyester Chips & Captive power plant By M/s. Shree Durga Syntex Pvt Ltd at block no. 128, 129, 130 & 175, Plot no. E & Z, Village: Jolva, Taluka: Palsana, Dist: Surat, Gujarat

ANNEXURE-VI

STACK MONITORING REPORTS



Project Details - Expansion of capacities for Fully Drawn Yarn, Polyester Chips & Captive power plant
By M/s. Shree Durga Syntex Pvt Ltd at block no. 128, 129, 130 & 175, Plot no. E & Z, Village: Jolva,
Taluka: Palsana, Dist: Surat, Gujarat



201 & 301, Union Trade Center (UTC) Nr. Apple Hospital, Udhana Darwaja, Surat - 395 002

T: 0261-2344773, 2344774 e:info@en-vision.co.in e:envision.es@hotmail.com

M: 97277 51088

Because Tomorrow it helps

STACK TEST REPORT

[A] NAME & ADDRESS OF CUSTOMER: M/S.SHREE DURGA SYNTEX PVT.LTD

PLOT NO. Z & E, BLOCK NO.128, 129,130 & 175,

VILL: JOLVA, TAL: PALSANA, SURAT-394305.

Issue Date	30/10/2018
Report No.	181030_1718029_02_040

[B] DESCRIPTION OF SAMPLING:

01. Location of Sample : STACK	11. Sampling Platform : YES
02. Sample Inward No: 181023_1718029_02_040	12. Location of Sampling port-Hole: ≈ 19 MTR
03. Lab Representative : M\S. ENES	13. No.of Traveres Point Used: 1.0
04. Name of Sampling Team : A	14. Temperature of Flue gas: 129 °C
05. Name of Sources : THERMICFLUID HEATER	15. Average flue Gas Velocity: 5.43 m/sec
06. Status of Sources: NOT SPECIFIED	16. Date of Sampling: 23.10.2018
07. Capacity of Sources: 14 MILLION KCAL/HR	17. Date of Sample Received: 23.10.2018
08. Fuel Used in Sources : COAL	18. Date of Analysis Start: 24.10.2018
09. Sources Make by : NOT SPECIFIED	19. Date of Analysis Completion: 24.10.2018
10. Provision of APCD : ESP	20. Work order Number :

[C] RESULT OF SAMPLE:

CODE	PARAMETERS	UNIT	LIMIT	RESULTS	TEST METHOD
S ₃	Suspended Particular Matter	mg/Nm ³	150	93.7	IS 11255 (Part-1) (R.A2014)
S ₄	NOx	ppm	50	8.40	IS 11255 (Part-7) (R.A2012)
S ₅	SO ₂	ppm	100	16.7	IS 11255 (Part-2) (R.A2014)

Note: *Particulate Matter at 11% O2

En-Vision Environmental Services., (Testing Laboratory), Surat

Note:

The results relate only to the items tested.

The test report shall not be reproduced except in full, without written approval of the laboratory.

Fmt No: LAB/FM/04 Revision No: 02 Date: 02.02.17

Mr. Vasant Shah (Technical Manager)

Tested By:

End of Report

Page 1 of 1





Pollution Control Consultants & Engineers

Project Details - Expansion of capacities for Fully Drawn Yarn, Polyester Chips & Captive power plant By M/s. Shree Durga Syntex Pvt Ltd at block no. 128, 129, 130 & 175, Plot no. E & Z, Village: Jolva, Taluka: Palsana, Dist: Surat, Gujarat



201 & 301, Union Trade Center (UTC) M: 97277 51088 Nr. Apple Hospital, Udhana Darwaja, Surat - 395 002

Issue Date

Report No.

T: 0261-2344773, 2344774 e:info@en-vision.co.in

30/10/2018

181030_1718029_02_041

: envision.es@hotmail.com

Because Tomorrow it helps

STACK TEST REPORT

[A] NAME & ADDRESS OF CUSTOMER: M/S.SHREE DURGA SYNTEX PVT.LTD PLOT NO. Z & E. BLOCK NO.128, 129,130 & 175,

VILL: JOLVA. TAL: PALSANA, SURAT-394305.

[B] DESCRIPTION OF SAMPLING :

01. Location of Sample: STACK	11. Sampling Platform : YES
02. Sample Inward No: 181023_1718029_02_041	12. Location of Sampling port-Hole: ≈ 7.0 MTR.
03. Lab Representative : M\S. ENES	13. No.of Traveres Point Used: 1.0
04. Name of Sampling Team : A	14. Temperature of Flue gas: 119 °C
05. Name of Sources : STEAM BOILER	15. Average flue Gas Velocity: 5.32 m/sec
06. Status of Sources: NOT SPECIFIED	16. Date of Sampling: 23.10.2018
07. Capacity of Sources: 1.0 TPH	17. Date of Sample Received: 23.10.2018
08. Fuel Used in Sources : NATURAL GAS	18. Date of Analysis Start: 24.10.2018
09. Sources Make by : NOT SPECIFIED	19. Date of Analysis Completion: 24.10.2018
10. Provision of APCD : NA	20. Work order Number :

[C] RESULT OF SAMPLE :

CODE	PARAMETERS	UNIT	LIMIT	RESULTS	TEST METHOD
S ₃	Suspended Particular Matter	mg/Nm ³	150	12.4	IS 11255 (Part-1) (R.A2014)
S ₄	NOx	ppm	50	3.10	IS 11255 (Part-7) (R.A2012)
S ₅	SO ₂	ppm	100	4.70	IS 11255 (Part-2) (R.A2014)

Note: *Particulate Matter at 11% O2

En-Vision Environmental Services., (Testing Laboratory), Surat

Note:

The results relate only to the items tested.

The test report shall not be reproduced except in full, without written approval of the laboratory. Fmt No: LAB/FM/04 Revision No: 02 Date: 02.02.17

ver. Mr. Vasant Shah (Technical Manager)

Tested By:

End of Report

Page 1 of 1



Pollution Control Consultants & Engineers

Project Details - Expansion of capacities for Fully Drawn Yarn, Polyester Chips & Captive power plant By M/s. Shree Durga Syntex Pvt Ltd at block no. 128, 129, 130 & 175, Plot no. E & Z, Village: Jolva, Taluka: Palsana, Dist: Surat, Gujarat



201 & 301, Union Trade Center (UTC) Nr. Apple Hospital, Udhana Darwaja, Surat - 395 002

M: 97277 51088

T: 0261-2344773, 2344774 e : info@en-vision.co.in

e : envision.es@hotmail.com

Because Tomorrow it helps

STACK TEST REPORT

[A] NAME & ADDRESS OF CUSTOMER: M/S.SHREE DURGA SYNTEX PVT.LTD PLOT NO. Z & E, BLOCK NO.128, 129,130 & 175, VILL: JOLVA, TAL: PALSANA, SURAT-394305.

Issue Date	30/10/2018			
Report No.	181030_1718029_02_042			

[B] DESCRIPTION OF SAMPLING:

01. Location of Sample : STACK	11. Sampling Platform : YES
02. Sample Inward No: 181023_1718029_02_042	12. Location of Sampling port-Hole: ≈ 14 MTR.
03. Lab Representative : M\S. ENES	13. No.of Traveres Point Used: 1.0
04. Name of Sampling Team : A	14. Temperature of Flue gas: 116 °C
05. Name of Sources : THERMIC FLUID HEATER	15. Average flue Gas Velocity: 5.27 m/sec
06. Status of Sources: NOT SPECIFIED	16. Date of Sampling: 23.10.2018
07. Capacity of Sources: 200 U NOS. OF 2.0	17. Date of Sample Received: 23.10.2018
08. Fuel Used in Sources: NATURAL GAS	18. Date of Analysis Start: 24.10.2018
09. Sources Make by : NOT SPECIFIED	19. Date of Analysis Completion: 24.10.2018
10. Provision of APCD : NA	20. Work order Number :

[C] RESULT OF SAMPLE:

CODE	PARAMETERS	UNIT	LIMIT	RESULTS	TEST METHOD
S ₃	Suspended Particular Matter	mg/Nm ³	150	10.3	IS 11255 (Part-1) (R.A2014)
S ₄	NO _X	ppm	50	1.40	IS 11255 (Part-7) (R.A2012)
S ₅	SO ₂	ppm	100	2.10	IS 11255 (Part-2) (R.A2014)

Note: "Particulate Matter at 11% O2

En-Vision Environmental Services., (Testing Laboratory), Surat

Tested By:

The results relate only to the items tested.

The test report shall not be reproduced except in full, without written approval of the laboratory. Fmt No: LAB/FM/04 Revision No: 02 Date: 02.02.17

Mr. Vasant Shah (Technical Manager)

End of Report

Page 1 of 1



Pollution Control Consultants & Engineers

Project Details - Expansion of capacities for Fully Drawn Yarn, Polyester Chips & Captive power plant By M/s. Shree Durga Syntex Pvt Ltd at block no. 128, 129, 130 & 175, Plot no. E & Z, Village: Jolva, Taluka: Palsana, Dist: Surat, Gujarat



201 & 301, Union Trade Center (UTC) Nr. Apple Hospital, Udhana Darwaja,

T: 0261-2344773, 2344774 e:info@en-vision.co.in e : envision.es@hotmail.com

M: 97277 51088

Surat - 395 002 STACK TEST REPORT

[A] NAME & ADDRESS OF CUSTOMER: M/S.SHREE DURGA SYNTEX PVT.LTD PLOT NO. Z & E, BLOCK NO.128, 129,130 & 175, VILL: JOLVA

TAL: PALSANA, SURAT-394305.

Issue Date	30/10/2018
Report No.	181030_1718029_02_043

[B] DESCRIPTION OF SAMPLING:

01. Location of Sample : STACK	11. Sampling Platform : YES
02. Sample Inward No: 181023_1718029_02_043	12. Location of Sampling port-Hole: ≈ 14 MTR.
03. Lab Representative : M\S. ENES	13. No.of Traveres Point Used: 1.0
04. Name of Sampling Team : A	14. Temperature of Flue gas: 123 °C
05. Name of Sources : THERMIC FLUID HEATER	15. Average flue Gas Velocity: 5.38 m/sec
06. Status of Sources : NOT SPECIFIED	16. Date of Sampling: 23.10.2018
07. Capacity of Sources: 10000 U NOS. OF 2.0	17. Date of Sample Received: 23.10.2018
08. Fuel Used in Sources : NATURAL GAS	18. Date of Analysis Start: 24.10.2018
09. Sources Make by : NOT SPECIFIED	19. Date of Analysis Completion: 24.10.2018
10. Provision of APCD : NA	20. Work order Number :

[C] RESULT OF SAMPLE :

CODE	PARAMETERS	UNIT	LIMIT	RESULTS	TEST METHOD
S ₃	Suspended Particular Matter	mg/Nm ³	150	12.1	IS 11255 (Part-1) (R.A2014)
S ₄	NOx	ppm	50	1.10	IS 11255 (Part-7) (R.A2012)
S ₅	SO ₂	ppm	100	1.90	IS 11255 (Part-2) (R.A2014)

Note: *Particulate Matter at 11% O2

En-Vision Environmental Services., (Testing Laboratory), Surat

The results relate only to the items tested.

The test report shall not be reproduced except in full, without written approval of the laboratory. Fmt No: LAB/FM/04 Revision No: 02 Date: 02.02.17

v.

Tested By:

Mr. Vasant Shah (Technical Manager)

End of Report

Page 1 of 1



Pollution Control Consultants & Engineers

Project Details - Expansion of capacities for Fully Drawn Yarn, Polyester Chips & Captive power plant
By M/s. Shree Durga Syntex Pvt Ltd at block no. 128, 129, 130 & 175, Plot no. E & Z, Village: Jolva,
Taluka: Palsana, Dist: Surat, Gujarat

ANNEXURE-VII

ANALYSIS REPORT OF WORKPLACE AIR MONITORING



201 & 301, Union Trade Center (UTC) Nr. Apple Hospital, Udhana Darwaja, Surat - 395 002

M: 97277 51088 T: 0261-2344773, 2344774 e: info@en-vision.co.in

e : envision.es@hotmail.com

AMBIENT AIR TEST REPORT

[A] NAME & ADDRESS OF CUSTOMER: M/S.SHREE DURGA SYNTEX PVT.LTD PLOT NO. Z & E, BLOCK NO.128, 129,130 & 175, VILL: JOLVA, TAL: PALSANA, SURAT-394305.

Report No. 181030_1718029_01_036

[B] DESCRIPTION OF SAMPLING:

01. Sample Inward No : 181023_1718029_01_036	05. Duration of Sampling: 8.0 HOURS
02. Location of Sampler : NEAR MAIN GATE	06. Date of Sample Received: 23.10.2018
03. Name of Sampling Team: A	07. Date of Analysis Start: 24.10.2018
04. Date of Sampling: 23.10.2018	08. Date of Analysis Completion: 24.10.2018

[C] RESULT OF SAMPLE :

CODE	E PARAMETERS	UNIT	LIMIT		RESULTS	TEST METHOD
			8.0 Hour	24 Hour		
A ₂	PM ₁₀	µg/m³	100		71.8	IS 5182 (Part-23) 2009 Gravimetric method
A ₃	PM _{2.5}	hg/m ₃	60		39.7	Lab SOP-STP-A ₂ based on CPCE guideline, 2011 & Instrument Manual
A4	NO _x	µg/m³	80		9.70	IS 5182 (Part-6) (R.A2012)
A ₅	SO ₂	µg/m³	80		6.40	IS 5182 (Part-2) (R.A2012)

Remarks :

Tested By:

1. Environmental Condition : Clear Sky.

En-Vision Environmental Services, (Testing Laboratory), Surat

Note:

The results relate only to the items tested.

The test report shall not be reproduced except in full, without written approval of the laboratory.

Fmt No: LAB/FM/07 Revision No: 02 Date: 02.02.17

Mr. Vasant Shah (Technical Manager)

End of Report

Page 1 of 1

Pollution Control Consultants & Engineers

Project Details - Expansion of capacities for Fully Drawn Yarn, Polyester Chips & Captive power plant By M/s. Shree Durga Syntex Pvt Ltd at block no. 128, 129, 130 & 175, Plot no. E & Z, Village: Jolva, Taluka: Palsana, Dist: Surat, Gujarat



201 tt 301, Union Trade Center (UTC) M: 97277 51088
T: 0261-2344773, 2344774 Nr. Apple Hospital, Udhana Darwaja, Surat - 395 002

e:info@en-vision.co.in e: envision.es@hotmail.com

AMBIENT AIR TEST REPORT

[A] NAME & ADDRESS OF CUSTOMER: M/S.SHREE DURGA SYNTEX PVT.LTD PLOT NO. Z & E, BLOCK NO.128, 129,130 & 175, VILL: JOLVA, TAL: PALSANA SURAT-394305.

Issue Date	30/10/2018
Report No.	181030_1718029_01_037

[B] DESCRIPTION OF SAMPLING:

01. Sample Inward No : 181023_1718029_01_037	05. Duration of Sampling: 8.0 HOURS
02. Location of Sampler : NEAR ETP	06. Date of Sample Received: 23.10.2018
03. Name of Sampling Team: A	07. Date of Analysis Start: 24.10.2018
04. Date of Sampling: 23.10.2018	08. Date of Analysis Completion: 24.10.2018

[C] RESULT OF SAMPLE :

CODE	PARAMETERS	UNIT	LIMIT		RESULTS	TEST METHOD
			8.0 Hour	24 Hour	1	
A ₂	PM ₁₀	µg/m³	100		71.3	IS 5182 (Part-23) 2009 Gravimetric method
A ₃	PM _{2.5}	µg/m³	60		37.6	Lab SOP-STP-A ₂ based on CPCB guideline, 2011 & Instrument Manual
A ₄	NO _X	µg/m³	80	-	8.90	IS 5182 (Part-6) (R.A2012)
A ₅	SO ₂	μg/m³	80	- C	6.70	IS 5182 (Part-2) (R.A2012)

Remarks:

Tested By:

1. Environmental Condition : Clear Sky.

En-Vision Environmental Services, (Testing Laboratory), Surat

Note:

The results relate only to the items tested.

The test report shall not be reproduced except in full, without written approval of the laboratory. Fmt No: LAB/FM/07 Revision No: 02 Date: 02.02.17

www Mr. Vasant Shah (Technical Manager)

End of Report

Page 1 of 1

Pollution Control Consultants & Engineers

Project Details - Expansion of capacities for Fully Drawn Yarn, Polyester Chips & Captive power plant
By M/s. Shree Durga Syntex Pvt Ltd at block no. 128, 129, 130 & 175, Plot no. E & Z, Village: Jolva,
Taluka: Palsana, Dist: Surat, Gujarat



201 & 301, Union Trade Center (UTC) Nr. Apple Hospital, Udhana Darwaja, Surat - 395 002

T: 0261-2344773, 2344774 e:info@en-vision.co.in e:envision.es@hotmail.com

M: 97277 51088

AMBIENT AIR TEST REPORT

[A] NAME & ADDRESS OF CUSTOMER: M/S.SHREE DURGA SYNTEX PVT.LTD PLOT NO. Z & E, BLOCK NO.128, 129,130 & 175, VILL: JOLVA, TAL: PALSANA, SURAT-394305.

Issue Date	30/10/2018
Report No.	181030_1718029_01_038

[B] DESCRIPTION OF SAMPLING:

01. Sample Inward No: 181023_1718029_01_038	05. Duration of Sampling: 8.0 HOURS
02. Location of Sampler: ON THE UTILITY OFFICE	06. Date of Sample Received: 23.10.2018
03. Name of Sampling Team: A	07. Date of Analysis Start: 24.10.2018
04. Date of Sampling: 23.10.2018	08. Date of Analysis Completion: 24.10.2018

[C] RESULT OF SAMPLE :

CODE	PARAMETERS	PARAMETERS UNIT LIMIT RESULTS		RESULTS	TEST METHOD	
			8.0 Hour	24 Hour		
A ₂	PM ₁₀	µg/m³	100		74.2	IS 5182 (Part-23) 2009 Gravimetric method
A ₃	PM _{2.5}	μg/m³	60		42.7	Lab SOP-STP-A ₂ based on CPCE guideline, 2011 & Instrument Manual
A4	NOx	μg/m³	80		8.40	IS 5182 (Part-6) (R.A2012)
A ₅	SO ₂	µg/m³	80		6.70	IS 5182 (Part-2) (R.A2012)

Remarks :

Tested By:

1. Environmental Condition: Clear Sky.

En-Vision Environmental Services, (Testing Laboratory), Surat

Note

The results relate only to the items tested.

The test report shall not be reproduced except in full, without written approval of the laboratory.

Fmt No: LAB/FM/07 Revision No: 02 Date: 02.02.17

Mr. Vasant Shah (Technical Manager)

End of Report

Page 1 of 1

Pollution Control Consultants & Engineers

Project Details - Expansion of capacities for Fully Drawn Yarn, Polyester Chips & Captive power plant
By M/s. Shree Durga Syntex Pvt Ltd at block no. 128, 129, 130 & 175, Plot no. E & Z, Village: Jolva,
Taluka: Palsana, Dist: Surat, Gujarat

ANNEXURE-VIII

SOLID WASTE GENERATION IN LAST SIX MONTHS


SR. NO.	SOLID WASTE			NAME OF THI	E MONTH		
	GENERATION	October 2018	November 2018	December 2018	Jan 2019	Feb 2019	March 2019
1.	ETP Sludge (MT)	-	6.500	6.125	5.950	6.025	-

DESCRIPTION	MANIFEST	QUANTITY	NAME OF TSDF	MANIFEST NO.
	DATE			
ETP Sludge	13/11/2018	6.500	Nandesari Enviro	779523
	04/12/2018	6.125	Control Ltd	792013
24.600	07/01/2019	5.950	Baroda	57500
	19/12/2019	6.025		63840

Project Details - Expansion of capacities for Fully Drawn Yarn, Polyester Chips & Captive power plant
By M/s. Shree Durga Syntex Pvt Ltd at block no. 128, 129, 130 & 175, Plot no. E & Z, Village: Jolva,
Taluka: Palsana, Dist: Surat, Gujarat

ANNEXURE-IX

MEMBERSHIP CERTIFICATE WITH TSDF



Project Details - Expansion of capacities for Fully Drawn Yarn, Polyester Chips & Captive power plant By M/s. Shree Durga Syntex Pvt Ltd at block no. 128, 129, 130 & 175, Plot no. E & Z, Village: Jolva, Taluka: Palsana, Dist: Surat, Gujarat

ANNEXURE-X

NOISE MONITORING REPORT



201 & 301, Union Trade Center (UTC) Nr. Apple Hospital, Udhana Darwaja,

Report No.

M: 97277 51088

30/10/2018

181030_1718029_06A_048

T: 0261-2344773, 2344774

e: info@en-vision.co.in e : envision.es@hotmail.com

Because Tomorrow it heiNOISE MEASUREMENT REPORT [A] NAME & ADDRESS OF CUSTOMER: Issue Date

M/S.SHREE DURGA SYNTEX PVT.LTD PLOT NO. Z & E. BLOCK NO. 128, 129, 130 & 175,

VILL: JOLVA, TAL: PALSANA SURAT-394305

[B]	DESCRIPTION	OF S	AMPL	ING	:

01. Sample Inward No: 181023_1718029_06A_048	05. Duration of Sampling: 24.0 HRS.
02. No of Location: 01	06. Date of Sample Received: 24.10.2018
03. Name of Sampling Team: A	07. Date of Analysis Start : 24.10.2018
04. Date of Sampling: 23.10.2018	08. Date of Analysis Completion: 24.10.2018
09. Name of Location : ADMIN	OS. Date of Analysis Completion : 24.10.20

10. Test Method: STP No.: No. Issue No.01 & Date:01.04.2014, (Based on Instruction manual) Using noise level Meter with Data Logger.

[C] RESULT OF SAMPLE :

Code	Unit	Time	Results
N1	db(A)	6:00	60.7
N2	db(A)	7:00	59.2
N3	db(A)	8:00	59.1
N4	db(A)	9:00	58.7
N5	db(A)	10:00	59.4
N6	db(A)	11.00	59.2
N7	db(A)	12:00	59.1
N8	db(A)	13:00	60.7
9	db(A)	14:00	58.4
N10	db(A)	15:00	59.9
N11	db(A)	16:00	60.8
N12	db(A)	17:00	60.7
N13	db(A)	18:00	59.1
N14	db(A)	19:00	59.3
N15	db(A)	20:00	59.7
N16	db(A)	21:00	58.2

Note:

En-Vision Environmental Services, (Testing Laboratory), Surat

Tested By :

The results relate only to the items tested.

The test report shall not be reproduced except in full, without written approval of the laboratory. Fmt No: LAB/FM/08 Revision No: 02 Date: 02.02.17

End of Report

wor Mr. Vasant Shah (Technical Manager)



Pollution Control Consultants & Engineers

Project Details - Expansion of capacities for Fully Drawn Yarn, Polyester Chips & Captive power plant By M/s. Shree Durga Syntex Pvt Ltd at block no. 128, 129, 130 & 175, Plot no. E & Z, Village: Jolva, Taluka: Palsana, Dist: Surat, Gujarat



201 & 301, Union Trade Center (UTC) Nr. Apple Hospital, Udhana Darwaja,

M: 97277 51088

T: 0261-2344773, 2344774 e:info@en-vision.co.in

e : envision.es@hotmail.com

Because Tomorrow it helps NOISE MEASUREMENT REPORT

[A] NAME & ADDRESS OF CUSTOMER: M/S.SHREE DURGA SYNTEX PVT.LTD PLOT NO. Z & E, BLOCK NO.128, 129,130 & 175,

VILL: JOLVA, TAL: PALSANA, SURAT-394305.

Issue Date	30/10/2018
Report No.	181030_1718029_06A_048

[B] DESCRIPTION OF SAMPLING:

05. Duration of Sampling: 24.0 HRS.
06. Date of Sample Received: 24.10.2018
07. Date of Analysis Start: 24.10.2018
08. Date of Analysis Completion: 24.10.2018

10. Test Method: STP No.: No, Issue No.01 & Date:01.04.2014, (Based on Instruction manual) Using noise level Meter with Data Logger.

[C] RESULT OF SAMPLE:

Code	Unit	Time	Results
N17	db(A)	22:00	59.1
N18	db(A)	23:00	59.3
N19	db(A)	00:00	58.4
N20	db(A)	1:00	57.3
N21	db(A)	2:00	57.5
N22	db(A)	3:00	58.1
N23	db(A)	4:00	58.4
N24	db(A)	5:00	58.0

Note:

En-Vision Environmental Services, (Testing Laboratory), Surat

The results relate only to the items tested.

The test report shall not be reproduced except in full, without written approval of the laboratory. Fmt No: LAB/FM/08 Revision No: 02 Date: 02.02.17

Tested By :

Nova Mr. Vasant Shah (Technical Manager)

End of Report



Pollution Control Consultants & Engineers

Project Details - Expansion of capacities for Fully Drawn Yarn, Polyester Chips & Captive power plant By M/s. Shree Durga Syntex Pvt Ltd at block no. 128, 129, 130 & 175, Plot no. E & Z, Village: Jolva, Taluka: Palsana, Dist: Surat, Gujarat



201 & 301, Union Trade Center (UTC) Nr. Apple Hospital, Udhana Darwaja,

M: 97277 51088

T: 0261-2344773, 2344774 e:info@en-vision.co.in e: envision.es@hotmail.com

Because Tomorrow it hel NOISE MEASUREMEN POREPORT

[A] NAME & ADDRESS OF CUSTOMER:

M/S.SHREE DURGA SYNTEX PVT.LTD PLOT NO. Z & E, BLOCK NO.128, 129,130 & 175,

VILL: JOLVA, TAL: PALSANA. SURAT-394305.

Issue Date	30/10/2018
Report No.	181030_1718029_06A_049

[B] DESCRIPTION OF SAMPLING:

te of Sample Received : 25.10.2018
e of Sample Received . 25.10.2010
te of Analysis Start : 25.10.2018
te of Analysis Completion: 25.10.2018

10. Test Method: STP No.: No, Issue No.01 & Date:01.04.2014, (Based on Instruction manual) Using noise level Meter with Data Logger.

[C] RESULT OF SAMPLE :

Code	Unit	Time	Results
N1	db(A)	6:00	74.2
N2	db(A)	7:00	73.7
N3	db(A)	8:00	74.1
N4	db(A)	9:00	74.2
N5	db(A)	10:00	74.2
N6	db(A)	11:00	73.8
N7	db(A)	12:00	73.4
N8	db(A)	13:00	73.9
N9	db(A)	14:00	74.7
N10	db(A)	15:00	74.2
N11	db(A)	16:00	73.4
N12	db(A)	17:00	73.2
N13	db(A)	18:00	73.8
N14	db(A)	19:00	73.7
N15	db(A)	20:00	73.9
N16	db(A)	21:00	74.3

Note:

En-Vision Environmental Services, (Testing Laboratory), Surat

The results relate only to the items tested.

The test report shall not be reproduced except in full, without written approval of the laboratory.

Fmt No: LAB/FM/08 Revision No: 02 Date: 02.02.17

www Mr. Vasant Shah (Technical Manager)

Tested By:

End of Report



Pollution Control Consultants & Engineers

Project Details - Expansion of capacities for Fully Drawn Yarn, Polyester Chips & Captive power plant By M/s. Shree Durga Syntex Pvt Ltd at block no. 128, 129, 130 & 175, Plot no. E & Z, Village: Jolva, Taluka: Palsana, Dist: Surat, Gujarat



201 & 301, Union Trade Center (UTC) Nr. Apple Hospital, Udhana Darwaja, Surat - 395 002

M: 97277 51088 T: 0261-2344773, 2344774

e : info@en-vision.co.in e : envision.es@hotmail.com

Because Tomorrow it helps

NOISE MEASUREMENT REPORT

[A] NAME & ADDRESS OF CUSTOMER: M/S.SHREE DURGA SYNTEX PVT.LTD PLOT NO. Z & E.

BLOCK NO.128, 129,130 & 175, VILL: JOLVA, TAL: PALSANA, SURAT-394305...

Issue Date	30/10/2018	
Report No.	181030_1718029_06A_049	

[B] DESCRIPTION OF SAMPLING:

05. Duration of Sampling: 24.0 HRS.
06. Date of Sample Received: 25.10.2018
07. Date of Analysis Start: 25.10.2018
08. Date of Analysis Completion: 25.10.2018

10. Test Method: STP No.: No. Issue No.01 & Date:01.04.2014, (Based on Instruction manual) Using noise level Meter with Data Logger

[C] RESULT OF SAMPLE :

Code	Unit	Time	Results
N17	db(A)	22:00	74.6
N18	db(A)	23:00	73.9
N19	db(A)	00:00	73.7
N20	db(A)	1:00	74.2
N21	db(A)	2:00	74.8
N22	db(A)	3:00	74.3
N23	db(A)	4:00	74.1
N24	db(A)	5:00	73.9

Note:

En-Vision Environmental Services, (Testing Laboratory), Surat

The results relate only to the items tested.

The test report shall not be reproduced except in full, without written approval of the laboratory.

Fmt No: LAB/FM/08 Revision No: 02 Date: 02.02.17

oner Mr. Vasant Shah (Technical Manager)

Tested By :

End of Report



Pollution Control Consultants & Engineers

COMPLIANCE OF ENVIRONMENTAL CLEARANCE MINISTRY'S LETTER NO.: F. No. SEIAA/GUJ/EC/5(d) & 1(d)/1346/2018- DATED: 14/12/2018

Period - OCTOBER 2018 -MARCH 2019

Project Details - Expansion of capacities for Fully Drawn Yarn, Polyester Chips & Captive power plant By M/s. Shree Durga Syntex Pvt Ltd at block no. 128, 129, 130 & 175, Plot no. E & Z, Village: Jolva, Taluka: Palsana, Dist: Surat, Gujarat



201 & 301, Union Trade Center (UTC) Nr. Apple Hospital, Udhana Darwaja,

M: 97277 51088

T: 0261-2344773, 2344774 : info@en-vision.co.in

e : envision.es@hotmail.com

[A] NAME & ADDRESS OF CUSTOMER:

M/S.SHREE DURGA SYNTEX PVT.LTD PLOT NO. Z & E. BLOCK NO.128, 129,130 & 175, VILL: JOLVA,

TAL: PALSANA, SURAT-394305.

Issue Date	30/10/2018
Report No.	181030 1718029 06A 050

[B] DESCRIPTION OF SAMPLING:

01. Sample Inward No: 181023_1718029_06A_050	05. Duration of Sampling: 24.0 HRS.
02. No of Location: 01	06. Date of Sample Received: 26.10.2018
03. Name of Sampling Team: A	07. Date of Analysis Start : 26.10.2018
04. Date of Sampling: 25.10.2018	08. Date of Analysis Completion: 26.10.2018

09. Name of Location: MAIN GATE

10. Test Method: STP No.: No., Issue No.01 & Date:01.04.2014, (Based on Instruction manual) Using noise level Meter with Data Logger.

[C] RESULT OF SAMPLE :

Code	Unit	Time	Results
N1	db(A)	6:00	69.2
N2	db(A)	7:00	67.1
N3	db(A)	8:00	68.3
N4	db(A)	9:00	67.2
N5	db(A)	10:00	67.9
N6	db(A)	11:00	67.2
N7	db(A)	12:00	68.2
N8	db(A)	13:00	68.1
N9	db(A)	14:00	67.3
N10	db(A)	15:00	68.1
N11	db(A)	16:00	69.7
N12	db(A)	17:00	68.9
N13	db(A)	18:00	68.4
N14	db(A)	19:00	68.9
N15	db(A)	20:00	67.7
N16	db(A)	21:00	65.1

Note:

En-Vision Environmental Services, (Testing Laboratory), Surat

The results relate only to the items tested.

The test report shall not be reproduced except in full, without written approval of the laboratory.

Fmt No: LAB/FM/08 Revision No: 02 Date: 02.02.17

Mr. Vasant Shah (Technical Manager)

ver.

Tested By :

End of Report





Pollution Control Consultants & Engineers

Project Details - Expansion of capacities for Fully Drawn Yarn, Polyester Chips & Captive power plant By M/s. Shree Durga Syntex Pvt Ltd at block no. 128, 129, 130 & 175, Plot no. E & Z, Village: Jolva, Taluka: Palsana, Dist: Surat, Gujarat



201 & 301, Union Trade Center (UTC) Nr. Apple Hospital, Udhana Darwaja,

M: 97277 51088 T: 0261-2344773, 2344774 info@en-vision.co.in

e : envision.es@hotmail.com

Because Tomorrow it helps
NOISE MEASUREMENT REPORT

[A] NAME & ADDRESS OF CUSTOMER: M/S.SHREE DURGA SYNTEX PVT.LTD

PLOT NO. Z & E, BLOCK NO.128, 129,130 & 175, VILL: JOLVA, TAL: PALSANA. SURAT-394305...

Issue Date	30/10/2018
Report No.	181030_1718029_06A_050

[B] DESCRIPTION OF SAMPLING:

01. Sample Inward No: 181023_1718029_06A_050	05. Duration of Sampling: 24.0 HRS.
02. No of Location : 01	06. Date of Sample Received: 26.10.2018
03. Name of Sampling Team: A	07. Date of Analysis Start: 26.10.2018
04. Date of Sampling: 25.10.2018	08. Date of Analysis Completion : 26.10.2018
09. Name of Location : MAIN GATE	

10. Test Method: STP No.: No, Issue No.01 & Date:01.04.2014, (Based on Instruction manual) Using noise level Meter with Data Logger

[C] RESULT OF SAMPLE :

Code	Unit	Time	Results
N17	db(A)	22:00	68.8
N18	db(A)	23:00	68.1
N19	db(A)	00:00	67.4
N20	db(A)	1:00	67.8
N21	db(A)	2:00	67.4
N22	db(A)	3:00	68.6
N23	db(A)	4:00	68.1
N24	db(A)	5:00	67.3

Note:

En-Vision Environmental Services, (Testing Laboratory), Surat

The results relate only to the items tested.

The test report shall not be reproduced except in full, without written approval of the laboratory. Fmt No: LAB/FM/08 Revision No: 02 Date: 02.02.17

ren n. Mr. Vasant Shah (Technical Manager)

Tested By :

End of Report



Pollution Control Consultants & Engineers

Project Details - Expansion of capacities for Fully Drawn Yarn, Polyester Chips & Captive power plant
By M/s. Shree Durga Syntex Pvt Ltd at block no. 128, 129, 130 & 175, Plot no. E & Z, Village: Jolva,
Taluka: Palsana, Dist: Surat, Gujarat



201 & 301, Union Trade Center (UTC) Nr. Apple Hospital, Udhana Darwaja,

M: 97277 51088

T: 0261-2344773, 2344774 e:info@en-vision.co.in e:envision.es@hotmail.com

Because Tomorrow it helNOISE MEASUREMEN 90 REPORT

[A] NAME & ADDRESS OF CUSTOMER: M/S.SHREE DURGA SYNTEX PVT.LTD PLOT NO. Z & E, BLOCK NO.128, 129,130 & 175, VILL: JOLVA, TAL: PALSANA, SURAT-394305.

| Issue Date | 30/10/2018 | Report No. | 181030_1718029_06A_051

[B] DESCRIPTION OF SAMPLING:

01. Sample Inward No: 181023_1718029_06A_051	05. Duration of Sampling: 24.0 HRS.
02. No of Location: 01	06. Date of Sample Received: 27.10.2018
03. Name of Sampling Team: A	07. Date of Analysis Start: 27.10.2018
04. Date of Sampling: 26.10.2018	08. Date of Analysis Completion: 27.10.2018
09 Name of Location : PLANT APEA	

10. Test Method: STP No.: No, Issue No.01 & Date:01.04.2014, (Based on Instruction manual) Using noise level Meter with Data Logger.

[C] RESULT OF SAMPLE:

Code	Unit	Time	Results
N1	db(A)	6:00	69.1
N2	db(A)	7:00	68.2
N3	db(A)	8:00	67.8
N4	db(A)	9:00	67.7
N5	db(A)	10:00	67.4
N6	db(A)	11:00	68.6
N7	db(A)	12:00	68.2
N8	db(A)	13:00	69.6
N9	db(A)	14:00	68.1
N10	db(A)	15:00	67.8
N11	db(A)	16:00	66.7
N12	db(A)	17:00	67.2
N13	db(A)	18:00	68.1
N14	db(A)	19:00	67.3
N15	db(A)	20:00	68.1
N16	db(A)	21:00	67.3

Note:

En-Vision Environmental Services, (Testing Laboratory), Surat

Note:

The results relate only to the items tested.

The test report shall not be reproduced except in full, without written approval of the laboratory.

Fmt No: LAB/FM/08 Revision No: 02 Date: 02.02.17

Mr. Vasant Shah (Technical Manager)

Tested By :



www.en-vision.co.in

Pollution Control Consultants & Engineers

Project Details - Expansion of capacities for Fully Drawn Yarn, Polyester Chips & Captive power plant By M/s. Shree Durga Syntex Pvt Ltd at block no. 128, 129, 130 & 175, Plot no. E & Z, Village: Jolva, Taluka: Palsana, Dist: Surat, Gujarat



201 & 301, Union Trade Center (UTC) Nr. Apple Hospital, Udhana Darwaja,

Issue Date

M: 97277 51088 T: 0261-2344773, 2344774

30/10/2018

e:info@en-vision.co.in e: envision.es@hotmail.com

Because Tomorrow it helps
NOISE MEASUREMENT REPORT

[A] NAME & ADDRESS OF CUSTOMER: M/S.SHREE DURGA SYNTEX PVT.LTD PLOT NO. Z & E.

BLOCK NO.128, 129,130 & 175, VILL: JOLVA, TAL: PALSANA,

SURAT-394305...

Report No.	181030_1718029_06A_051	
------------	------------------------	--

[B] DESCRIPTION OF SAMPLING:

01. Sample Inward No: 181023_1718029_06A_051	05. Duration of Sampling: 24.0 HRS.		
. No of Location: 01 06. Date of Sample Received: 2			
3. Name of Sampling Team: A 07. Date of Analysis Start: 27.1			
04. Date of Sampling : 26.10.2018	26.10.2018 08. Date of Analysis Completion : 27.10.2018		
04. Date of Sampling: 26.10.2018 08. Date of Analysis Completion: 27. 09. Name of Location: PLANT AREA			

10. Test Method: STP No.: No. Issue No.01 & Date:01.04.2014, (Based on Instruction manual) Using noise level Meter with Data Logger.

[C] RESULT OF SAMPLE :

Code	Unit	Time	Results
N17	db(A)	22:00	67.3
N18	db(A)	23:00	68.1
N19	db(A)	00:00	67.8
N20	db(A)	1:00	67.9
N21	db(A)	2:00	67.4
N22	db(A)	3:00	67.6
N23	db(A)	4:00	68.1
N24	db(A)	5:00	67.2

Note:

En-Vision Environmental Services, (Testing Laboratory), Surat

The results relate only to the Items tested.

The test report shall not be reproduced except in full, without written approval of the laboratory. Fmt No: LAB/FM/08 Revision No: 02 Date: 02.02.17

www. Mr. Vasant Shah (Technical Manager)

sted By :

End of Report



Pollution Control Consultants & Engineers

Project Details - Expansion of capacities for Fully Drawn Yarn, Polyester Chips & Captive power plant
By M/s. Shree Durga Syntex Pvt Ltd at block no. 128, 129, 130 & 175, Plot no. E & Z, Village: Jolva,
Taluka: Palsana, Dist: Surat, Gujarat

ANNEXURE- XI

CSR ACTIVITY


CSR activities carried out during Oct 2018 to Mar 2019 are as follows: -

Date	Amount	CSR Amount given to	
28-11-2018	3,61,500.00	GURUKUL B L MOHTA LEARNING INSTITUTE	
28-11-2018	5,00,000.00	SRI GOVIND GO GADA SALA SINTHAL (BELSAR)	
03-12-2018	5,00,000.00	SHREE CHAMUNDA MATA JEEV KALYAN SEVA SANSTHAN	
16-01-2019	11,000.00	SHRIJI JANKINATH GAUSHALA	
16-01-2019	1,01,000.00	MUKUL TRUST	
22-01-2019	50,000.00	VIT UNIVERSITY	
08-02-2019	2,00,000.00	MUKUL TRUST	
18-02-2019	11,000.00	SHRI KRISHNA GOPAL GAU SEVA SAMITI	
30-03-2019	39,53,575.00	VARADJAN SEWA TRUST	
	56,88,075.00		

Project Details - Expansion of capacities for Fully Drawn Yarn, Polyester Chips & Captive power plant
By M/s. Shree Durga Syntex Pvt Ltd at block no. 128, 129, 130 & 175, Plot no. E & Z, Village: Jolva,
Taluka: Palsana, Dist: Surat, Gujarat

ANNEXURE XII

PAPER ADVERTISEMENT



Project Details - Expansion of capacities for Fully Drawn Yarn, Polyester Chips & Captive power plant By M/s. Shree Durga Syntex Pvt Ltd at block no. 128, 129, 130 & 175, Plot no. E & Z, Village: Jolva,

Taluka: Palsana, Dist: Surat, Gujarat



Project Details - Expansion of capacities for Fully Drawn Yarn, Polyester Chips & Captive power plant
By M/s. Shree Durga Syntex Pvt Ltd at block no. 128, 129, 130 & 175, Plot no. E & Z, Village: Jolva,
Taluka: Palsana, Dist: Surat, Gujarat

ANNEXURE XIII

FUEL CONSUMPTION

SN	MONTH	NG	COAL (MT/DAY)	BAGASSE (MT/DAY)
1	Oct-18	22511	15	150
2	Nov-18	169919	15	142
3	Dec-18	129898	14	151
4	Jan-19	25900	16	145
5	Feb-19	955	14	150
6	Mar-19	120	13	162

COMPLIANCE OF ENVIRONMENTAL CLEARANCE MINISTRY'S LETTER NO.: F. No. SEIAA/GUJ/EC/5(d) & 1(d)/1346/2018- DATED: 14/12/2018

Period - OCTOBER 2018 -MARCH 2019

Project Details - Expansion of capacities for Fully Drawn Yarn, Polyester Chips & Captive power plant By M/s. Shree Durga Syntex Pvt Ltd at block no. 128, 129, 130 & 175, Plot no. E & Z, Village: Jolva. Taluka: Palsana, Dist: Surat, Gujarat

ANNEXURE XIV



GUJARAT POLLUTION CONTROL BOARD

PARYAVARAN BHAVAN

Sector-10-A, Gandhinagar 382 010

(079) 23222425 Phone:

(079) 23232152

Fax: (079) 23232156

"Consent to Establish-Amendme Pebsite: www.gpcb.gov.in

(CTE-92897)

BY R.P.A.D.

NO: GPCB/CCA-SRT-995(4)/ID_21289/

M/s. Skree Durga Syntex Pvt. Ltd.

Plot No: - Z & E, Block No: 128,129,130, & 175,

Váll:- Joiva:- 394305,

Tal:- Palsana, Dist:- Surat.

Sub: Consent to Establish (NOC)-Amendment under Section 25 of Water Act 1974 and Section 21 of Air Act 1981

Ref: 1) Your application for CTE-Amendment no. 133903 received Dated. 05-03-2018,

Without prejudice to the powers of this Board under the Water (Prevention and Control of Pollution) Act-1974, the Air Act-1981 and the Environment (Protection) Act-1986 and without reducing your responsibilities under the said Acts in any way, this is to inform you that this Board grants Consent to Establish-Amendment for enhancement of existing production capacity and addition of new products, installation of new Steam Boiler & Thermic fluid beater in existing industrial plant/activities located at Plot No.- Z & E, Block No.- 128,129,130, & 175, Vill: Jolva:-394305, Tal:- Palsana, Dist:- Surat, for the manufacturing of the following items:-

Sr. No.	Product	Quantity as per CCA dated:25/07/2017	Proposed quantity as per CTE- Amendment quantity	Total quantity after CTE- Amendment	
L	Fully Drawn Yarn	300 Tons/Day	200 Tons/Day	500 Tons/Day	
2	Grey Cloth	2,50,000 Meters/Day	0	2,50,000 Meters/Day	
3	Polyester Chips	600 Tons/Day	200 Tons/Day	800 Tons/Day	
4	Power	3.25 MW 9.0 MW (Bagasse/gas hased CPP)	21.0 MW (Coal/Lignite Based CPP)	33.25 MW	
5	Partially Oriented Yarn/Texturised Yarn	3	300 Tons/Day	300 Tons/i Jay	
6	Nylon-6 Chips/Nylon Yarn)	200 Tons/Day	200 Tons/Day	
200		By-Produ	ıct	AND AND THE STATE OF THE STATE	
1	Nylon Polymer Lumps		1.0 tones/day	1.0 tons/day	

SUBJECT TO THE FOLLOWING CONDITIONS: -

The validity of this order will be up to years i.e. 09-05-2023,

Industry shall manage Solid Wastes generated from industrial activities as per Solid Waste Management Rules-2016 (solid waste as defined in Rule-3(46)). 1950

Clean Gujarat Green Gujarat

ISO-9001-2008 & ISO-14001 - 2004 Certified Organisation

F. No. SEIAA/GUJ/EC/5(d) & 1(d)/1346/2018- DATED: 14/12/2018

Period - OCTOBER 2018 -MARCH 2019

Project Details - Expansion of capacities for Fully Drawn Yarn, Polyester Chips & Captive power plant By M/s. Shree Durga Syntex Pvt Ltd at block no. 128, 129, 130 & 175, Plot no. E & Z, Village: Jolva, Taluka: Palsana, Dist: Surat, Gujarat

- As per Provisions of Rule 18 of Solid Waste Management Rules-2016 you are directed to
 make an arrangement in Utilities to replace at least five percent (5%) of your solid fuel
 requirement by 'refused derived fuel'.
- 4. Industry shall obtain NOC from CGWA as per order of Hon. National Green Tribunal for the withdrawal of ground water.
- Unit shall comply with Solid Fuel Guidelines as well as Coal handling guidelines of the Board.
- 6. Industry shall provide dedicated storage facility for fly ash.
- 7. Industry shall comply with fly ash notification 1999 as amended from time to time.

CONDITIONS UNDER WATER ACT 1974:

- 1. Water Source: Borewell.
- The quantity of the fresh water consumption for industrial purpose, after proposed expansion, shall be increased from 774 KL/Day to 1109 KL/Day.
- The quantity of the water consumption for domestic purpose, after proposed expansion, shall be increased from 25 KL/Day to 30 KL/Day.
- The quantity of the industrial effluent to be generated from the manufacturing process and other ancillary industrial operations, after proposed expansion, shall be increased from 180 KL/Day to 549 KL/Day (Total Booked load in CETP; 420 KL/Day)
- Industrial effluent, after necessary treatment shall be reused up to (397 KL/Day) & remaining shall be sent to CETP for further treatment. In no case industrial discharge of CETP shall increase 420 KL/Day.
- Industry shall provide fixed pipeline with flow meter for the reuse of effluent and maintain its records.
- 7. The effluent treatment plant consisting of the following units, as proposed by you, shall be installed.
 - Screen chamber
 - · Oil separation tank
 - Non pollution discarded water storage tank
 - · Water transfer pump capacity
- The quantity of the domestic waste water (Sewage), after proposed expansion, shall be increased from 22 KL/Day to 26 KL/Day.
- Domestic effluent shall be disposed off through septic tank/soak pit system.
- 10. The applicant shall operate effluent treatment system efficiently so that effluent from the industrial unit shall conform to the CETP inlet norms mentioned below however the final discharge of treated effluent from CETP shall adhere to the prescribed standards for CETP of M/s. Palsana Enviro Protecction Ltd(PEPL).

PARAMETERS	CETP INLET NORMS
PH	6.5 TO 8.5
Temperature	40° C
Colour (pt.co.scale) in units	100 units
Suspended Solids	300 mg/l
Oil and Grease	10 mg/l
Phenolic Compounds	1 mg/j
Sulphides	2 mg/l
Ammonical Nitrogen	50 mg/l
Total Chromium	2 mg/l
Hexavelent Chromium	0.1 mg/1
BOD (5 days at 20°C)	400 mg/l
COD	/ 1000 mg/l
	1/1

COMPLIANCE OF ENVIRONMENTAL CLEARANCE MINISTRY'S LETTER NO.: F. No. SEIAA/GUJ/EC/5(d) & 1(d)/1346/2018- DATED: 14/12/2018

Period - OCTOBER 2018 -MARCH 2019

Project Details - Expansion of capacities for Fully Drawn Yarn, Polyester Chips & Captive power plant By M/s. Shree Durga Syntex Pvt Ltd at block no. 128, 129, 130 & 175, Plot no. E & Z, Village: Jolva, Taluka: Palsana, Dist: Surat, Gujarat

Maked Disparing J. C.	all de		2100
Total Dissolved S	onus		2100 mg/l
		 1000000	

11. The final treated effluent confirming to the above standards shall be fully conveyed into CETP of M/s, Palsana Enviro Protecction Ltd(PEPL) through underground drainage system of PEPL & in no case effluent shall be discharged in to Environment by any means.

12 In case of failure of CETP, applicant shall have to treat the trade effluent of their unit fully so as to achieve the quality of the treated effluent from their industrial premises as per the GPCB norms mentioned below:-

PARAMETERS	GPCB NORMS
PH	6.5 TO 8.5
Temperature	40° C
Suspended Solids Oil and Grease	\00 mg/l 10 mg/l
Total Dissolved Solids	2100 mg/l
Phenolic Compounds	1 mg/l
Sulphides	2 .0 mg/l
Ammonical Nitrogen	50 mg/l
Total Chromium	2 mg/l
Hexavelent Chromium	0.1 mg/l
BOD (5 days at 20°C)	30 mg/i
COD	100 mg/l
Chlorides	600 mg/l
Sulphate	1000 mg/l

OR,

The applicant shall either stop or curtail its production activities, if the effluent is not adequately treated by the CETP of PEPL to conform to the standards specified by G P.C.B.

- 13. The applicant shall be responsible for conveyance of entire treated effluent to the CETP of M/s. PEPL & due care shall be taken to avoid any leakage or spillage of effluent during conveyance of treated effluent through drain.
- 14. Unit shall provide flow meters at inlet & outlet of ETP & maintain its record.
- The applicant shall inform renewal/termination of CETP membership well in advance to GPCB.
- 16. The applicant shall be required to make storage facilities od adequate capacity to store the primary treated effluent for at least 48 hours by providing acid proof brick lined impervious tanks/HDPE tanks.
- 17. The applicant shall make fixed arrangement for disposal of the effluent, after primary treatment to the CETP. The unit shall not keep any by-pass line or system or loose or flexible pipe line for discharging effluent into the under ground drainage system of PEPL.
- 18. Leachate from the hazardous solid waste, if any, shall also be connected into a collection tank through leachate collection facilities and shall be conveyed alongwith industrial effluent to the CETP of PEPL.
- 19. Magnetic flow meters shall be installed at the inlet & outlet of effluent collection tanks/ETP to measure the quantity of effluent discharging in to underground drainage system of PEPL.
- 20. The ENTIRE quantity of industrial effluent shall have to be conveyed by PEPL. In no circumstances the effluent either treated or untreated shall be discharged any where else.
- Disposal system for storm water shall be provided separately. In no circumstances storm water shall be mixed with the industrial effluent.
- 22. PEPL member unit have to modify / improve performance of existing Effluent treatment facilities for efficiency & adequacy in order to comply with prescribed in let standards.
- 23. The applicant shall keep accurate records of quantity of production of each product, quantity of water consumption, quantity of effluent generated and consumption of

CR2_

Project Details - Expansion of capacities for Fully Drawn Yarn, Polyester Chips & Captive power plant
By M/s. Shree Durga Syntex Pvt Ltd at block no. 128, 129, 130 & 175, Plot no. E & Z, Village: Jolva,
Taluka: Palsana, Dist: Surat, Gujarat

- electricity on day to day basis and required to submit the complied record of one month to GPCB & PEPL on or before fifth day of the succeeding month.
- 24. In case of shut-down of plant for more than three days for any reason, the PEPL unit member shall intimate to PEPL authority & GPCB well in advance for the better operation & management of CETP.
- 25. The authorized representative of PEPL may have right of entry at any time for the purpose of inspection and monitoring the effluent collection facilities/ETP (if required) of the applicant.
- 26. If the PEPL authority terminates the membership of the applicant for CETP, the PEPL member unit shall have to close down the manufacturing activities/industrial operation of the process plant immediately until the PEPL membership is resumed.
- 27. The applicant shall put up at the entrance a board displaying PEPL membership number & date of joining of PEPL, the name of unit, particulars of the products/ process and the name of proprietor/partners /directors of the unit and the electricity consumer number as on the record of DGVCL.

CONDITIONS UNDER AIR ACT 1981:

28. The following shall be used as fuel in Steam Boiler, CPP Engines, & Thermic Fluid Heater and D.G.Set respectively.

Sr. No.	Fuel	Existing	Proposed	Quantity
1)	Imported Coal	80 Tons/day	450 tons/day	530 tons/day
	Lignite		700 tons/day	700 tons/day
2)	Natural gas	76875		76875
		sq.cm/day		sq.cm/day
3)	LDO	100 m ³ /day		100 m ³ /day
4)	Baggase	250 tons/day		250 tons/day
5)	LDO		-0	57 Lit/hr

- 29. The applicant shall install & operate air pollution control system in order to achieve norms prescribed below.
- 30. The flue gas emission through team Boiler, CPP Engines, & Thermic Fluid Heater and D.G.Set stack shall conform to the following standards:

Stack No.	Stack attached to	Stack height in Meter	Air Pollution Control system	Parameter	Permissible Limit
Existin	g				
1 to 3	Natural Gas Based CPP Engines – 3 Nos.	30 (each)		PM SO ₂ NO _x	150 mg/NM ³ 100ppm 50ppm
4	Natural Gas Based Steam Boiler (1 TPH)	31		PM SO ₂ NO _x	150 mg/NM ³ 100ppm 50ppm
5	Coal Based Thermic Fluid Heater (14000 U)	50	Electrostatic Precipitator	PM SO ₂ NO _x	150 mg/NM ³ 100 ppm 50 ppm
6	Natural Gas Based Thermic Fluid Heater (200 U×2 nos) One Stand by	20		PM SO ₂ NO _x	150 mg/NM ³ 100ppm 50ppm

F. No. SEIAA/GUJ/EC/5(d) & 1(d)/1346/2018- DATED: 14/12/2018

Period - OCTOBER 2018 -MARCH 2019

Project Details - Expansion of capacities for Fully Drawn Yarn, Polyester Chips & Captive power plant
By M/s. Shree Durga Syntex Pvt Ltd at block no. 128, 129, 130 & 175, Plot no. E & Z, Village: Jolva,
Taluka: Palsana, Dist: Surat, Gujarat

7	Natural Gas & LDO/FO Based Thermic Fluid Heater (10000 U) × 2 One Stand by	35		PM SO ₂ NO _x	150 mg/NM ³ 100ppm 50ppm
8	Captive Power Plant (9 MW)	80	Electro Static Precipitator	PM SO ₂ NO _x	150 mg/NM ³ 100 ppm 50 ppm
Prop	oosed				
1	Steam Boiler (70 TPH) for Coal based Power Plant (21 MW)	80	Economizer, Air Pre-heater, ESP	PM SO ₂ NO _x	150 mg/NM ³ 100ppm 50ppm
2	Steam Boiler (23 TPH) for Coal based Power Plant (21 MW)				
3	Thermic Fluid Heater (Coal based) (18 millilon Kcal/hr)	50	ESP	PM SO ₂ NO _x	150 mg/NM ³ 100ppm 50ppm
4	Steam Boiler (2 TPH)			.g	

- 31. There shall be no process emission from the manufacturing process as well as any other ancillary process.
- 32. Industry shall take adequate measure to Control dusting due to storage, transportation & handling of Coal & fly ash.
- 33. Industry shall comply with Coal handling guideline of the Board.
- 34. Industry shall comply with fly ash notification 1999 as amended from time to time.
- 35. Stack monitoring facilities like port hole, platform/ladder etc., shall be provided with stacks/vents chimney in order to facilitate sampling of gases being emitted into the atmosphere.
- 36. The concentration of the following parameters in the ambient air within the premises of the industry and a distance of 10 meters from the sources (other than the stack/vent) shall not exceed the following levels.

PARAMETERS	PERMISSIBLE LIMIT		
PM 10	100 Microgram/M3		
PM 2.5	60 Microgram/M3		
SO ₂	80 Microgram/M3		
NOx	80 Microgram/M3		

37. The industry shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standards in respect of noise to less than 75dB(A) during day time and 70 dB (A) during night time. Daytime is reckoned in between 6a.m. and 10 p.m. and nighttime is reckoned between 10 p.m. and 6 a.m.

CONDITIONS UNDER HAZARDOUS WASTE RULES:

38. Applicant shall have to comply with provisions of Hazardous and other Waste (Management and Trans Boundary Movement) Rules 2016.

Project Details - Expansion of capacities for Fully Drawn Yarn, Polyester Chips & Captive power plant By M/s. Shree Durga Syntex Pvt Ltd at block no. 128, 129, 130 & 175, Plot no. E & Z, Village: Jolva. Taluka: Palsana, Dist: Surat, Gujarat

- 39. The applicant shall obtain membership of common TSDF site for disposal of Hazardous waste as categorized in Hazardous and other Waste (Management and Trans Boundary Movement)
- 40. The applicant shall obtain membership of common Hazardous Waste incinerator for disposal of incinerable waste.
- 41. The applicant shall provide temporary storage facilities for each type of Hazardous Waste as per Hazardous and other Waste (Management and Trans Boundary Movement) Rules 2016.
- 42. The applicant shall obtain registration/authorization for recycling/reprocessing any hazardous waste before procuring material/starting production as per HW Rules 2016.
- 43. The applicant shall obtain authorization for recovery/reuses of any hazardous waste material as per HW Rules 2016.

GENERAL CONDITION:

- 44. Adequate plantation shall be carried out all along the periphery of the industrial premises in such a way that the density of plantation is atleast 1000 trees per acre of land and a green belt of 3 meters width is developed.
- 45. The applicant shall have to submit the returns in prescribed form regarding water consumption and shall have to make payment of water cess to the Board under the Water Cess Act- 1977.
- 46. In case of change of ownership/management the name and address of the new owners /partners/ directors/ proprietor should immediately be intimated to the Board.
- 47. The applicant shall however, not without the prior consent of the Board bring into use any new or altered outlet for the discharge of effluent or gaseous emission or sewage waste from the proposed industrial plant. The applicant is required to make applications to this Board for this purpose in the prescribed forms under the provisions of the Water Act-1974, the Air Act-1981 and the Environment (Protection) Act-1986.
- 48. The applicant also comply with the General conditions as per Annexure I attached herewith (No.1 to 38) (whichever applicable).
- 49. The concentration of Noise in ambient air within the premises of industrial unit shall not

- rage and Import of Hazardo rotection) Act-1986.

 and damage is caused due to their industria at case they are obliged to pay the compensation.

 For and on behalf of GUJARAT POLLUTION CONTROL BOARD

 (Smt U.K. Ur-Environme)

412 Keny

Project Details - Expansion of capacities for Fully Drawn Yarn, Polyester Chips & Captive power plant
By M/s. Shree Durga Syntex Pvt Ltd at block no. 128, 129, 130 & 175, Plot no. E & Z, Village: Jolva,
Taluka: Palsana, Dist: Surat, Gujarat

ANNEXURE XV

F. No. J-11011/98/2009- IA II (I) Government of India Ministry of Environment and Forests (I.A. Division)

> Paryavaran Bhawan CGO Complex, Lodhi Road New Delhi – 110 003

E-mail: plahujarai@yahoo.com Telefax: 011 - 2436 3973 Dated: April 13, 2009

To,

The Director

M/s Shree Durga Syntex Pvt. Ltd

Block no. 129 & 175, plot no. Z & E, Village: Jolva

Taluka: Palsana, Dist: Surat, Gujarat

E-mail: shreedurgasyntex@yahoo.co.in

Subject: Expansion project for Fully drawn Yarn, polyester Chips & Captive power plant at block no. 129 & 175, plot no. Z & E, Village: Jolva, Taluka: Palsana, Dist: Surat, Gujarat by M/s Shree Durga Syntex Pvt. Ltd - reg environmental clearance

Sir.

This has reference to your letter no. Nil Dated 6th February, 2009 along with Form-1 and pre-feasibility report on the above mentioned subject seeking environmental clearance under the Environmental Impact Assessment Notification, 2006.

- The Ministry of Environment and Forests has examined your application. It is noted that M/s Shree Durga Syntex Pvt. Ltd have proposed for expansion of capacities for Fully Drawn Yam, Polyester Chips & Captive power plant at block no. 129 & 175, plot no. Z & E, Village: Jolva, Taluka: Palsana, Dist: Surat, Gujarat. The production capacity of Fully Drawn yarn will increase from 40 MTPD to 300 MTPD and captive power plant will increase from 3.25 MW to 12.25 MW. It is proposed to manufacture 600 MTPD of polyester chips by continuous polymerization. It is proposed to increase production capacity along with backward integration of polyester chips/ liquid polyester to avoid melting process of polyester chips for producing FDY. No eco-sensitive areas are located within 10 km radius of the plant. The proposed expansion will be carried within the existing unit having land area of 9000 m2, of which green belt will be developed in 33% of the total land area. Cost of the project is Rs.150.00 Crores, of which Rs. 30.00 lacs is earmarked for Environmental Protection Measures.
- 3.0 The total water requirement after the expansion will be 799 m3/d, which will be sourced from ground water source. Permission for drawl of 315m3/d of ground water was obtained on 12 10.2007. The waste water generation will be 202 m3/day. The domestic effluent (22m3/d) will be disposed of into septic tank followed by soak pit. Source of industrial wastewater (180 m3/d, will be from floor washing, cooling blow down, DM back wash and process condensate. The wastewater after passing through settling tank will be discharged in to the pipeline of PEPL, leading to PEPL- CETP. Power requirement will be met through the Captive power plant. Fuel requirement will be natural gas (72,000 m3/day) or FO/LDO (100 m3/day) Stack height of 30 m is proposed for existing Gas Engine(3Nos) and 50 m for proposed DG sets (3 nos), 30 m for proposed Gas Engine(3Nos) and 65 m for proposed DG sets (3 nos). Stack height of 11 m is proposed for steam boiler. There will not be any solid waste generation from the process or ETP.

-2-

- 4.0 The Petrochemical based processing units are listed at serial no. 5(e) of schedule of EIA Notification, 2006 and categorized under "A" or "B" category depending upon the location of the plant outside or inside the notified industrial area. In the instant case, the unit is located outside the industrial area hence this is a category "A" project and appraised by the Expert Appraisal committee (I) at centre.
- 5.0 The proposal was considered by the Expert Appraisal Committee (Industry) in its 92ndmeeting held on 18th -20th March, 2009. The EAC (I) recommended the proposal for grant of

Project Details - Expansion of capacities for Fully Drawn Yarn, Polyester Chips & Captive power plant
By M/s. Shree Durga Syntex Pvt Ltd at block no. 128, 129, 130 & 175, Plot no. E & Z, Village: Jolva,

Taluka: Palsana, Dist: Surat, Gujarat

environmental clearance under para 7(ii) of EIA Notification, 2006 exempting the project from preparation of EIA report and public hearing.

6.0 Based on the information submitted by the project authorities, the Ministry of Environment and Forests hereby accords environmental clearance to above project under the provisions of EIA Notification, dated 14th September 2006 subject to the compliance of the following Specific and General Conditions:

A SPECIFIC CONDITIONS:

- The industrial effluent generation shall not enceed 180m3/d. The effluent after treatment in the ETP and conforming to the prescribed standards shall be discharged into the pipeline of PEPL leading to CETP. The domestic effluent (22m3/d) shall be disposed through septic tank/soak pit
- ii. There shall not be any process emissions due to the proposed activity. For dispersion of gaseous emissions from the steam boiler and DG sets, adequate height as per CPCB standards shall be provided. Acoustic enclosures / treatment shall be given to the DG sets to mitigate noise pollution. Measures for control of NOx emissions shall be undertaken.
- iii. The proponent shall upload the status of compliance of the stipulated environmental clearance conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the Regional office of MOEF, the respective Zonal office of CPCB and the State Pollution Control Board. The criteria pollutant levels namely; SPM, RSPM, SO2, NOx (ambient levels as well as stack emissions) or critical sectoral parameters, indicated for the project shall be monitored and displayed at a convenient location near the main gate of the company in the public domain.
- iv. The project authorities shall strictly comply with the rules and guidelines under Manufacture, Storage and Import of Hazardous Chemicals Rules, 1989 as amended in October, 1994 and January, 2000. All Transportation of Hazardous Chemicals shall be as per the MVA, 1989.

-3-

The company shall undertake following. Waste Minimization measures:-

Metering and control of quantities of active ingredients to minimize waste.

Reuse of by-products from the process as raw materials or as raw material substitutes in other processes.

Use of automated filling to minimize spillage.

Use of "Close Feed" system into batch reactors.

Venting equipment (hrough vapour recovery system.

Use of high pressure hoses for equipment clearing to reduce wastewater generation.

- Fugitive emissions in the work zone environment, product, raw materials storage area etc. shall be regularly monitored. The emissions shall conform to the limits imposed by GPCB.
- iii. During transfer of materials, spillages shall be avoided and garland drains be constructed to avoid mixing of accidental spillages with domestic waste and storm drains.
- iv. The adequate financial provisions shall be made in the budget of the project for implementation of the above suggested environmental safeguards. Fund so carmarked shall not be diverted for any other purposes.
- Occupational health surveillance of the workers shall be done on a regular basis and records maintained as per the Factories Act.
- vi. The company shall make the arrangement for protection of possible fire hazards during manufacturing process in material handling.
- vii. Training shall be imparted to all employees on safety and health aspects of chemicals handling. Pre-employment and routine periodical medical examinations for all employees shall be undertaken on

Project Details - Expansion of capacities for Fully Drawn Yarn, Polyester Chips & Captive power plant By M/s. Shree Durga Syntex Pvt Ltd at block no. 128, 129, 130 & 175, Plot no. E & Z, Village: Jolva, Taluka: Palsana, Dist: Surat, Gujarat

regular basis. Training to all employees on handling of chemicals shall be imparted.

viii. Usage of PPEs by all employees/ workers shall be ensured.

ix. Permission to draw ground water shall be undertaken fro the CGWB / State Ground Water Authority) as may be applicable to this case.

x. The company shall undertake rainwater harvesting measures to recharge the ground water as well as reduced consumption of water.

-4-

B. GENERAL CONDITIONS:

 The project authorities shall strictly adhere to the stipulations made by the State Pollution Control Board.

ii. No further expansion or modifications in the plant shall be carried out without prior approval of the Ministry of Environment and Forests. In case of deviations or alterations in the project proposal from those submitted to this Ministry for clearance, a fresh reference shall be made to the Ministry to assess the adequacy of conditions imposed and to add additional environmental protection measures required, if any.

iii. At no time, the emissions shall exceed the prescribed limits. In the event of failure of any pollution control system adopted by the unit, the unit shall be immediately put out of operation and shall not be restarted until the desired efficiency has been achieved.

iv. The gaseous emissions (NOx, SO2 and SPM) and Particulate matter along with RSPM levels from various process units shall conform to the standards prescribed by the concerned authorities from time to time. At no time, the emission levels shall go beyond the stipulated standards. In the event of failure of pollution control system(s) adopted by the unit, the respective unit shall not be restarted until the control measures are rectified to achieve the desired efficiency. Stack monitoring for SO2, NOx and SPM shall be carried.

v. The locations of ambient air quality monitoring stations shall be decided in consultation with the State Pollution Control Board (SPCB) and it shall be ensured that at least one stations is installed in the up wind and downwind direction as well as where maximum ground level concentrations are anticipated.

vi. Dedicated scrubbers and stacks of appropriate height as per the Central Pollution Control Board guidelines shall be provided to control the emissions from various vents. The scrubbed water shall be sent to ETP for further treatment.

vii. The overall noise levels in and around the plant area shall be kept well within the standards by providing noise control measures including acoustic hoods, silencers, enclosures etc. on all sources of noise generation. The ambient noise levels shall conform to the standards prescribed under Environment (Protection) Act, 1986 Rules, 1989 viz. 75 dBA (day time) and 70 dBA (night time).

viii. The project proponent shall also comply with all the environmental protection measures and safeguards proposed in the project report submitted to the Ministry. All the recommendations made in respect of environmental management and risk mitigation measures relating to the project shall be implemented.

-5-

ix. The company will undertake all relevant measures for improving the Socio-economic conditions of the surrounding area. CSR activities will be undertaken by involving local villages and administration.

x. The company shall undertake eco-developmental measures including community welfare measures in the project area for the overall improvement of the environment.

xi. A separate Environmental Management Cell equipped with full fledged laboratory facilities shall be set up to carry out the Environmental Management and Monitoring functions.

xii. The project authorities shall earmark adequate funds to implement the conditions stipulated by the Ministry of Environment and Forests as well as the State Government along with the implementation schedule for all the conditions stipulated herein. The funds so provided shall not be diverted for any other purpose.

xiii. The implementation of the project vis-a-vis environmental action plans shall be monitored by the concerned Regional Office of the Ministry/SPCB / CPCB. A six monthly compliance status report shall be submitted to monitoring agencies and shall be posted on the website of the Company.

COMPLIANCE OF ENVIRONMENTAL CLEARANCE MINISTRY'S LETTER NO.: F. No. SEIAA/GUJ/EC/5(d) & 1(d)/1346/2018- DATED: 14/12/2018

Period - OCTOBER 2018 -MARCH 2019

Project Details - Expansion of capacities for Fully Drawn Yarn, Polyester Chips & Captive power plant
By M/s. Shree Durga Syntex Pvt Ltd at block no. 128, 129, 130 & 175, Plot no. E & Z, Village: Jolva,

Taluka: Palsana, Dist: Surat, Gujarat

xiv. A copy of the clearance letter shall be sent by the proponent to concerned Panchayat, Zila Parisad/Municipal Corporation, Urban local Body and the local NGO, if any, from who suggestions/ representations, if any, were received while processing the proposal.

xv. The project proponent shall also submit six monthly reports on the status of compliance of the stipulated E C conditions including results of monitored data (both in hard copies as well as by e-mail) to the respective Regional Office of MoEF, the respective Zonal Office of CPCB and the State Pollution Control Board.

xvi. The project proponent shall inform the public that the project has been accorded environmental clearance by the Ministry and copies of the clearance letter are available with the SPCD/Committee and may also be seen at Website of the Ministry at http://envfor.nic.in. This shall be advertised within seven days from the date of issue of the clearance letter, at least in two local newspapers that are widely circulated in the region of which one shall be in the vernacular language of the locality concerned and a copy of the same shall be forwarded to the concerned Regional Offfice of the Ministry

xvii The project authorities shall inform the Regional Office as well as the Ministry, the date of financial closure and final approval of the project by the concerned authorities and the date of start of the project.

-6-

- 7.0 The Ministry may revoke or suspend the clearance, if implementation of any of the above conditions is not satisfactory.
- 8.0 The Ministry reserves the right to stipulate additional conditions, if found necessary. The company in a time bound manner will implement these conditions.
- 9.0 Any appeal against this environmental clearance shall be with the National Appellate Authority, if preferred, within a period of 30 days as prescribed under section 11 of the National Environment Appellate Authority Act, 1997.
- 10.0 The above conditions will be enforced, inter-alia under the provisions of the Water (Prevention & Control of Pollution) Act, 1974, Air (Prevention & Control of Water Pollution) Act, 1981, the Environment (Protection) Act, 1986 Hazardous Wastes (Management and Handling) Rules, 2003/2008 and the Public Liability Insurance Act, 1991 along with their amendments and rules.

(Dr PT. Ahnjarai) Director

Copy to:

- The Secretary, Forests & Environment Department, Government of Gujarat, Sachivalaya, 8th Floor, Gandhi Nagar-382 010, Gujarat.
- The Chief Conservator of Forests (Western Zone), Ministry of Environment & Forests, Regional Office, E-5, Arera Colony, Link Road -3, Bhopal -462 016, M.P.
- The Chairman, Central Pollution Control Board Parivesh Bhavan, CBD-cum-Office Complex, East Arjun Nagar, New Delin - 110 052.
- The Chairman, Gujarat State Poliumon Control Board, Paryavaran Bhawan, Sector 10 A, Gandin Nagar-382 043, Gujarat.
- Monitoring Cell, Ministry of Environment and Forests, Paryavaran Bhavan, CGO Complex, New Delhi.
- Guard File/Monitoring File/Record File.

(Dr.P.L. Ahujarai) Director

Project Details - Expansion of capacities for Fully Drawn Yarn, Polyester Chips & Captive power plant By M/s. Shree Durga Syntex Pvt Ltd at block no. 128, 129, 130 & 175, Plot no. E & Z, Village: Jolva. Taluka: Palsana, Dist: Surat, Gujarat

ANNEXURE VI

S. M. SAIYAD, IFS MEMBER SECRETARY SEIAA (GUJARAT)



STATE LEVEL ENVIRONMENT IMPACT ASSESSMENT AUTHORITY GUJARAT

Government of Gujarat

No. SEIAA/GUJ/EC/5(d)&1(d)/1346/2018

ByRPAD 1 4 DEC 2018

Sub: Environment Clearance to M/s. Shree Durga Syntex Pyt Ltd, for setting up expansion of Manmade Fibre manufacturing plant and CPP at Plot No. E & Z. Block No 128, 129, 130 & 175, Vill. Jolwa, Ta.: Palsana, Dist Surat. In Category 5(d)&1(d) of Schedule annexed with EIA Notification dated 14/09/2006.

Ref: Your Proposal No. SIA/GJ/IND2/18454/2017.

Dear Sir.

This has reference to your application along with Form-I dated 14/07/2018 submitted to SEIAA, seeking Environmental Clearance under Environment Impact Assessment Notification, 2006 and additional information / documents submitted vide letter dated 19/09/2018 to the SEAC

The proposal is for Environmental Clearance to M/s. Shree Durga Syntex Pvt Ltd. for setting up expansion of Manmade Fibre manufacturing plant and CPP at Plot No. E & Z, Block No 128, 129, 130 & 175, Vill. Jolwa, Ta.: Palsana, Dist: Surat. It is an existing unit for manufacturing following products, which falls in the category - 5(d)&1(d) of the schedule of the EIA Notification-2006:

Sr.	Name of the	CAS		Quantity	2020 NO	End-use of the products	
no.	Products	no. / Cl no.	Existing	Proposed	Total		
1	Polyester Chips	-	600 Tons/day	200 Tons/day	800 Tons/day	POY/FDY/ Making Fabric	
2	Fully Drawn Yarn (FDY)		300 Tons/day	200 Tons/day	500 Tons/day	Making Fabric	
3	Partially Oriented Yarn (POY)/ Texturised Yarn		2	300 Tons/day	300 Tons/day	Making Fabric	
4	Nylon- 6 Chips/ Nylon Yarn	-		200 Tons/day	200 Tons/day	Making Fabric	
5	Power	-	3.25 MW (Natural Gas Based) 9.0 MW (Biomass (Agro waste/baggase) & Coal (15% as auxiliary fuel) baset/ Caplive power plont)	21.0 MW (Coal/ Lignite Based) Captive power Plent	33.25 MW	Power Generation	
By-Pre	oduct				N		
6	Nylon Polymer Lumps		3 22	1.0 Tons/day	1.0 Tons/day		

The project activity is covered in 5(d)&1(d) and is of 'B' Category. Public hearing was conducted on 22/02/2018.

The SEAC, Gujarat vide their letter dated 22/i1/2018 had recommended to the SEIAA, Gujarat, to grant the Environment Clearance for the above-mentioned project based on its meeting held on 16/10/2018. The proposal was considered by SCIAA, Gujarat in its meeting held on 28/11/2018 at Candhinagar. After careful consideration, the SEIAA hereby accords Environmental Clearance to above project under the provisions of FIA Notification dated 14th September, 2006 subject to the Compliance of the following conditions.

A. CONDITIONS:

A. 1 SPECIFIC CONDITION :

Urjif(shall adopt proper methods for segregation of waste water streams based on characteristics at source and its sound pranagement keeping in view direction under section '8 (1) (h) of the Water (Prevention and Control of Pollution) act, 1974 issued by CPCB regarding compliance of CETP.

Good Vinit shall not exceed waste water discharge quantity into CETP of M/s; PEPL as mentioned in the existing CC&A.

Office: Gujarat Pollution Control Board, "Paryavaran Bhavan" Sector-10 A, Gandhinagar-382010 Phone No.:- (079) 232-32152,232-41514 Fax No.:-(079) 232-22784

E-mail: msscinagi@gmail.com, Website:- www.seian.gujarat.gov.in

Page 1 of 7

COMPLIANCE OF ENVIRONMENTAL CLEARANCE MINISTRY'S LETTER NO.: F. No. SEIAA/GUJ/EC/5(d) & 1(d)/1346/2018- DATED: 14/12/2018

Period - OCTOBER 2018 -MARCH 2019

Project Details - Expansion of capacities for Fully Drawn Yarn, Polyester Chips & Captive power plant By M/s. Shree Durga Syntex Pvt Ltd at block no. 128, 129, 130 & 175, Plot no. E & Z, Village: Jolva, Taluka: Palsana, Dist: Surat, Gujarat

- 3. Unit shall comply the emission standards mentioned in the Notification by MoEF&CC vide no. S.O. 3305 (E) dated 07/12/2015 and amended time to time.
- 4. Unit shall use only imported coal as a fuel for proposed captive power plant and lightle shall be used only in unavoidable circumstance as per undertaking submitted. In such situation, lignite consumption shall not exceed 4900 MT/Month considering 700 MT/Day X 7 days).
- 5. Process Waste (Oligomer) (10 MT/Month) shall be sold out to the authorized actual users only.

A. 2 WATER:

- Total water requirement for the project shall not exceed 4307 KLD. Unit shall reuse 2555 KLD of waste water from RO Permeate and Boiler condensate for Cooling tower and Boiler respectively. Hence, fresh water requirement shall not exceed 1139 KLD and it shall be met through 3-Nos. of existing Bore well. Prior permission from the concerned authority shall be obtained for withdrawal of water.
- 7. No ground water shall be tapped for the project requirements without prior permission from the competent authority.
- Total Industrial wastewater generation after proposed expansion shall not exceed 549 KLD. (180.KL/day existing + 369 KL/day Proposed).
- 9. Unit shall continue to discharge 180 KLD of treated waste water to CETP-PEPL as per the existing CC&A. Ensure that there is no additional discharge to CETP.
- 10. Additional waste water to be generated from the proposed expansion shall not exceed 369 KLD and it shall be treated in proposed ETP followed by RO system (Cap. 400 KLD) & MEE system (Cap. 150 KLD).
- 11. RO permeate (240 KLD) and MEE condensate (127 KLD) shall be reused for cooling tower makeup
- 12. Wastewater generated from washing activity for existing facility (40 KLD) shall be sent to CETP after treatment in existing ETP. Waste water generated from proposed washing activity (79 KLD) will be treated in proposed ETP, MF/UF & 2-stage RO followed by 4-stage MEE and treated water will be reuse in cooling tower make up water.
- 13. Wastewater generated from existing utilities (Boiler 26 KLD & Cooling 114 KLD) shall be treated in existing ETP and treated water send to CETP. Westewater generated from proposed utilities (Boiler - 178 KLD & Cooling - 112 KLD) will be treated in MF/UF & 2-stage RO followed by 4-stage MEE and treated water will be reuse in cooling tower make ជុន្តិ water
- 14. The domestic wastewater generation shall not exceed 26 KLD and it shall be disposed in to the soak pit/septic tank
- 15. Proper togbooks of ETP, water consumption, power consumption, reuse etc. shall be maintained and shall be furnished. to the GPCB from time to time.
- 16. The unit shall provide metering facility at the inlet & outlet of the ETP, RO, MEE system & reuse system and\ரிவ்நுவுந records for the same.
- 17. Proper logbooks of ETP, RO, MEE system, chemical consumption, quantities and qualities of effluent reuse, effluential discharge to CETP, power consumption etc. shall be maintained and shall be furnished to the GPCB from time to time.
- 18. The unit shall join and participate financially and technically for any common environmental facility / infrastructure as and when the same is taken up either by the GIDC or GPCB or any such authority created for this purpose by the Govt. / GIDC.

Unit shall not exceed fuel consumption for Steam Boiler and stand-by DG set as mentioned below:

Exis	ting					
Sr. no.	Source of emission With Capacity	Stack Height (meter)	Type of Fuel	Quantity of Fuel MT/Day	Type of emissions	Air Pollution Control Measures (APCM)
1	Steam boiler	11 m	WHRB		SPM SO₂ NOx	Adequate Stack height
2	Thermic Fluid Heater (Natural Gas Based) (2.0 Lakhs Kcal/Hr.)	20 m (Common)	Natural Gas	22 440 sq.cm/day	SPM SO ₂ NOx	Adequate Stack height
3	Thermic Fluid Heater (Natural Gas Based) (2.0 Lakhs Kcal/Hr.) (Stand by)				SPM SO ₂ NOx	Adequate Stack height
4	Thermic Fluid Heater (Natural Gas Based/LDO) (10 Million Kcal/Hr.)	35.0 m (Common)			SPM SO₂ NOx	Adequate Stack height

Office: Gujarat Pollution Control Board, "Paryavaran Bhavan" Sector-10 A, Gandhinagar-382010

Project Details - Expansion of capacities for Fully Drawn Yarn, Polyester Chips & Captive power plant By M/s. Shree Durga Syntex Pvt Ltd at block no. 128, 129, 130 & 175, Plot no. E & Z, Village: Jolva, Taluka: Palsana, Dist: Surat, Gujarat

5	Thermic Fluid Heater (LDO/NG Based) (10		LOO	100 m3/day	SPM SO₂	Adequate Stack height
	Million Kcal/Hr.) (Stand by)				NOx	
6	Thermic Fluid Heater (Coal based) (14 Million Kcal/Hr.)	50.0 m	Coal	80 MT/Day	SPM SO ₂ NOx	Electrostatic Precipilator
7	Steam boiler (1 TPH)	11 m	Natural Gas	51500 sq.cm/day	SPM SO₂	Adequate Stack height
8	* Natural Gas Based CPP Engines(3.25 MVV)	30 m			NO×	Adequate Stack height
9	Steam Boiler (40 TPH) for Biomass (Agrowaste/baggase) & Coal (15% as auxiliary fuel) based Power Plant (9 MW) #	80.0 m	Bagasse& 15% Coal	250 ton/day & 35 MT/Day	SPM SO ₂ NOx	Economizer, Air Pre- heater, Electrostatic Precipitator

Şr. no.	Source of emission With Capacity	Stack Height (meter)	Type of Fuel	Quantity of Fuel MT/Day	Type of emissions i.e. Air Pollutants	Air Pollution Control Measures (APCM)
2	Steam Boiler (70 TPH) for Coal based Power Plant (21 MW) # Steam Boiler (23 TPH) for Coal based Power Plant (21 MW) #	80.0 m	Imported Coal/Lignite	450 tons/day or 700 tons/day	SPM SO ₇ NOx	Economizer, Air Pre-heater, Electrostatic Precipitator
3	Thermic Fluid Heater (Coal based) (18 Million Kcal/Hr.)	50.0 m			SPM SO: NOx	Electrostatic Precipitator (ESP)
4	Steam boiler (2 TPH)	1				



- 20. Unit shall provide adequate APCM with flue gas generation sources as mentioned above:
- 21. There shall be no process gas emission from existing as well as from the proposed project.
- 22. Sulfur and ash content of the fuel to be used shall be analyzed and its record shall be maintained.
- 23. A long term study of radio activity and heavy metals contents on coal/lignite to be used shall be carried out through a reputed institute and results thereof analyzed regularly and reported along with monitoring reports. Thereafter mechanism for an in-built continuous monitoring for radio activity and heavy motals in coal/lignite and fly ash (including bottom ash) shall be put in place.
- 24. A flue gas stack of 80 m height shall be provided with online monitoring system to proposed Steam Boller. Mercury emissions from stacks shall also be monitored on periodic basis. However, unit shall comply the specific condition no. 13 above regarding height of the Boiler stack.
- 25. High efficiency Electro Static Precipitators (ESP) with officiency not less than 99.9% shall be installed for control of flue gas emission from the proposed Boilers. The ESP shall be operated efficiently to ensure that particulate matter emission does not exceed the GPCB norms. The control system shall be designed and integrated in plant DCS in such a way that if emission from ESP exceeds the specified standard prescribed in the Environment (Protection) Rules, 1986 as amended from time to time, utilization of boiler capacity shall reduce so that flue gas emission from the stack mosts with the specified standards or boiler shall shut down totally.
- 26. Third party monitoring of the functioning of the ESP along with its efficiency shall be carried out once in a year through a reputed institute / organization.
- 27. Lime stone injection technology shall be adopted to control SO2 and it shall be ensured that SO2 levels in the ambient air do not exceed the prescribed standards.
- 28. The company shall prepare schedule and carry out regular preventive maintenance of mochanical and electrical parts of ESPs and assign responsibility of preventive maintenance to the senior officer of the company.
- 29. Mēāšures-shall be taken to reduce the process vapors emissions as far as possible.
- 30. The fugitive emission in the work zone environment shall be monitored. The emission shall conform to the standards prescribed by the concerned authorities from time to time (e.g. Directors of Industrial Safety & Health). Following indicative guidelines shall also be followed to reduce the fugitive emission.
- 31. Internal roads shall be either concreted or asphalted or paved properly to reduce the fugitive emission during vehicular

Project Details - Expansion of capacities for Fully Drawn Yarn, Polyester Chips & Captive power plant By M/s. Shree Durga Syntex Pvt Ltd at block no. 128, 129, 130 & 175, Plot no. E & Z, Village: Jolva, Taluka: Palsana, Dist: Surat, Gujarat

movement.

- 32. Air borne dust shall be controlled with water sprinklers at suitable locations in the plant.
- 33. A green belt shall be developed all around the plant boundary and also along the roads to mitigate fugitive & transport dust emission.
- 34. Regular monitoring of Volatile Organic Compounds (VOCs) shall be carried out in the work zone area and ambient air.
- 35. For control of fugitive emission, VOCs, following steps shall be followed:
- 36. Closed handling and charging system shall be provided for chemicals.
- 37. Pumps shall be provided with mechanical seats to prevent leakages.
- 38. Airborne dust at all transfers operations/ points shall be controlled either by spraying water or providing enclosures.
- 39. Regular monitoring of ground level concentration of PM10, PM2.5, SO2, NOx & VOC shall be carried out in the impact zone and its records shall be maintained. Ambient air quality levels shall not exceed the standards stipulated by the GPCB. If at any stage these levels are found to exceed the prescribed limits, necessary additional control measures shall be taken immediately. The location of the stations and frequency of monitoring shall be decided in consultation with the GPCB.

A. 4 SOLID / HAZARDOUS WASTE:

- 40. The company shall strictly comply with the rules and regulations with regards to handling and disposal of Hazardous waste in accordance with the Hazardous and Other Wastes (Management and Transboundary Movement) Rules 2016, as may be amended from time to time. Authorization of the GPCB shall be obtained for collection / treatment / storage / disposal of hazardous wastes.
- Hazardous wastes shall be dried, packed and stored in separate designated hazardous waste storage facility with puccabottom and leachate collection facility, before its disposal.
- 42. Hazardous / Solid waste management shall be as below:

Sr. no.	Type of Hazardous waste	Source of generation	Category per HW Rules.	Quantity (MT/Annum)			Disposal Method
				Existing	Proposed	Total	
1	Used Oil	Maintenance	5.1	1.0 Kl/Year	2.0 Kl/Year	3.0 KI/Year	Sent To GPCB Approved Recycle For Suitable Treatment
2	Discarded Containers/ Barrels/Liners/ Carboys/ Bags/ Plostic weste	Raw Material / Production	33.1	10 Tons /Year	15 Tons/Year	25 Tons/Year	Sent Back to Supplier/ To GPCB approved Recycler
3	Chemical Sludge from ETP	ETP	3 E.3	25.0 Tons/Year	50.0 Tons/Year	75.0 Tons/Year	Collection, Storage Transportation, Disposal at TSDF site (NECL, Nandesari, Baroda)
4	Process Waste (Oligomer)	Process	24.1	Nil	300.0 Tons/Year	300.0 Tons/Year	Collection, Storage Transportation, Disposal at TSDF site (NECL, Nandesari, Baroda)
5	Fly Ash from Boiler	Boiler	-	Nil	24000 Tons/Year	24000 Tons/Year	Sent To authorized Brick Manufacturer

- 43. Authorized end-users shall have permissions from the concerned authorities under the Rule 9 of the Hazardous and Other Wastes (Management and Transboundary Movement) Rules 201
- 44. The unit shall obtain necessary permission from the nearby TSDF site and CHWIF.
- 45. Trucks/Tankers used for transportation of hazardous waste shall be in accordance with the provisions under the Motor Vehicle Act, 1988, and rules made there under.
- 46. The design of the Trucks/lankers shall be such that there is no spillage during transportation
- 47. All possible efforts shall be made for Co-Processing of the Hazardous waste prior to disposal into TSDF/CHWIF.
- 48. Management of fly ash (If any) shall be as per the Fly ash Notification 2009 & its amendment time to time and it shall be ensured that there is 100% utilization of fly ash to be generated from the unit.

F. No. SEIAA/GUJ/EC/5(d) & 1(d)/1346/2018- DATED: 14/12/2018

Period - OCTOBER 2018 -MARCH 2019

Project Details - Expansion of capacities for Fully Drawn Yarn, Polyester Chips & Captive power plant By M/s. Shree Durga Syntex Pvt Ltd at block no. 128, 129, 130 & 175, Plot no. E & Z, Village: Jolva, Taluka: Palsana, Dist: Surat, Gujarat

A. 5 SAFFTY

- The occupier/manager shall strictly comply the provisions under the Factories Act 1948 and the Gujarat Factories Rules 1963.
- 50 Project specific process Safety Management System shall be developed as per the prevailing norms and it shall be implemented in letter and spirit.
- 51 Unit shall adopt automization system along with high safety measures for polymerization process.
- 52 The project authorities shall strictly comply with the provisions made in Manufacture, Storage and Import of Hazardous Chemicals Rules (MSIHC) 1989, as amended time to time and the Public Liability Insurance Act for handling of hazardous chemicals etc. Necessary approvals from the Chief Controller of Explosives and concerned Govt. Authorities shall be obtained before commissioning of the project. Requisite On-site and OH-site Disaster Management Plans have to be propored and implemented.
- 53 First Aid Box shall be made readily available in adequate quantity at all the times.
- 54. Main entry and exit shall be separate and clearly marked in the facility.
- 55. Sufficient peripheral open passage shall be kept in the margin area for free movement of fire tender/ emergency vehicla around the premises.
- 56. Storage of flammable chemicals shall be sufficiently away from the production area.
- 57 Sufficient number of fire extinguishers shall be provided near the plant and storage area.
- All recessary precautionary measures shall be taken to avoid any kind of accident during storage and handling of toxic?
 hazardous chemicals.
- 59. All the toxic/hazardous chemicals shall be stored in optimum quantity and all necessary permissions in this regard shall be obtained before commencing the expansion activities.
- 60. The project management shall ensure to comply with all the environment protection measures, risk mitigation measures and safeguards mentioned in the Risk Assessment report.
 - Flame proof electrical fittings shall be provided in flame proof zones or wherever applicable in Plant premises
- $\frac{62}{2}$. Storage of hazardous chemicals shall be minimized and it shall be in multiple small capacity tanks / containers instead of $\frac{62}{2}$ one single large capacity tank / containers.
 - All the storage tanks shall be fitted with appropriate controls to avoid any leakages. Bund/dyke walls shall be provided for storage tanks for Hazardous Chemicals.
 - . Handling and charging of the chemicals shall be done in closed manner by pumping or by vacuum transfer so that minimal human exposure occurs.
- 65. Tie up shall be done with nearby health care unit / doctor for seeking immediate medical attention in the case of emergency.
- 66 Personal Protective Equipments (PPEs) shall be provided to workers and its usage shall be ensured and supervised.
- 67. First Aid Box and required Antidotes for the chemicals used in the unit shall be made readily available in adequate quantity.
- 68. Training shall be imparted to all the workers on safety and health aspects of chemicals handling.
- 69. Occupational health surveillance of the workers shall be done and its records shall be maintained. Pre-employment and periodical medical examination for all the workers shall be undertaken as per the Factories Act 8 Rules.
- 70. Transportation of hazardous chemicals shall be done as per the provisions of the Motor Vehicle Act & Rules
- 71. The company shall implement all preventive and mitigation measures suggested in the Risk Assessment Report.
- 72. Necessary permissions from various statutory authorities like PESO, Factory Inspectorate and others shall be obtained prior to commissioning of the project.

A. 6 NCISE:

73. The overall noise level in and around the plant area shall be kept well within the standards by providing noise control measures including engineering controls like acoustic insulation hoods, silencers, enclosures etc. on all sources of noise generation. The ambient noise level shall confirm to the standards prescribed under The Environment (Protection) Act, 1986 & Rules.

A. 7 CLEANER PRODUCTION AND WASTE MINIMISATION:

- 74. The unit shall undertake the Cleaner Production Assessment study through a reputed institute / organization and shall form a CP team in the company. The recommendations thereof along with the compliance shall be furnished to the GPCB.
- 75. The company shall undertake various waste minimization measures such as :
- 76. Metering and control of quantities of active ingredients to minimize waste
- 77. Reuse of by-products from the process as raw materials or as raw materials substitutes.
- 78. Use of automated and close filling to minimize spillages.
- 79. Use of close feed system into batch reactors
- 80. Venting equipment through vapour recovery system.
- 81. Use of high pressure hoses for cleaning to reduce wastewater generation.
- 82. Recycling of washes to subsequent batches.
- 83. Recycling of steam condensate

Office: Gujarat Pollution Control Board, "Paryavaran Bhavan" Sector-10 A, Gandhinagar-382010
Phone No.:- (079) 232-32152,232-41514 Fax No.:- (079) 232-22784
E-mail: msseiaagj@gmail.com, Website:- www.seiaa.gujarat.gov.in

Page 5 of 7

COMPLIANCE OF ENVIRONMENTAL CLEARANCE MINISTRY'S LETTER NO.: F. No. SEIAA/GUJ/EC/5(d) & 1(d)/1346/2018- DATED: 14/12/2018

Period - OCTOBER 2018 -MARCH 2019

Project Details - Expansion of capacities for Fully Drawn Yarn, Polyester Chips & Captive power plant By M/s. Shree Durga Syntex Pvt Ltd at block no. 128, 129, 130 & 175, Plot no. E & Z, Village: Jolva, Taluka: Palsana, Dist: Surat, Gujarat

- 84. Sweeping / mopping of floor instead of floor washing to avoid effluent generation.
- 85. Regular preventive maintenance for avoiding leakage, spillage etc.

A. 8 GREEN BELT AND OTHER PLANTATION:

- 86. The unit shall develop green belt within premises as per the CPCB guidelines. However, if the adequate land is not available within the premises, the unit shall take up adequate plantation on road sides and suitable open areas in GIDC estate or any other open areas in consultation with the GIDC / GPCB and submit an action plan of plantation for next three years to the GPCB.
- 87. Drip irrigation / low-volume, low-angle sprinkler system shall be used for the green bett development within the premises.

 3. OTHER CONDITIONS:
 - 88. In case of use of spray dryer, the unit shall provide the adequate & efficient APCMs with spray dryer so that there should not be any adverse impact on human health & environment. Unit shall carry out third party monitoring of the proposed Spray dryer & it's APCM through the credible institutes and study report for impacts on Environment and Human Health shall be submitted to GPCB every year along with half yearly compliance report.
 - 89. The project proponent shall allocate the separate fund for Corporate Environment Responsibility (CER) in accordance to the MoEFCC's Office Memorandum No. F.No.22-65/2017-IA.III dated 01/05/2018 to carry out the activities under CER in affected area around the project. The entire activities proposed under CER shall be monitored and the monitoring report shall be submitted to the regional office of MoEFCC as a part of half-yearly compliance report and to district collector. The monitoring report shall be posted on the website of the project proponent.
 - 90. All the recommendations, mitigation measures, environmental protection measures and safeguards proposed in the EIA report of the project prepared by M/s: Envision Enviro Technologies Pvt. Ltd., Surat was submitted by project proponent vide letter no. NIL dated 03/07/2018 and commitments made during presentation before SEAC and proposed in the EIA report shall be strictly adhered to in letter and spirit.
 - 91. Rain water harvesting of surface as well as rooftop runoff shall be undertaken and the same water shall be used for the various activities of the project to conserve fresh water as well as to recharge ground water. Before recharging the surface run off, pre-treatment must be done to remove suspended matter.
 - 92. The unit shall join and participate financially and technically for any common environmental facility / infrastructure as and when the same is taken up either by the Industrial Association or GIDC or GPCB or any such authority created for this purpose by the Govt. / GIDC.
 - 93. Application of solar energy shall be incorporated for illumination of common areas, lighting for gardens and street lighting in addition the provision for solar water heating system shall also be provided.
 - 94. The area carmarked as green area shall be used only for plantation and shall not be altered for any other purposè
 - 95. All the commitments / undertakings given to the SEAC during the appraisal process for the purpose of environmental protection and management shall be strictly adhered to.
 - 96. The project proponent shall also comply with any additional condition that may be imposed by the SEAC or the SEIAA or any other competent authority for the purpose for the environmental protection and management.
 - 97. In the event of failure of any pollution control system adopted by the unit, the unit shall be safely closed down and shall not be restarted until the desired efficiency of the control equipment has been achieved.
 - 98. The project authorities must strictly adhere to the sliputations made by the Gujarat Pollution Control Board (GPCB), State Government and any statutory authority.
 - 99. During material transfer there shall be no spillages and garland drain shall be constructed to avoid mixing of accidental spillages with domestic wastewater or storm water.
 - 100. Pucca flooring / impervious layer shall be provided in the work areas, chemical storage areas and chemical handling areas to minimize soil contamination.
 - 101. Leakages from the pipes, pumps, shall be minimal and if occurs, shall be arrested promptly.
 - 102.No further expansion or modifications in the plant likely to cause environmental impacts shall be carried out without obtaining prior Environment Clearance from the concerned authority.
 - 103. The above conditions will be enforced, inter-alia under the provisions of the Water (Prevention & Control of Pollution) Act, 1974, Air (Prevention & Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986, Hazardous Wastes (Management, Handling and Transboundary Movement) Rules, 2008 and the Public Liability Insurance Act, 1991 along with their amendments and rules.
 - 104. The project proponent shall comply all the conditions mentioned in "The Companies (Corporate Social Responsibility Policy) Rules, 2014" and its amendments from time to time in a letter and spirit.
 - 106. The project management shall ensure that unit complies with all the environment protection measures, risk mitigation measures and safeguards recommended in the EMP report and Risk Assessment study report as well as proposed by project proponent.
 - 106.The project authorities shall earmark adequate funds to implement the conditions stipulated by SEIAA as well as GPCB along with the implementation schedule for all the conditions stipulated herein. The funds so provided shall not be diverted for any other purpose.

F. No. SEIAA/GUJ/EC/5(d) & 1(d)/1346/2018- DATED: 14/12/2018

Period - OCTOBER 2018 -MARCH 2019

Project Details - Expansion of capacities for Fully Drawn Yarn, Polyester Chips & Captive power plant By M/s. Shree Durga Syntex Pvt Ltd at block no. 128, 129, 130 & 175, Plot no. E & Z, Village: Jolva, Taluka: Palsana, Dist: Surat, Gujarat

- 107. The applicant shall inform the public that the project has been accorded environmental clearance by the SEIAA and that the copies of the clearance letter are available with the GPCB and may also be seen at the Website of SEIAA/ SEAC. GPCB. This shall be advertised within seven days from the date of the clearance letter, in at least two local newspapers that are widely circulated in the region, one of which shall be in the Gujarati language and the other in English. A copy each of the same shall be forwarded to the concerned Regional Office of the Ministry.
- 108. The project proponent shall also comply with any additional condition that may be imposed by the SEAC or the SEIAA or any other competent authority for the purpose of the environmental protection and management.
- 109. It shall be mandatory for the project management to submit half-yearly compliance report in respect of the stipulated prior environmental clearance terms and conditions in hard and soft copies to the regulatory authority concerned, on 1s June and 1st December of each catendar year.
- 110. Concealing factual data or submission of false/fabricated data and failure to comply with any of the conditions mentioned above may result in withdrawal of this clearance and attract action under the provisions of Environment (Protection) Act 1986.
- 131. The project authorities shall also adhere to the stipulations made by the Gujarat Pollution Control Board.
- 112. The SEIAA may revoke or suspend the clearance, if implementation of any of the above conditions is not found satisfactory.
- 113. The company in a time bound manner shall implement these conditions. The SEIAA reserves the right to stipulate additional conditions, if the same is found necessary.
- 114. The project authorities shall inform the GPCB, Regional Office of MoEF and SEIAA about the date of financial closure and final approval of the project by the concerned authorities and the date of start of the project.
- 115. This environmental clearance is valid for seven years from the date of issue.
- 116. Any appeal against this environmental clearance shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.

117. Submission of any false or misteading information or data which is material to screening or scoping or appraisal or decision on the application makes this environment clearance cancelled.

With regards, Yours singerely,

(S. M. SAIYAD)

Member Secretary

Issued to:

M/s. Shree Durga Syntex Pvt Ltd.

Plot No. E & Z, Block No 128, 129, 130 & 175,

Vill. Jolwa, Ta.: Palsana, Dist: Şurat